

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

Overzicht van de laatste wijziging(en)

versie	datum	toelichting
1.64	7-2-2024	<i>Bijschrijving Pteridophyta (varens) opgenomen</i>
1.63	8-11-2023	<i>Eisen Abies (sier tak) opgenomen</i>
1.62	18-10-2023	<i>Aanpassingen in: specifieke eisen, eisen met betrekking tot monstername en bijschrijving Malus</i>

Landenoverzicht exporteisen Sierteelt - Zuid-Afrika

ZUID-AFRIKA (ZA)	Certificaat export	Certificaat re-export	Taal	Grondeis	Invoervergunning
	1	20	E	GV	Ja

Algemene eisen

Certificaat vereist voor

Bloemkwekerijproducten (incl. droogbloemen)

Boomkwekerijproducten

Inspectie vereist voor

Bloemkwekerijproducten

Boomkwekerijproducten

Invoerverbod

Gewas	Herkomst
Alstroemeria haemantha, A. pulchella	Alle landen
Antirrhinum barreleiri, A. bellidifolium, A. majus, A. pedatum, A. siculum	Alle landen
Ilex ambigua, I. aquifolium, I. cassine, I. decidua, I. glabra, I. integra, I. paraguayensis, I. rotunda, I. serrata, I. volkensiana, I. x meservae	Alle landen
Ipomoea alba, I. indica, I. purpurea	Alle landen
Lamium, m.u.v. L. amplexicaule; L. maculatum 'Silbergroschen'; L. maculatum 'White Nancy'	Alle landen
Lilium formosanum	Alle landen
Prunus brasiliensis, P. incisa, P. serotina, P. spinosa	Alle landen
Rubus cuneifolius, R. x proteus, R. fruticosus	Alle landen

Producteisen

Standaardeisen

Zie de registers "Basisnormen Nederland voor Sierteelt" en "Q-organismen"

Specifieke eisen

De inspectieplichtige producten moeten vrij zijn (= 0-tolerantie) van de volgende organismen:

Wetenschappelijke naam	soort	Nederlandse naam	In Nederland voorkomend?
Abaca mosaic virus	v	-	Nee
Abutilon mosaic virus	v	-	Ja
Aceria tulipae	i	Tulpegalmijt	Ja
Adelges piceae	i	Zilversparwolluis	Ja

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

Wetenschappelijke naam	soort	Nederlandse naam	In Nederland voorkomend?
<i>Adelphocoris lineolatus</i>	i	Wants	Ja
<i>Aleurodicus dispersus</i>	i	Witte vlieg	Nee
<i>Alfalfa dwarf mosaic virus</i>	v	-	
<i>Aphelenchoides fragariae</i>	n	Aardbeibladaaltje	Ja
<i>Aphelenchoides ritzemabosi</i>	n	Chrysantebladaaltje	Ja
<i>Armillaria tabescens</i>	s	-	Nee
<i>Artichoke Italian latent virus</i>	v	AILV	Nee
<i>Ascochyta abelmoschi</i>	s		
<i>Asparagus latent virus</i>	v	-	Onbekend
<i>Aspergillus niger f.sp. floridanus</i>	s	-	-
<i>Aster yellows phytoplasma</i>	v	-	Ja
<i>Banana bunchy top virus</i>	v	-	Nee
<i>Beet curly top virus</i>	v	Bietekrultopvirus	Nee
<i>Brassicogethes aeneus</i>	i	Koolzaadglangskever	Ja
<i>Brevipalpus</i>	i	-	ja
<i>Cacoecimorpha pronubana</i>	i	Anjermot	ja
<i>Calacarus carinatus</i>	i	Purpere mijt	ja
<i>Calacarus citrifolii</i>	i	mijt	-
<i>Carnation streak virus</i>	v	Necrotische-vlekkenvirus van Anjer	ja
<i>Carnation etched ring virus</i>	v	Anjer-etsvirus	ja
<i>Carnation necrotic fleck virus</i>	v	Necrotische-vlekkenvirus van anjer	ja
<i>Cercospora ixorae</i>	s	-	nee
<i>Cercospora sequoia</i>	s	-	nee
<i>Ceroplastes ceriferus</i>	i	schildluis	nee
<i>Ceroplastes cirripediformis</i>	i	schildluis	-
<i>Ceroplastes floridensis</i>	i	schildluis	-
<i>Cryptocline cyclaminis</i>	s	-	nee
<i>Chrysodeixis eriosoma</i>	i	-	nee
<i>Chrysomyxa rhododendri</i>	s	roest	
<i>Coleosporium</i>	s	-	ja
<i>Cotton leaf curl virus</i>	v	-	nee
<i>Cryptostictis cupressi</i>			
<i>Cucumber mosaic virus</i>	v	Komkommermosaicvirus	ja
<i>Dendrolimus pini</i>	i	Dennenspinner	ja
<i>Didymella chrysanthemi</i>	s	Zwarte vlekkenziekte	ja
<i>Dysmicoccus mackenziei</i>	i	Ananaswolluis	-
<i>Dysmicoccus neobrevipes</i>	i	wolluis	-
<i>Dysmicoccus sylvarum</i>	i	wolluis	-
<i>Elatobium abietinum</i>	i	Groene sparreluis	ja
<i>Endothia gyrosa</i>	s	-	nee
<i>Ennomos subsignarius</i>			
<i>Eotetranychus pruni</i>	i	-	ja
<i>Eotetranychus sexmaculatus</i>	i	Spintmijt	nee
<i>Erwinia chrysanthemi</i>	b	Bacterieverwelkingsziekte	ja
<i>Euonymus variegation virus</i>			
<i>Eutectona machaeralis</i>	i		
<i>Exobasidium camelliae</i>	s	-	nee
<i>Exobasidium vexans</i>	s	-	ja
<i>Frankliniella occidentalis</i>	i	Californische trips	ja

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

Wetenschappelijke naam	soort	Nederlandse naam	In Nederland voorkomend?
<i>Fusarium oxysporum</i> f. sp. <i>cubense</i>	s	-	nee
<i>Fusarium oxysporum</i> f. sp. <i>cyclaminis</i>	s	-	ja
<i>Goplana dioscorea</i>			
<i>Gymnosporangium</i> spp.	s	Roest	ja
<i>Hyblaea puera</i>	i	-	-
<i>Hydrangea ringspot virus</i>	v	Hydrangea kringvlekkenvirus	ja
<i>Hymenochaeta mongeotii</i>			
<i>Kabathina thujae</i>	s	-	ja
<i>Kolerogia noxia</i>			
<i>Leptosphaeria maculans</i>	s	-	ja
<i>Leptosphaeria obtusispora</i>	s	-	nee
<i>Lethal yellowing mycoplasma</i>	v	-	nee
<i>Liriomyza</i>	i	Mineervlieg	ja
<i>Lymantria monacha</i>	i	Nonnetje	ja
<i>Macrosteles fascifrons</i>	i	Aster cicade	
<i>Melampsora hypericorum</i>	s	Roest	ja
<i>Melolontha melolontha</i>	i	Meikever	ja
<i>Mindarus abietinus</i>	i	Penseelluis	ja
<i>Mollusca</i>		Slakken	ja
<i>Monilinia fructicola</i>	s	-	nee
<i>Monochamus galloprovincialis</i>	i	boktor	ja
<i>Mycosphaerella fijensis</i>	s	-	nee
<i>Nipaecoccus nipae</i>	i	Palmwolluis	ja
<i>Oidium euonymi-japonica</i>	s	Echte meeldauw	nee
<i>Oligonychus ilicis</i>	i	Spintmijt	ja
<i>Otiorhynchus sulcatus</i>	i	Taxuskever	ja
<i>Ovulina azalea</i>	s	-	ja
<i>Pagyda salvalis</i>	i	-	-
<i>Pelargonium leaf curl virus</i>	v	-	nee
<i>Peronospora hyoschyami</i>	s	Valse meeldauw	ja
<i>Peronospora jacksonii</i>	s	Valse meeldauw	nee
<i>Phakospora jatrophicola</i>	s		
<i>Phoma sabdariffae</i>	s	-	nee
<i>Phormium yellowing mycoplasma</i>	v	-	onbekend
<i>Phyllosticta dracaenae</i>	s	-	nee
<i>Phymatotrichum omnivorum</i>	s		nee
<i>Phytomyza ilicis</i>	i	Hulstmineervlieg	ja
<i>Phytomyza ilicicola</i>	i	Mineervlieg	nee
<i>Phytophthora cryptogea</i>	s	-	ja
<i>Phytophthora palmivora</i>	s	-	ja
<i>Phytophthora ramorum</i>	s	-	ja
<i>Phytophthora tropicalis</i>	s	-	ja
<i>Planococcus lilacinus</i>	i	-	-
<i>Planococcus minor</i>	i	-	nee
<i>Poinsettia mosaic virus</i>	v	Poinsettia mozaiekvirus	ja
<i>Polysporus gilvus</i>			
<i>Polysporus sanguineus</i>			
<i>Pseudococcidae</i>	i	Wolluizen	ja

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

Wetenschappelijke naam	soort	Nederlandse naam	In Nederland voorkomend?
<i>Pseudomonas caryophyli</i>	b	Bacterievaatnecrose van anjer	ja
<i>Pseudomonas viridiflava</i>	b	-	nee
<i>Puccinia graminis</i>	s	Graanroest	
<i>Pucciniastrum actinidae</i>	s	Roest	ja
<i>Pyrenopeziza phlogina</i>	s	-	nee
<i>Pyrrhalta viburni</i>	i	Sneeuwbalhaantje	ja
<i>Ralstonia solanacearum</i>	b	Bruinrot	ja
<i>Ramularia bellulensis</i>	s	-	ja
<i>Rastrococcus iceryoides</i>	i	-	-
<i>Rastrococcus invadens</i>	i	-	nee
<i>Rhadinaphelenchus cocophilus</i>	n	-	nee
<i>Rhyncophorus palmarum</i>	i	Snuitkever	ja
<i>Rosellinia bunodes</i>	s	-	nee
<i>Rosellinia necatrix</i>	s	-	ja
<i>Saissetia neglecta</i>	i	-	-
<i>Sclerotinia bulborum</i>	s		ja
<i>Sclerotinia convulata</i>	s	-	nee
<i>Sclerotium tuliparum</i>	s		ja
<i>Seiridium cardinale</i>	s	-	nee
<i>Septobasidium aleuritides</i>	s	-	nee
<i>Septoria azalea</i>	s	-	ja
<i>Sphaceloma punicae</i>	s	-	nee
<i>Stenocarus ruficornis</i>	i	blauwmaanzaadsnuitkever	ja
<i>Tetranychus canadensis</i>	i	Spintmijt	nee
<i>Tetranychus mcdanieli</i>	i	Spintmijt	nee
<i>Tetranychus pacificus</i>	i	Spintmijt	nee
<i>Tetranychus schoenei</i>	i	Spintmijt	nee
<i>Tetranychus viennensis</i>	i	Spintmijt	ja
<i>Thrips flavus</i>	i	Trips	ja
<i>Tobacco rattle virus</i>	v	Tabaksratelvirus	ja
<i>Tomato aspermy virus</i>	v	Tomate-aspermie virus	ja
<i>Tyrophagus putrescentiae</i>	i	mijt	ja
<i>Uredinales</i>	s	Roesten	ja
<i>Uredo phormii</i>	s	Roest	nee
<i>Ustilago violacea</i>	s	Roest	ja
<i>Xanthomonas axonopodis</i> pv. <i>begonia</i>	b	Olievlekkenziekte	ja
<i>Xanthomonas arboricola</i> pv. <i>celebensis</i>	b	-	nee
<i>Xanthomonas axonopodis</i> pv. <i>erythrinae</i>	b	-	nee
<i>Xanthomonas axonopodis</i> pv. <i>khayae</i>	b	-	nee
<i>Xanthomonas campestris</i> pv. <i>phormicola</i>	b	-	nee
<i>Xanthomonas gorlencovianum</i>	b	-	nee
<i>Xestia c-nigrum</i>	i	Zwarte c-uil	ja
<i>Yam mosaic virus</i>	v	-	nee

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

- Malus moet voorzien zijn van een plantenpaspoort met de code PZ code ERWIAM / Erwinia amylovora.
- Voortkwekingsmateriaal van Eustoma (uit zaad) moet in de maand voor aflevering om de 2 weken door Naktuinbouw zijn geïnspecteerd en vrij zijn bevonden van symptomen van INSV.
- Siertakken van Abies moet afkomstig zijn van een bedrijf dat is geïnspecteerd en vrij bevonden van Phytophthora ramorum.
- Snijbloemen van Antirrhinum moeten vrij zijn van blad.
- Snijbloemen van Gerbera moeten afkomstig zijn van bedrijf dat is geïnspecteerd en vrij bevonden van Aphelenchoides fragariae.
- Snijbloemen/snijgroen van Erica en Pennisetum moet vrij zijn van zaad.
- Snijbloemen van Zingiber moeten afkomstig zijn van bedrijf dat is geïnspecteerd en vrij bevonden van Pseudomonas solanacearum biovar 3 & 4.

Eisen met betrekking tot monstername (toetsresultaten moeten beschikbaar zijn op het moment van inspectie)

- Moederplanten (in-vitro materiaal) moeten getoetst zijn door Keuringsdienst of NVWA op de in de bijschrijving genoemde virussen, viroïden, phytoplasma's en mycoplasma's, i.r.t. 'tested'. Bij Lilium in-vitro mag ook de zending zelf worden getoetst.
 - Dahlia, be- en onbeworteld stek moet zijn bemonsterd en onderzocht op Impatiens necrotic spot virus, tenzij de moederplanten zijn geïnspecteerd en vrij bevonden van INSV.
 - Vaste planten en onbeworteld stek van Paeonia moet zijn bemonsterd en onderzocht op Strawberry latent ringspot virus, tenzij de moederplanten zijn geïnspecteerd en vrij bevonden van SLRSV.
 - Voortkwekingsmateriaal van Begonia onbeworteld en beworteld < 2 jaar m.u.v. in vitro, moet zijn bemonsterd en onderzocht op Aphelenchoides fragariae.
 - Voortkwekingsmateriaal van Pelargonium, onbeworteld en beworteld < 2 jaar m.u.v. in vitro, moet zijn bemonsterd en onderzocht op Aphelenchoides coffeae, A. fragariae en A. ritzemabosi.
 - Moederplanten van Dianthus (onbeworteld stek) moeten worden bemonsterd en onderzocht op Impatiens necrotic spot virus en Phialophora cinerescens.
 - Snijbloemen, onbewortelde stekken, knollen en rhizomen van Euphorbia, moet zijn bemonsterd en onderzocht op Rhodococcus fascians. Tevens indien permit is afgegeven voor voortkwekingsmateriaal, m.u.v. in-vitro jonger dan 2 jaar waarbij verklaring over Rhodococcus wordt gevraagd.
 - Moederplanten van Malus moeten worden bemonsterd en onderzocht op Tobacco ringspot virus, Tomato bushy stunt virus, Tomato ringspot virus.
 - Bewortelde planten m.u.v. weefselkweek, van Anthurium en Strelitzia moeten worden bemonsterd en onderzocht op Radopholus similis.
Voor bemonsterde vrije bedrijven: Zie register Bedrijven met planten vrij van Radopholus similis, Heterodera fici, Cactodera cacti en Hirschmanniella.
- Zie register Verplichte monstername bij export en register Bemonsteren en verpakken.

Certificeringseisen

Bijschrijving

Let op, bijschrijving kan uit meerdere onderdelen bestaan
Onderstaande bijschrijvingen zijn gebaseerd op invoervergunningen. Eisen op invoervergunningen kunnen variëren.

SNIJBLOEMEN (EN/OF SIERTAKKEN INDIEN VERMELD) VAN

Deze bijschrijvingen gelden voor alle herkomsten, tenzij anders aangegeven.

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

Abies (siertak)

The parent plants were inspected and found free from *Phytophthora ramorum*.
The consignment was fumigated with an appropriate fumigant not more than 14 days prior to export for the following pests: *Adelges nordmannianae*, *Adelges piceae*, *Bursaphelenchus xylophilus*, *Choristoneura fumiferana*, *Choristoneura murinana*, *Choristoneura occidentalis*, *Cryphalus piceae*, *Dendrolimus pini*, *Elatobium abietinum*, *Lambdina fiscellaria*, *Lymantria monacha*, *Melolontha melolontha*, *Mindarus abietinus*, *Monochamus alternatus*, *Monochamus galloprovincialis*, *Oligonychus subnudus*, *Orgyia pseudotsugata*, *Pityokteines curvidens*, *Prociphilus americanus*, *Scolytus ventralis*, *Trisetacus abietis*.

Achillea

The consignment is free from *Brassicogethes aeneus*

Aconitum

Geen bijschrijving

Agapanthus

The consignment is free from *Frankliniella occidentalis*, *Liriomyza* spp, *Tetranychus canadensis* and *Tetranychus pacificus*.

Alchemilla

Geen bijschrijving

Allium (geldt ook voor siertakken)

Geen bijschrijving

Alstroemeria

Geen bijschrijving

Amaranthus

The consignment is free from *Aleurodicus disperses*, *Amrasca biguttula*, *Ceroplastes ceriferus*, *Chaetanaphothrips orchidii*, *Diaprepes splengleri*, *Helicoverpa zea*, *Hypolixus truncatulus*, *Liriomyza bryoniae*, *Ostrinia nubilalis*, *Spodoptera eridania*, *Spodoptera frugiperda*, *Spodoptera litura*, *Tuta absoluta* and *Zonocerus variegatus*.

Amaryllis

Geen bijschrijving

Ammi majus

Geen bijschrijving

Ananas

The consignment is free from *Dysmicoccus neobrevipes*, *Dysmicoccus mackenziei*, *Holothrips ananasi*, *Metamasius callizona*, *Phenacoccus madeirensis*, *Planococcoides njalensis*, *Planococcus minor*, *Pseudococcus jackbeardsleyi*, *Pulvinaria urbicola*, *Thrips hawaiiensis*

Anemone

The consignment is free from *Tobacco ringspot virus*, *Aleurodicus dispersus* and *Thrips palmi*.

Anethum

The consignment is free from *Spodoptera litura* and *Thrips flavus*.

Anigozanthos

The consignment is free from *Thrips palmi*.

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

Antirrhinum

The consignment is free from *Aleurodicus disperus*, *Liriomyza huidobrensis*, *Liriomyza sativae*, *Spodoptera eridania*, *Spodoptera litura*, *Tetranychus mcdanieli*, *Tetranychus pacificus*, *Thrips palmi* and free of leaves.

Anthurium

The consignment is free from *Maconellicoccus hirsutus*.

Aquilegia

The consignment is free from *Phytomyza krygeri*.

Asclepias

The consignment is free from *Frankliniella occidentalis*.

Asparagus

The consignment is free from *Scirtothrips dorsalis*.

Aspidistra

The consignment is free from *Frankliniella occidentalis* and *Liriomyza spp.*

Aster

The consignment is free from *Aphelenchoides ritzemabosi*, *Cacoecimorpha pronubana*, *Ditylenchus dipsaci*, *Erwinia chrysanthemi*, *Frankliniella occidentalis*, *Liriomyza spp.*, *Puccinia horiana*, *Tetranychus canadensis*, *Tetranychus pacificus* and *Coleosporium spp.*

Astilbe

The consignment is free from *Chryseococcus arecae*, *Eriococcus insignis*, *Helicoccus danzigae*, *Orthezia urticae*, *Otiorhynchus sulcatus*, *Peliococcus multispinus*, *Phenacoccus evelinae*, *Pulvinaria regalis*, *Rastrococcus invadens*, *Rhizoecus falcifer* and *Rhodococcus turanicus*.

Astrantia

The consignment is free from *Frankliniella occidentalis*, *Thrips palmi* and *Liriomyza spp.*

Bouvardia

The consignment is free from *Liriomyza spp.*

Brodiaea

Zie Agapanthus

Bupleurem

Geen bijschrijving

Calla

The consignment is free from *Calacarus citrifolii*, *Tetranychus canadensis*, *Tetranychus pacificus*, *Thrips palmi*.

Callicarpa

The consignment is free from *Ceroplastes ceriferus*, *Eutectona machaeralis*, *Hyblaea pueria*, *Pagyda salvalis*, *Planococcus lilacinus*, *Rastrococcus iceryoides*, *Saissetia neglecta*.

Celosia (geldt ook voor siertakken)

The consignment is free from *Frankliniella occidentalis* and *Liriomyza spp.*

Chrysanthemum

The consignment is free from *Aphelenchoides ritzemabosi*, *Brevipalpus chilensis*, *Cacoecimorpha pronubana*, *Tetranychus canadensis* and *Tetranychus pacificus*.

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

Clematis

Geen bijschrijving

Convallaria

Geen bijschrijving

Cordyline (geldt ook voor siertakken)

The consignment is free from *Chaetanaphothrips signipennis*.

Cotinus

The consignment is free from *Eotetranychus pruni*, *Phymatotrichum omnivorum*, *Synchytrium endobioticum*, *Tetranychus canadensis*, *Tetranychus mcdanieli*, *Tetranychus pacificus*, *Tetranychus schoenei*, *Tetranychus viennensis*, *Verticillium albo-atrum*.

Craspedia

Geen bijschrijving

Crocosmia

Geen bijschrijving

Curcuma

The consignment is free from *Aspidiella hartii*, *Conogethes punctiferalis*, *Nilaparvata lugens*, *Ostrinia furnacalis* and *Stephanitis typica*.

Cyclamen

The consignment is free from *Aphelenchoides besseyi*, *Aphelenchoides fragariae*, *Aphelenchoides ritzema-bosi*, *Ditylenchus destructor*, *Ditylenchus dipsaci*, *Tetranychus canadensis*, *Tetranychus mcdanieli*, *Tetranychus pacificus*.

Cynara (geldt ook voor siertakken)

The consignment is free from *Aphelenchoides ritzema-bosi*, *Ditylenchus spp.*, *Brevipalpus chilensis*, *Frankliniella occidentalis*, *Liriomyza spp.*, *Thrips palmi*, *Tetranychus canadensis* and *Tetranychus pacificus*.

Dahlia

The consignment is free from *Aleurodicus disperses*, *Amauramyza maculosa*, *Liriomyza sativae*, *Thrips Palmi*, *Brevipalpus chilensis*.

Delphinium

The consignment is free from *Frankliniella occidentalis*, *Liriomyza spp.* and *Thrips palmi*.

Dianthus

The consignment is free from *Cacoecimorpha pronubana*, *Lobesia botrana*, *Mamestra brassicae*, *Platynota stultana* and *Spodoptera frugiperda*.

Dracaena (geldt ook voor siertakken)

The consignment is free from *Diaprepes abbreviates*, *Scyphophorus acupunctatus*, *Chaetanaphothrips signipennis*, *Pinnaspis strachani*, *Hercinothrips fermoralis*, *Pseudococcus jackbeardsleyi*.

Echinops

The consignment is free from *Frankliniella occidentalis*, *Thrips palmi* and *Liriomyza spp.*

Erica

The consignment is free from *Otiorhynchus sulcatus* and seed.

Eremurus

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

Geen

Eucomis

The consignment is free from Thrips palmi and Lilioceris lilii.

Euphorbia (origine NL)

The consignment is free from Rastrococcus iceryoides.

The country of production is free from Clover phyllody phytoplasma, Armillaria tabescens, Bean golden mosaic virus, Xylella fastidiosa.

The consignment was laboratory tested and found free from Rhodococcus fascians.

Eustoma

Geen bijschrijving

Forsythia

The consignment is free from Pseudomonas syringae pv. savastoni, Thrips palmi.

Freesia

Geen bijschrijving

Galax (snijgroen)

Geen bijschrijving

Gaultheria (geldt ook voor siertakken)

Geen bijschrijving

Gentiana

The consignment is free from Arctorhezia cataphracta, Newsteadia floccosa.

Gerbera

The consignment is free from Hercinothrips femoralis, Otiorhynchus sulcatus and Tyrophagus putrescentiae. The place of production is free from Aphelenchoides fragariae.

Gladiolus

The consignment is free from Liriomyza spp.

Gloriosa

Geen bijschrijving

Gypsophila

Geen bijschrijving

Helianthus

The consignment is free from Aphelenchoides ritzemabosi, Ditylenchus dipsaci, Thrips palmi, Icerya genistae, Diabrotica virgifera.

Heliconia (origine NL)

The consignment is free from Aleurodicus dugesii, Ceroplastes floridensis, Dysmicoccus neobrevipes, Nacolea octasema, Nipaecoccus nipae, Pinnaspis buxi, Pinnaspis strachani, Planococcus minor, Pseudococcus cryptus, Pseudococcus jackbeardsleyi, Ralstonia solanacearum, ras 2, Rastrococcus invadens, Vinsonia stellifera.

The country of production is free from Maconellicoccus hirsutus.

Helleborus

Geen bijschrijving

Heracleum

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

The consignment is free from *Liriomyza* spp., *Tetranychus canadensis*, *Tetranychus mcdanieli*, *Tetranychus pacificus*, *Tetranychus schoenei*, *Tetranychus viennensis*, *Eotetranychus pruni*, *Eotetranychus sexmaculatus*.

Hippeastrum

The consignment is free from *Frankliniella occidentalis* and *Liriomyza* spp.

Hydrangea

Geen bijschrijving

Hypericum

Geen bijschrijving

Hyacinthus

The consignment is free from *Liriomyza* spp.

Ilex (geldt ook voor siertakken)

The consignment is free from *Oligonychus ilicis*, *Phytomyza ilicis*, *Phytomyza ilicicola*.

Iris

The consignment is free from *Pseudococcus jackbeardsley*.

Lagurus

Geen bijschrijving

Lamium

Geen bijschrijving

Lavandula

Geen bijschrijving

Leycesteria

Geen bijschrijving

Leucojum

Geen bijschrijving

Lilium

The consignment is free from *Chrysodeixis eriosoma* and *Spodoptera litura*.

Lotus

Geen bijschrijving

Lycopodium

The consignment is free from *Liriomyza* spp., *Tetranychus canadensis*, *Tetranychus mcdanieli*, *Tetranychus pacificus*, *Tetranychus schoenei*, *Tetranychus viennensis*, *Eotetranychus pruni*, *Eotetranychus sexmaculatus*.

Matthiola

The consignment is free from *Aleurodicus disperses*, *Liriomyza huidobrensis*, *Liriomyza sativae*, *Thrips palmi*.

Molucella

Geen bijschrijving

Monstera (geldt ook voor siertakken)

The consignment is free from *Frankliniella occidentalis*.

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

Musa (geldt ook voor siertakken) (origine NL)

The country of production is free from *Mycosphaerella fijiensis*.

The consignment is free from *Chaetanaphothrips signipennis*, *Hercinothrips bicinctus*, *Pentalonia nigronervosa*.

Myrtus (origine NL)

The country of production is free from *Maconellicoccus hirsutus*.

The consignment is free from *Retriothrips syriacus*, *Dialeurodes citri*, *Ceroplastes japonica*, *Ceroplastes floridensis*.

Narcissus

The consignment is free from *Hepialus lupulinus*, *Phenacoccus madeirensis*, *Phenacoccus avenae*, *Pseudococcus maritimus*, *Pseudococcus sorghellus*.

Nelumbo

Geen bijschrijving

Nigella

Geen bijschrijving

Orchidaceae (zie register Plantenfamilies) m.u.v. Vanilla

The consignment was inspected and found free from *Thrips palmi*, *Hercinothrips femorallis*, *Lema pectoralis*, *Orgyia postica*, *Pseudococcus jackbeardsley*, *Spodoptera eridania*, *Tenuipalpus pacificus*.

Ornithogalum

Geen bijschrijving

Paeonia

The consignment is free from *Frankliniella occidentalis*, *Thrips palmi* and *Liriomyza spp.*

Papaver (origine NL)

The consignment is free from *Adelphocoris lineolatus*, *Ceutorhynchus denticulatus*, *Hoplia callipyge*, *Lygus lineolaris*, *Megalurothrips distalis*, *Spodoptera litura*, *Stenocarus ruficornis* and *Xestia c-nigrum*. The country of production is free from Artichoke Italian latent virus.

Pennisetum (geldt ook snijgroen)

The consignment is free from *Liriomyza huidobrensis*, *Liriomyza sativae*, *Tetranychus canadensis*, *Tetranychus pacificus*, *Tetranychus mcdanieli* and *Thrips palmi*.

Philodendron (siertak)

The consignment is free from *Ceroplastes cirripediformis*, *Ceroplastes floridensis*, *Dysmicoccus neobrevipes*, *Dysmicoccus sylvarum*, *Planococcus minor*, *Pseudococcus landoi*, *Pseudococcus nakaharai*, *Rastrococcus invadens*.

Phlox

The consignment is free from *Liriomyza sativae*.

Physostegia

The consignment is free from *Frankliniella occidentalis*, *Thrips palmi* and *Liriomyza spp.*

Polypodiaceae

The consignment is free from *Frankliniella occidentalis*-and *Liriomyza spp.*

Proteaceae (zie Register Plantenfamilies)

The consignment is free from *Achaea Janata*, *Aleurodicus destructor*, *Amblypelta lutescens*, *Aleurodicus disperses*, *Amblypelta nitida*, *Amorphia emigratella*, *Conogethes*

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

punctiferalis, Cryptophlebia illepida, Cryptophlebia ombrodelta, Diaurodes citri, Ectropis bhurmitra, Elimaea punctifera, Homona coffearia, Postelectrotermes militaris, Pseudococcus jackbeardsleyi, Riptortus dentipes, Sophonia rufofascia, Xylosandrus crassiusculus, Mycosphaerella buckinghamiae, Mycosphaerella konae, Mycosphaerella leucospermi, Mycosphaerella telopeae, Mycosphaerella waimeana, Phyllosticta telopeae, Phaeophleospora protearum, Pseudocercospora agharkarii, Phaeophleospora concéntrica, Leptosphaeria leucadendri, Elsinoe fecunda.

Pteridophyta (Ferns)

Geen bijschrijving

Ranunculus

The consignment is free from Liriomyza spp.

Rosa (origine NL)

The consignment was inspected and found free from: Adoxophyes orana, Aleurodicus dispersus, Anoplophora chinensis, Cacoecimorpha pronubana, Choristoneura rosaceana, Corythucha arcuata, Epiphysa postvittana, Indarbela quadrinotata, Lymantria obfuscata, Oligonychus biharensis, Oligonychus perseae, Orgyia postica, Orthezia urticae, Parlatoria oleae, Planococcus minor, Platynota stultana, Popillia japonica, Pulvinaria vitis, Rastrococcus iceryoides, Rhizoecus kondonis, Selenaspis articulatus, Tetranychus pacificus, Tetranychus viennensis, Thrips hawaiiensis and Thrips imaginis.

The Netherlands (the country of production) is free from Armillaria tabescens, Maconellicoccus hirsutus, Monilinia fructicola.

The flowers to be treated on arrival in RSA to render the buds non-viable.

Ruscus aculeatus, R. microglossum

Geen bijschrijving

Scabiosa

Geen bijschrijving

Sedum

The consignment is free from Otiorhynchus sulcatus, Hercinothrips femoralis.

Solidago

The consignment is free from Coleosporium asterum.

Solidaster

Zie Solidago

Sparaxis

The consignment is free from Frankliniella occidentalis, Thrips palmi and Liriomyza spp.

Symporicarpos

Geen bijschrijving

Syringa

The consignment is free from Frankliniella occidentalis, Phytophthora ramorum and Thrips palmi.

Tasmannia

Geen bijschrijving

Telopea

The consignment is free from Frankliniella occidentalis, Thrips palmi and Liriomyza spp.

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

Tillandsia

The consignment is free from *Dysmicoccus mackenziei*, *Nipaecoccus nipae*.

Trachelium

Geen bijschrijving

Tuberosa

Geen bijschrijving

Tulipa

Geen bijschrijving

Veronica

The consignment is free from *Aleurodicus disperses*, *Liriomyza huidobrensis*, *Liriomyza sativae*, *Thrips palmi*.

Viburnum

The consignment is free from *Aleurtrachelus jelenkii*, *Aphis crassicauda*, *Cacoecimorpha pronubana*, *Ceroplastes ceriferus*, *Ceroplastes cirripediformis*, *Lichtensia viburni*, *Phytophthora ramorum*, *Pseudococcus comstoci*, *Pyrrhalta humeralis* and *Pyrrhalta viburni*.

Viscum

The consignment is free from *Frankliniella occidentalis*.

Zamiaceae

The consignment is free from *Aulacaspis yasumatsui*, *Ceroplastes cirripediformis*, *Ceroplastes floridensis*, *Prococcus acutissimus* and *Rastrococcus iceryoides*.

Zantedeschia

The consignment is free from *Heliothrips femoralis* and *Thrips palmi*.

Zingiber

The parent plants were inspected and found free from *Pseudomonas solanacearum* biovar 3 & 4. The consignment is free from *Conochetus punctiferalis*, *Pseudococcus jackbearsleyi*, *Pseudococcus elisae*, *Nipaecoccus nipae*, *Planococcus minor*, *Udaspes folus*, *Aspidiella hartii*.

DROOGBLOEMEN VAN:

AGAPANTHUS, AMARYLLIS, ASTILBE, BRODIAEA, NARCISSUS;

The consignment is free from *Frankliniella occidentalis*, *Liriomyza* sp, *Tetranychus canadensis* and *Tetranychus pacificus*.

Chrysanthemum

The consignment is free from *Aphelenchoides ritzemabosi*, *Brevipalpus chilensis*, *Cacoecimorpha pronubana*, *Tetranychus canadensis* and *Tetranychus pacificus*.

Voortkwekingsmateriaal M.U.V. IN-VITRO MATERIAAL, van

Algemeen

[Voor veel producten wordt de volgende bijschrijving gevraagd, deze mag worden gebruikt mits aan de grondeis is voldaan en er geen vruchten, zaden of peulen aan het product zitten.]

The plants are free from fruit, seeds and pods

[En alleen indien beworteld]

The plants were rooted, cultivated, packed in a sterilized medium free from soil particles.

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

Actinidia

The consignment is free from *Eotetranychus sexmaculatus*, *Pseudomonas viridiflava* and *Pucciniastrum actinidiae*.

Aquilegia

Inspected during active growth and found free from beet curly top virus and cucumber mosaic virus.

Begonia (<2 jaar)

The consignment was tested and found free from *Aphelenchoides fragariae*.

The consignment was inspected and found free from *Pseudococcus jackbeardsleyi* and *Othoiryynchus sulcatus*.

Bellis

Inspected during active growth and found free from beet curly top virus.

Campanula (<2 jaar)

The plants were rooted, cultivated and packed in a sterilised medium free from soil particles.

Euphorbia (<2 jaar, onbeworteld)

The country of production is free from *Clover phyllody phytoplasma*, *Armillaria tabescens*, *Bean golden mosaic virus*, *Xylella fastidiosa*, *Amblypelta lutescens*, *Pseudococcus jackbeardsleyi*, *Rastrococcus iceryoides* and *Sophonia rufofascia*.

The consignment is tested and found free from *Rhodococcus fascians*.

Euphorbia (<2 jaar, beworteld)

The country of production is free from *Clover phyllody phytoplasma*, *Armillaria tabescens*, *Bean golden mosaic virus*, *Xylella fastidiosa*, *Amblypelta lutescens*, *Pseudococcus jackbeardsleyi*, *Rastrococcus iceryoides* and *Sophonia rufofascia*.

The consignment is tested and found free from *Rhodococcus fascians*.

The consignment is free from *Aceria tulipae*, *Aphelenchoides besseyi*, *Aphelenchoides fragariae*, *Aphelenchoides ritzemabosi*, *Ditylenchus destructor*, *Ditylenchus dipsaci*, *Eotetranychus pruni*, *Eotetranychus sexmaculatus*, *Frankliniella occidentalis*, *Liriomyza spp.*, *Phytophthora omnivorum*, *Synchytrium endobioticum*, *Tetranychus canadensis*, *Tetranychus mcdanieli*, *Tetranychus pacificus*, *Tetranychus schoenei* en *Tetranychus viennensis*. The consignment was obtained from motherplants that are practically free from *Euphorbia mosaic virus* en *Poinsettia mosaic virus*.

Eustoma (voorheen Lisianthus) uit zaad

The country of production is free from *Tomato yellow leaf curl virus*.

The production site is inspected every 14 days and found free from symptoms of *Impatiens necrotic spot virus*.

The consignment is free from: *Aphelenchoides fragariae*, *Aphelenchoides ritzemabosi*, *Ditylenchus destructor* and *Ditylenchus dipsaci*.

Gerbera (<2 jaar)

The country of production is free from *Tyrophagus putrescentiae*.

The consignment was treated with an appropriate insecticide not more than 14 days prior to export, especially against *Otiorhynchus sulcatus* and *Hercinothrips femoralis*.

The place of production is free from *Aphelenchoides fragariae*.

Gloxinia (<10 weken en/of < 20 cm)

Synchytrium endobioticum and *Phytophthora omnivorum* do not occur in the place of production.

The consignment is free from *Liriomyza huidobrensis*, *Liriomyza sativae*, *Thrips palmi*, *Aphelenchoides besseyi*, *Aphelenchoides fragariae*, *Aphelenchoides ritzemabosi*,

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

Ditylenchus destructor, Ditylenchus dipsaci, Tetranychus canadensis and Tetranychus mcdanieli.

Hibiscus

Phoma sabdariffae, beet curly top virus, cotton leaf curl virus do not occur in the country of production; the consignment is free from Ascochyta abelmoschi and Witches' broom mlo.

Malus

The consignment was inspected and found free from: Aculus schlechtendali, Amphitetranychus viennensis, Brevipalpus lilium, Bryobia repensi, Cenopalpus lanceolatisetae, Cenopalpus pulcher, Diptacus gigantorhynchus, Eotetranychus carpini, Eotetranychus pruni, Eotetranychus willamettei, Tetranychus canadensis, Tetranychus mcdanieli, Tetranychus pacificus, Tetranychus schoenei, Acleris comariana, Adoxophyes orana, Anaplophora chinensis, Archips podana, Archips rosana, Argyrotaenia citrana, Bryobia repensi, Ceroplastes ceriferus, Choristoneura rosaceana, Conogethus punctiferalis, Ctenopseustis obliquana, Cydia packardi, Diaspidiotus ostreaeformis, Empoasca fabae, Epiphyas postvittana, Eulecanium tiliae, Icerya aegyptiaca, Homalodisca coagulata, Lopholeucaspis japonica, Maconellicoccus hirsutus, Metcalfa pruinosa, Naupactus xanthographus, Operophtera brumata, Ostrinia nubilalis, Pandemis cerasana, Parlatoria oleae, Parthenolecanium corni, Platynota stultana, Pseudococcus comstocki, Pseudococcus maritimus, Retithrips syriacus, Spilonota ocellana, Teucriothrips inconsequens, Xestia c-nigrum, Xyleborus dispar, Zeuzera pyrina.

The parent plants were tested and found free from: Tobacco ringspot virus, Tomato bushy stunt virus, Tomato ringspot virus and Apple proliferation.

The parent plants were inspected* and found free from Nectria galligena.

The country of production is free from: Cherry rasp leaf virus, Gymnosporangium clavipes, Gymnosporangium globosum, Gymnosporangium juniperi-virginianae, Gymnosporangium yamadae en Monilinia fructicola.

The area of production is free from Erwinia amylovora.

The parents plants were inspected during active growth and found free of fruit symptoms of Apple chat fruit.

Orchidaceae m.u.v. Vanilla

The consignment was inspected and found free from Thrips palmi, Hercinothrips femorallis, Lema pectoralis, Orgyia postica, Pseudococcus jackbeardsley, Spodoptera eridania, Tenuipalpus pacificus.

The place of production is free from Aphelenchoides fragariae and Ditylenchus dipsaci.

Ranunculus

Clover phyllody phytoplasma is not known to occur in the Netherlands.

Rosa*

The Netherlands is free from Aleurodicus dispersus, Indarbela quadrinotata, Oligonychus biharensis, Parlatoria oleae, Planococcus minor, Rastrococcus iceryoides, Selenaspidus articulatus, Tetranychus pacificus, Maconellicoccus hirsutus, Anthonomus signatus.

The consignment was inspected and found free from Orthezia urticae, Parthenolecanium corni, Pulvinaria vitis, Rhizoecus kondonis Tetranychus viennensis and Otiorrhynchus sulcatus.

The plants were inspected during active growth and found visually free from Strawberry latent ringspot virus and Nectria galligena.

The consignment is free from soil and flowers.

Solidaster

The consignment is free from Aceria tulipae, Uredinales, Aster yellows phytoplasma, Tobacco rattle virus and Erwinia chrysanthemi.

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

**BEWORTEL VOORTKWEKINGSMATERIAAL EN BEWORTELDE PLANTEN, M.U.V.
IN-VITRO MATERIAAL, VAN**

Algemeen

[Voor veel producten wordt de volgende bijschrijving gevraagd, deze mag worden gebruikt mits aan de grondeis is voldaan en er geen vruchten, zaden of peulen aan het product zitten.]

The plants were rooted, cultivated, packed in a sterilized medium free from soil particles.
The plants are free from fruit, seeds and pods

Cyclamen (<2 jaar)

The consignment is free from Aphelenchoides besseyi, Aphelenchoides fragariae, Aphelenchoides ritzemabosi, Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus pruni, Eotetranychus sexmaculatus, Frankliniella occidentalis, Liriomyza spp., Tetranychus canadensis, Tetranychus mcdanieli, Tetranychus pacificus, Tetranychus schoenei, Tetranychus viennensis.

Dianthus

The consignment was inspected and found free from Cacoecimorpha pronubana, Lobesia botrana, Mamestra brassicae, Platynota stultana, Spodoptera frugiperda.

The country of production is free from Verticillium cinerescens.

[en]

The consignment was inspected* and found free from Impatiens necrotic spot virus.

[of]

The parent plants were inspected* and found free from Impatiens necrotic spot virus.

Dionaea (<10 weken en/of < 20 cm)

The consignment is free from Aphelenchoides besseyi, Aphelenchoides fragariae, Aphelenchoides ritzemabosi, Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus pruni, Eotetranychus sexmaculatus, Frankliniella occidentalis, Liriomyza spp., Tetranychus canadensis, Tetranychus mcdanieli, Tetranychus pacificus, Tetranychus schoenei, Tetranychus viennensis.

Euphorbia m.u.v. beworteld voortkwekingsmateriaal < 2 jaar

The consignment is free from Aceria tulipae, Aphelenchoides besseyi, Aphelenchoides fragariae, Aphelenchoides ritzemabosi, Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus pruni, Eotetranychus sexmaculatus, Frankliniella occidentalis, Liriomyza spp., Phymatotrichum omnivorum, Synchytrium endobioticum, Tetranychus canadensis, Tetranychus mcdanieli, Tetranychus pacificus, Tetranychus schoenei en Tetranychus viennensis. The consignment was obtained from motherplants that are practically free from Euphorbia mosaic virus en Poinsettia mosaic virus.

Hoya

The country of production is free from Euploea core and Pseudococcus jackbeardsleyi.
The consignment is free from Aphelenchoides fragariae, Aphelenchoides ritzemabosi, Ditylenchus destructor and Ditylenchus dipsaci.

Orchidaceae m.u.v. Vanilla

The consignment was inspected and found free from Thrips palmi, Hercinothrips femorallis, Lema pectoralis, Orgyia postica, Pseudococcus jackbeardsley, Spodoptera eridania, Tenuipalpus pacificus.

The place of production is free from Aphelenchoides fragariae and Ditylenchus dipsaci.

Papaver (<10 weken en/of <20cm)

The consignment is free from Adelphocoris lineolatus, Hoplia callipyge, Stenocarus ruficornis and Xestia c-nigrum.

The country of production is free from Ceutorhynchus denticulatus, Lygus lineolaris, Megalurothrips distalis, Spodoptera litura.

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

The place of production is free from Phymatotrichopsis omnivora.

Pelargonium. (<10 weken en/of < 20 cm)

The country of production is free from Spodoptera eridania, Spodoptera frugiperda, Tobacco ringspot virus, Tomato ringspot virus, Pelargonium leaf curl virus and Xylella fastidiosa.

The consignment was tested and found free from Aphelenchoides fragariae, Aphelenchoides ritzemabosi and Aphelenchoides coffeae.

Petunia (<10 weken en/of < 20 cm)

The consignment is free from Liriomyza huidobrensis, Liriomyza sativae, Phymatotrichum omnivorum, Synchytrium endobioticum, Tetranychus canadensis, Tetranychus mcdanieli, Tetranychus pacificus, Thrips palmi.

Pteridophyta (Ferns)

The consignment is free from Aphelenchoides besseyi, Aphelenchoides fragariae, Aphelenchoides ritzemabosi, Ditylenchus destructor, Ditylenchus dipsaci, Eotetranychus pruni, Eotetranychus sexmaculatus, Frankliniella occidentalis, Liriomyza spp, Tetranychus canadensis, Tetranychus mcdanieli, Tetranychus pacificus, Tetranychus schoenei, Tetranychus viennensis.

Tillandsia (<10 weken en/of < 20 cm)

The consignment was inspected and found free from Dysmicoccus mackenziei and Nipaecoccus nipae.

<u>Abelia</u>	<u>Bergenia</u>	<u>Ctenanthe</u>
<u>Acalypha</u>	<u>Bignonia</u>	<u>Cussonia</u>
<u>Acanthus</u>	<u>Botrychium</u>	<u>Cyathea</u>
<u>Achillea</u>	<u>Bougainvillea</u>	<u>Cycadales</u>
<u>Adenia</u>	<u>Bouvardia</u>	<u>Cyperus</u>
<u>Adenium</u>	<u>Brachychiton</u>	<u>Dahlia</u>
<u>Aechmea</u>	<u>Brighamia</u>	<u>Dampiera</u>
<u>Aglaonema</u>	<u>Buddleia</u>	<u>Danae</u>
<u>Ajuga</u>	<u>Cactaceae</u>	<u>Dasylirion</u>
<u>Alberta</u>	<u>Calathea</u>	<u>Delphinium</u>
<u>Alocasia</u>	<u>Calceolaria</u>	<u>Dianthus</u>
<u>Aloe</u>	<u>Callistemon</u>	<u>Diascia</u>
<u>Alstroemeria</u>	<u>Camellia</u>	<u>Dicksonia</u>
<u>Amaranthaceae</u>	<u>Campsis</u>	<u>Dieffenbachia</u>
<u>Amaryllidaceae</u>	<u>Cananga</u>	<u>Dipladenia</u>
<u>Androsace</u>	<u>Capparis</u>	<u>Draba</u>
<u>Anigozanthos</u>	<u>Carissa</u>	<u>Dracaena</u>
<u>Anthurium</u>	<u>Caulophyllum</u>	<u>Echeveria</u>
<u>Aphelandra</u>	<u>Ceanothus</u>	<u>Epipremnum</u>
<u>Aralia</u>	<u>Ceratopetalum</u>	<u>Erica</u>
<u>Arbutus</u>	<u>Ceropegia</u>	<u>Erigeron</u>
<u>Ardisia</u>	<u>Chamaelaucium</u>	<u>Eryngium</u>
<u>Arecaceae (= syn. Palmae)</u>	<u>Chrysanthemum</u>	<u>Euonymus</u>
<u>Arisaema</u>	<u>Cibotium</u>	<u>Eustoma</u> (voorheen Lisianthus)
<u>Armeria</u>	<u>Clerodendron</u>	<u>Exacum</u>
<u>Artocarpus</u>	<u>Clematis</u>	<u>Fatshedera</u>
<u>Asparagus</u>	<u>Cleyera</u>	<u>Ficus</u>
<u>Astartea</u>	<u>Codonanthe</u>	<u>Fittonia</u>
<u>Aster</u>	<u>Coleus</u>	<u>Fuchsia</u>
<u>Baeckea</u>	<u>Columnea</u>	<u>Gardenia</u>
<u>Ballota</u>	<u>Coprosma</u>	<u>Genista</u>
<u>Beaucarnea</u>	<u>Cordyline</u>	<u>Geogenanthus</u>
<u>Begonia</u>	<u>Crossandra</u>	

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

<u>Geranium</u>	<u>Pandanus</u>	<u>Tmesipteris</u>
<u>Grevillea</u>	<u>Peltiphyllum</u>	<u>Tolmiea</u>
<u>Gypsophila</u>	<u>Penstemon</u>	<u>Trachelium</u>
<u>Hamamelis</u>	<u>Peperomia</u>	<u>Tradescantia</u>
<u>Hebe</u>	<u>Petasites</u>	<u>Verbascum</u>
<u>Hedera</u>	<u>Philodendron</u>	<u>Veronica</u>
<u>Helichrysum</u>	<u>Phlox</u>	<u>Viburnum</u>
<u>Helminthostachys</u>	<u>Phormium</u>	<u>Vriesea</u>
<u>Hibbertia</u>	<u>Physostegia</u>	<u>Wisteria</u>
<u>Hosta</u>	<u>Phyteuma</u>	<u>Xanthosoma</u>
<u>Hydrangea</u>	<u>Pisonia</u>	<u>Yucca</u>
<u>Hypericum</u>	<u>Pittosporum</u>	
<u>Hypoestes</u>	<u>Polypodiaceae</u>	
<u>Ilex</u>	<u>Polyscias</u>	
<u>Ixora</u>	<u>Preslia</u>	
<u>Jatropha</u>	<u>Primula</u>	
<u>Kalanchoe</u>	<u>Prunella</u>	
<u>Kalmia</u>	<u>Pseuderanthemum</u>	
<u>Lambertia</u>	<u>Psilotum</u>	
<u>Lamium</u>	<u>Pulmonaria</u>	
<u>Lavandula</u>	<u>Punica</u>	
<u>Leptospermum</u>	<u>Pyrenacantha</u>	
<u>Leschenaultia</u>	<u>Pyrostegia</u>	
<u>Limonium</u>	<u>Rhadinophora</u>	
<u>Lonicera</u>	<u>Raphidiphora</u>	
<u>Lychnis</u>	<u>Rhododendron</u>	
<u>Lycopodium</u>	<u>Rhoeo</u>	
<u>Lysimachia</u>	<u>Ruellia</u>	
<u>Lythrum</u>	<u>Ruscus</u>	
<u>Macropidia</u>	<u>Salix</u>	
<u>Magnolia</u>	<u>Salvia</u>	
<u>Mandevilla</u>	<u>Sambucus</u>	
<u>Maranta,</u>	<u>Sansevieria</u>	
<u>Medinilla</u>	<u>Sarracenia</u>	
<u>Melaleuca</u>	<u>Saxifraga</u>	
<u>Menyanthes</u>	<u>Schefflera</u>	
<u>Metrosideros</u>	<u>Schismatoglottis</u>	
<u>Mimulus</u>	<u>Schizaea</u>	
<u>Mitella</u>	<u>Scindapsus</u>	
<u>Monarda</u>	<u>Selaginella</u>	
<u>Monstera</u>	<u>Simmondsia</u>	
<u>Mussaenda</u>	<u>Soleirolia</u>	
<u>Myrmecodia</u>	<u>Sonerilla</u>	
<u>Nematanthus</u>	<u>Spathiphyllum</u>	
<u>Nepenthes</u>	<u>Stachys</u>	
<u>Nertera</u>	<u>Statice</u>	
<u>Nolina</u>	<u>Stellaria</u>	
<u>Oenanthe</u>	<u>Stromanthe</u>	
<u>Oenothera</u>	<u>Stephanotis</u>	
<u>Ophioglossum</u>	<u>Stereospermum</u>	
<u>Origanum</u>	<u>Strelitzia</u>	
<u>Osmanthus</u>	<u>Syngonium</u>	
<u>Oxalis</u>	<u>Talinum</u>	
<u>Pachypodium</u>	<u>Thalictrum</u>	
<u>Pachystachys</u>	<u>Thymus</u>	
<u>Paeonia</u>	<u>Thibouchina</u>	

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

The consignment is free from *Aphelenchoides besseyi*, *Aphelenchoides fragariae*, *Aphelenchoides ritzemabosi*, *Ditylenchus destructor*, *Ditylenchus dipsaci*, *Eotetranychus pruni*, *Eotetranychus sexmaculatus*, *Frankliniella occidentalis*, *Liriomyza spp*, *Phytophthora omnivorum*, *Synchytrium endobioticum*, *Tetranychus canadensis*, *Tetranychus mcdanieli*, *Tetranychus pacificus*, *Tetranychus schoenei*, *Tetranychus viennensis*.

AANVULLEND VOOR

Adenia

Phytophthora palmivora does not occur in the area of production.

Aglaonema *

The consignment is free from *Aceria tulipae*, *Erwinia chrysanthemi* and *Verticillium albo-atrum*.

Aloe

Polysporus sanguineus does not occur in the area of production.

Alstroemeria

The consignment is free from *Aceria tulipae*.

Amaranthaceae

The consignment is free from Tomato black ring virus, Beet curly top virus and practically free from Cucumber mosaic virus.

Amaryllidaceae

Zie Alstroemeria

Anthurium

The consignment is free from *Radopholus citrophilus*.

Aralia

The consignment is free from *Verticillium albo-atrum*.

Arecaceae (syn. Palmae, zie register Plantenfamilies) *

Cadang -cadang viroid, Lethal yellowing mycoplasma, *Phytophthora palmivora* *Rhadinaphelenchus cocophilus* and *Rhyncophorus palmarum* do not occur in the area of production.

Artocarpus

Koleroga noxia and *Phytophthora palmivora* do not occur in the area of production.

Asparagus

The consignment is free from *Aceria tulipae* and asparagus latent virus.

Aster

Macrosteles fascifrons does not occur in the area of production; the consignment is free from *Aster yellows phytoplasma*, *tobacco rattle virus*, *tomato apsermy virus*, *Popillia japonica*, *Thrips palmi*, and *Coleopsorium spp*.

Begonia elatior:

The parent plants were inspected during active growth and found free from *Xanthomonas axonopodis* pv begonia; the consignment is free from *Aceria tulipae*.

Begonia * (andere dan B. elatior)

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

The consignment is free from Xanthomonas axonopodis p. v. begonia and Aceria tulipae.

Bougainvillea

Zie Adenia

Brachychiton

Zie Adenia

Brighamia *

The consignment is free from Beet curly top virus, Cucumber mosaic virus, Puccinia spp. and Verticillium albo-atrum.

Calathea

Zie Alstroemeria

Calceolaria *

The consignment is free from Phytophthora spp..

Camellia

Calacarus carinatus, Exobasidium camelliae and Exobasidium vexans do not occur in the country of production. The consignment is free from Xanthomonas gorlencovianum.

Chrysanthemum*

Aster yellows phytoplasma, Chrysanthemum stunt viroid, Didymella chrysanthemi, Erwinia chrysanthemi, Puccinia horiana and Tomato aspermy virus do not occur in the site of production.

Clematis *

Zie Aralia

Cleyera

Calacarus carinatus, Exobasidium camelliae and Exobasidium vexans do not occur in the country of production. The consignment is free from Xanthomonas gorlencovianum.

Cordyline*

Aspergillus niger f. sp. floridanus does not occur in the area of production. The consignment is free from Phyllosticta dracaenae.

Cussonia

Zie Aralia

Cycadales

Zie Alstroemeria

Dahlia (moederplanten geïnspecteerd op INSV)

The parent plants were tested during active growth and found free from Impatiens necrotic spot virus.

Dahlia (planten getoetst op INSV)

The consignment was laboratory tested and found free from Impatiens necrotic spot virus.

Delphinium*

Aster yellows phytoplasma, beet curly top virus and tobacco ringspotvirus do not occur in the site of production.

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

Dieffenbachia

The consignment is free from *Erwinia chrysanthemi* and *Phytophthora* spp.

Dracaena *

Zie *Cordyline*

Epipremnum

The consignment is free from *Erwinia chrysanthemi*.

Erica *

The consignment is free from *Phytophthora* spp. and *Verticillium* spp.

Eryngium

Rosselinia bunodes does not occur in the area of production; the consignment is free from *Aceria tulipae*.

Ficus

Zie *Artocarpus*

Fuchsia *

Alfalfa dwarf mosaic virus does not occur in the area of production. The consignment is free from *Verticillium albo-atrum*.

Geranium *

Beet curly top virus, pelargonium leaf curl virus, and tomato black ring virus do not occur in the area of production. The consignment is free from *Verticillium albo-atrum*.

Hamamelis

Endothia gyrosa and *Polysporus gilvus* do not occur in the area of production.

Hedera

Alfalfa dwarf mosaic virus does not occur in the area of production.

Hibbertia

Cucumber mosaic virus does not occur in the area of production.

Hydrangea

The country of production is free from Tomato ringspot virus and *Armillaria luteobubalina*.

Hypericum *

The consignment is free from *Melampsora hypericorum*.

Ixora

Cercospora ixorae do not occur in the area of production.

Jatropha

Phakopsora jatrophicola and *Phytophthora palmivora* do not occur in the area of production.

Lambertia

The consignment is free from *Aceria tulipae*. The consignment was obtained from motherplants that are practically free from *Euphorbia mosaic virus* and *Poinsettia mosaic virus*.

Lamium

Zie *Hibbertia*

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

Lavandula

The consignment is free Phytophthora palmivora.

Macropidia

Sclerotinia bulborum and Sclerotium tuliparum do not occur in the area of production; the consignment is free from Aceria tulipae.

Marantaceae

Abaca mosaic virus and Rosselinia bunodes do not occur in the area of production; the consignment is free from Aceria tulipae.

Mimulus

Peronospora jacksonii do not occur in the area of production.

Mitella

Zie Alstroemeria

Myrmecodia

Zie Mitella

Nolina

The plants are free from Puccinia graminis *; the plants are treated with a wide spectrum fungicide.

Oxalis

Free from Aceria tulipae and Ennomos subsignarius.

Pachypodium

The consignment is free from Aceria tulipae and Ennomos subsignarius.

Pandanus

Cadang-cadang viroid does not occur in the area of production.

Penstemon

Cucumber mosaic virus does not occur in the area of production.

Philodendron

The consignment is free from Erwinia chrysanthemi.

Phormium

Phormium yellowing mycoplasma, Uredo phormii and Xanthomonas campestris pv. phormiicola do not occur in the area of production.

Polyscias *

The consignment is free from Verticillium albo-atrum.

Punica

Sphaceloma punicae does not occur in the area of production.

Rhadionophora *

Zie Dieffenbachia

Rhododendron *

The consignment is free from Chrysomyxa rhododendri, Ovulina azalea and Septoria azalea.

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

Ruellia

Ralstonia solanacearum does not occur in the area of production.

Schefflera *

The consignment is free from Erwinia chrysanthemi.

Schismatoglottis

Zie Schefflera

Stellaria *

Beet curly top virus, Tomato black ring virus, do not occur in the area of production. The consignment is free from Verticillium albo-atrum

Stephanotis

Chrysanthemum stunt viroid does not occur in the area of production.

Strelitzia

Abaca mosaic virus, Erwinia carotovora f. sp. musae and Fusarium oxysporum f. sp. cubense, Mycosphaerella fijiensis, Ralstonia solanacearum and Xanthomonas arboricola pv celebensis do not occur in the area of production; the consignment is free from Aceria tulipae.

Syngonium *

Zie Schefflera

Thalictrum

Zie Alstroemeria

Yucca

Leptosphaeria obtusispora does not occur in the area of production.

VOORTKWEKINGSMATERIAAL (VASTE PLANTEN) VAN

ALGEMEEN

Phymatotrichopsis omnivora and Synchytrium endobioticum do not occur in the area of production. The consignment is free from Aceria tulipae, Aphelenchoides besseyi, Aphelenchoides fragariae, Aphelenchoides ritzemabosi, Ditylenchus destructor and Ditylenchus dipsaci. The consignment is free from unsterilised growing medium (including soil particles)

bovendien voor

Aconitum *

The consignment is free from Verticillium albo-atrum.

Agapanthus *

The consignment is free from Verticillium albo-atrum.

Arundinaria

The consignment is free from Koleroga noxia, Puccinia spp, and Xanthomonas campestris pv. vasculorum.

Astilbe *

The consignment is free from Asparagus latent virus.

Clivia *

Sclerotium tuliparum and Steneotarsonemus laticeps do not occur in the area of production.

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

Cynara *

Artichoke curly dwarf virus, Artichoke mosaic virus and Artichoke mottle crinkle virus do not occur in the area of production. The consignment is free from *Rotylenchus reniformis*.

Eryngium

Rosellinia bunodes does not occur in the area of production.

Macropidia *

The consignment is free from *Sclerotinia bulborum*, *Sclerotinia tuliparum*, Lily rosette virus and practically free from Lily mosaic virus.

Orchidaceae * (epiphytisch groeiend) (zie register Plantenfamilies)

The consignment is free from plant parasitic nematodes.

Paeonia (moederplanten geïnspecteerd op SLRSV)

The parent plants were tested during active growth and found free from Strawberry latent ringspot virus.

Paeonia (stekken getoetst op SLRSV)

The consignment was laboratory tested and found free from Strawberry latent ringspot virus.

Panax

Colletotrichum panaccola does not occur in the area of production.

Phlomis*

The consignment is free from *Phomopsis vexans*.

Strelitzia

Abaca mosaic virus, Banana bunchy top virus, *Erwinia carotovora* f. sp. *musae* and *Fusarium oxysporum* f. sp. *cubense* do not occur in the area of production. The consignment is free from *Mycosphaerella fijensis*, *Pseudomonas solanacearum*, *Xanthomonas campestris* pv. *celebensis* and *Radopholus similis*.

VOORTKWEKINGSMATERIAAL (ONBEWORTEL'D) VAN

Actinidia

The consignment is free from *Eotetranychus sexmaculatus*, *Pseudomonas viridiflava* and *Pucciniastrum actinidiae*.

Adenia

Phytophthora palmivora does not occur in the area of production.

Adenium

Zie Adenia

Agave

The consignment is free from *Aceria tulipae* and *Steneotarsonemus laticeps*.

Aglaonema *

The consignment is free from *Erwinia chrysanthemi* and *Verticillium albo-atrum*.

Aleurites

Pseudomonas aleuritides and *Septobasidium aleuritides* do not occur in the area of production.

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

Aloe

Polysporus sanguineus do not occur in the area of production.

Amaranthaceae

The consignment is free from Beet curly top virus, Cucumber mosaic virus, Tobacco ringspot virus, Tomato black ring virus and Tomato ringspot virus.

Anthurium

The consignment is free from *Radopholus citrophilis*.

Aquilegia *

Beet curly top virus does not occur in the area of production. The consignment is free from Cucumber mosaic virus.

Arabis

Leptosphaeria maculans (= *Phoma lingam*) and *Xanthomonas campestris* pv *campestris* do not occur in the area of production.

Aralia *

The consignment is free from *Verticillium albo-atrum*.

Aristolochia

The consignment is free from Cucumber mosaic virus.

Armoracia

Beet curly top virus, Celery mosaic virus, *Phymatotrichum omnivorum* and *Synchytrium endobioticum* do not occur in the area of production.

Artemisia

Plasmopara chrysanthemi - *coronarii* and *Plasmopara halstedii* do not occur in the area of production.

Artocarpus

Koleroga noxia and *Phytophthora palmivora* do not occur in the area of production.

Arundinaria (kasteelt)

The consignment is free from *Koleroga noxia*, *Phymatotrichum omnivorum*, *Puccinia* spp., *Synchytrium endobioticum* and *Xanthomonas axonopodis* pv *vasculorum*.

Aster

The parent plants are inspected during active growth and found to be free from *Aster* yellow phytoplasma, Tobacco rattle virus, *Macrosteles fascifrons*, *Phymatotrichum omnivora* and *Synchytrium endobioticum*. The consignment is free from *Frankliniella occidentalis*, *Liriomyza* spp., *Popillia japonica*, *Thrips palmi*, *Aphelenchoides besseyi*, *Aphelenchoides fragariae*, *Aphelenchoides ritzemabosi*, *Tetranychus canadensis*, *Tetranychus mcdanieli*, *Tetranychus pacificus* and *Coleosporium* spp.

Atropa

Peronospora hyaschyami and Tobacco rattle virus do not occur in the area of production.

Azadirachta

Ganoderma lucidum and *Polysporus gilvus* do not occur in the area of production.

Begonia

The consignment was tested and found free from *Aphelenchoides fragariae*.

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

The consignment was inspected and found free from *Pseudococcus jackbeardsley* and *Othoiryynchus sulcatus*.

Bellis

Beet curly top virus does not occur in the area of production.

Bougainvillea

Phytophthora palmivora does not occur in the area of production.

Brachychiton

Zie Bougainvillea

Brighamia

Beet curly top virus, cucumber mosaic virus, *Puccinia* spp., and *Verticillium albo-atrum* do not occur in the area of production.

Bromeliaceae (m.u.v. ananas),

Phymatotrichum omnivorum and *Synchytrium endobioticum* do not occur in the area of production. The consignment is free from *Aphelenchoides besseyi*, *Aphelenchoides fragariae*, *Aphelenchoides ritzemabosi*, *Ditylenchus destructor* and *Ditylenchus dipsaci*.

CACTACEAE (m.u.v. Austrocylindropuntia, Brasiliopuntia, Cereus peruvianus, Consolea, Cylindropuntia, Cyronopuntia, Grusonia, Harissia martinii, Lamaireocereus, Nopalea, Opuntia, Pereskia aculeata, P. grandi-Flora en Tephrocactus)

Phymatotrichum omnivorum and *Synchytrium endobioticum* do not occur in the area of production.

Calathea

Phymatotrichum omnivorum and *Synchytrium endobioticum* do not occur in the area of production. The consignment is free from *Aphelenchoides besseyi*, *Aphelenchoides fragariae*, *Aphelenchoides ritzemabosi*, *Ditylenchus destructor* and *Ditylenchus dipsaci*.

Callitris

Cercospora sequoia, *Cryptostictis cupressi*, *Gymnosporangium* spp., *Kabathina thujae*, *Seirridium cardinale* do not occur in the area of production.

Campanula *

Beet curly top virus, cucumber mosaic virus and *Puccinia* spp., do not occur in the area of production. The consignment is free from *Uredinales* and *Verticillium albo-atrum*.

Chrysanthemum

The country of production is free from *Maconellicoccus hirsutus* and *Verticillium cinerescens*.

The parent plants were inspected during active growth and found to be free from *Aster yellows phytoplasma*, *Didymella ligulicola* and *Puccinia horiana*.

The consignment is free from *Liriomyza sativae*, *Thrips palmi*, *Macrosteles quadrilineatus*, *Aphelenchoides fragariae*, *Aphelenchoides ritzemabosi*, *Tetranychus canadensis*, *Tetranychus mcdanieli* and *Tetranychus pacificus*.

Clematis

The consignment is free from *Aphelenchoides besseyi*, *Aphelenchoides fragariae*, *Aphelenchoides ritzemabosi*, *Ditylenchus destructor*, *Ditylenchus dipsaci*, *Eotetranychus pruni*, *Eotetranychus sexmaculatus*, *Frankliniella occidentalis*, *Liriomyza* spp., *Phymatotrichum omnivorum*, *Synchytrium endobioticum*, *Tetranychus canadensis*, *Tetranychus mcdanieli*, *Tetranychus pacificus*, *Tetranychus schoenei*, *Tetranychus viennensis*.

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

Cordyline

Aspergillus niger f. sp. floridanus does not occur in the area of production. The consignment is free from Phyllosticta dracaena.

Cycadales (zie register Plantenfamilies)

Zie Calathea

Dahlia (moederplanten geïnspecteerd op INSV)

The parent plants were tested during active growth and found free from Impatiens necrotic spot virus.

Dahlia (planten getoetst op INSV)

The consignment was laboratory tested and found free from Impatiens necrotic spot virus.

Daphne *

The consignment is practically free from Cucumber mosaic virus.

Dianthus *

The consignment was inspected and found free from Cacoecimorpha pronubana, Lobesia botrana, Platynota stultana, Mamestra brassicae, Platynota stultana, Spodoptera frugiperda.

The parent plants were tested during active growth and found free from Impatiens necrotic spot tospovirus and Phialophora cinerescens.

Dieffenbachia *

The consignment is free from Erwinia chrysanthemi and Phytophthora spp..

Dioscorea

The consignment is free from Goplana dioscorea and Yam mosaic virus.

Dracaena *

Aspergillus niger f. sp. Floridanus does not occur in the area of production. The consignment is free from Phyllosticta dracaena.

Epipremnum *

The consignment is free from Erwinia chrysanthemi.

Erica *

The consignment is free from Phytophthora spp and Verticillium spp.

Erythrina

Xanthomonas axonopodis pv erythrinae does not occur in the area of production.

Euonymus

Euonymus variegation virus and Oidium euonymi -japonica do not occur in the area of production.

Euphorbia

The country of production is free from Clover phyllody phytoplasma, Armillaria tabescens, Bean golden mosaic virus and Rastrococcus iceryoides.

The consignment is tested and found free from Rhodococcus fascians.

Ficus

Koleroga noxia and Phytophthora palmivora do not occur in the area of production.

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

Flindersia

Hymenochaeta mongeotii does not occur in the area of production.

Fremontia *

Zie Aralia

Fuchsia *

Alfalfa dwarf mosaic virus does not occur in the area of production. The consignment is free from and Verticillium albo-atrum.

Gmelina

Zie Adenia

Hedera

The parent plants were inspected during active growth and were found to be free from the Alfalfa dwarf mosaic virus.

Hibbertia *

Zie Aristolochia

Hydrangea

The country of production is free from Tomato ringspot virus and Armillaria luteobubalina.

Hyoscyamus

Peronospora hyoschyami and Tobacco rattle virus do not occur in the area of production.

Hypericum

Melampsora hypericorum does not occur in the area of production.

Impatiens

Ralstonia solanacearum, Verticillium albo -atrum, Frankliniella occidentalis and Liriomyza spp do not occur in the area of production. The consignment is free from Uredinales.

Jatropha

Phakopsora jatrophicola and Phytophthora palmivora do not occur in the area of production.

Khaya

The consignment is free from Xanthomonas axonopodis pv khayae.

Lambertia

Euphorbia mosaic virus and Poinsettia mosaic virus do not occur in the area of production.

Lamium

Cucumber mosaic virus does not occur in the area of production.

Malva

Abutilon mosaic virus and Cotton leaf curl virus do not occur in the area of production.

Mimusops

Zie Adenia

Oenothera *

Phytophthora omnivorum does not occur in the area of production. The consignment is free from Verticillium albo-atrum

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

Orchidaceae m.u.v. Vanilla

The consignment was inspected and found free from Thrips palmi, Hercinothrips femorallis, Lema pectoralis, Orgyia postica, Pseudococcus jackbeardsley, Spodoptera eridania, Tenuipalpus pacificus.

The place of production is free from Aphelenchoides fragariae and Ditylenchus dipsaci.

Pachypodium

Zie Calathea

Paeonia (moederplanten geïnspecteerd op SLRSV)

The parent plants were tested during active growth and found free from Strawberry latent ringspot virus.

Paeonia (stekken getoetst op SLRSV)

The consignment was laboratory tested and found free from Strawberry latent ringspot virus.

Papaver

The consignment is free from Adelphocoris lineolatus and Xestia c-nigrum.

The country of production is free from Lygus lineolaris and Megalurothrips distalis.

Patersonia

Sclerotinia convulata, Sclerotinia tuliparum, Tobacco rattle virus, Phymatotrichum omnivorum and Synchytrium endobioticum do not occur in the area of production. The consignment is free from Aceria tulipae, Aphelenchoides besseyi, Aphelenchoides fragariae, Aphelenchoides ritzemabosi, Ditylenchus destructor and Ditylenchus dipsaci.

Penstemon *

The consignment is free from Cucumber mosaic virus. Phymatotrichum omnivorum does not occur in the area of production.

Peperomia *

The consignment is free from Cucumber mosaic virus. Peperomia ringspot virus does not occur in the area of production.

Philodendron *

Zie Epipremnum

Phlox *

Pyrenophaeta phlogina and Tomato aspermy virus do not occur in the area of production. The consignment is free from Verticillium albo-atrum.

Phormium:

Phormium yellowing mycoplasma, Uredo phormii and Xanthomonas campestris pv phormiiicola do not occur in the area of production.

Polyscias *

Zie Aralia

Rhododendron

The consignment is free from Chrysomyza rhododendri, Ovulina azaleae and Septoria azaleae.

Ruellia

Ralstonia solanacearum does not occur in the area of production.

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

Salvia

Phytophthora omnivorum does not occur in the area of production.

Saxifraga

The consignment is free from Uredinales.

Schefflera *

The consignment is free from Verticillium albo-atrum.

Stellaria (m.u.v. s. media) *

Beet curly top virus and Tomato black ring virus do not occur in the area of production.
The consignment is free from Verticillium albo-atrum.

Stephanotis

Chrysanthemum stunt viroid does not occur in the area of production.

Syngonium *

The consignment is free from Erwinia chrysanthemi.

Vinca*

Aster yellows phytoplasma, Beet curly top virus, Cherry leafroll virus and Cucumber leafroll virus do not occur in the site of production.

Weigelia

Alfalfa dwarf mosaic virus, Arabis mosaic virus, Cherry leafroll virus and Tomato ringspot virus do not occur in the area of production.

Yucca

Leptosphaeria obtusispora does not occur in the area of production.

Ziziphus

Phakopsora zizyphis -vulgaris and Phytophthora omnivorum do not occur in the area of production.

Waterplanten

Anapogeton henkelianus

Cryptocoryne cordata

Anapogeton ulvaceus

Cryptocoryne petchii

Anubias barteri

Cryptocoryne usteriana

Anubias lanceolata

Echinodorus hadi

Bucephalandra belindae

Echinodorus hybrid

Cladophora brasiliensis

Hemianthus micranthemoides

Crinum calamistratum

Leptodictyum riparium

Cryptocoryne bullosa

Vesicularia montagnei

The consignment is free from all living stages of snails.

In-vitro materiaal van

Alstroemeria

The parent plants were tested during active growth and found free from Aster yellows phytoplasma and Tobacco rattle virus.

Aster

The parent plants are inspected during active growth and found to be free from Aster yellows phytoplasma, Tobacco rattle virus and Coleosporium spp.

Lilium

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

The country of production is free from Clover phyllody phytoplasma and Tomato ringspot virus.
en

The parent plants were tested and found free from Strawberry latent ringspot virus and Tobacco rattle virus.

of

The consignment was tested and found free from Strawberry latent ringspot virus and Tobacco rattle virus.

Papaver

The consignment is free from Adelphocoris lineolatus, Hoplia callipyge, Stenocarus ruficornis and Xestia c-nigrum.

The country of production is free from Ceutorhynchus denticulatus, Lygus lineolaris, Megalurothrips distalis, Spodoptera litura.

Petunia

The plants were cultivated and are packed in a sterilised medium free from soil particles and antibiotic substances.

Rubus *

The country of production is free from Tomato ringspot virus, Tobacco ringspot virus, Xylella fastidiosa, Raspberry leaf curl virus. The parent plants were tested and found free from Arabis mosaic virus, Cherry leafroll virus, Raspberry bushy dwarf virus, Raspberry ringspot virus, Raspberry mosaic disease complex (viruses), Strawberry latent ringspot virus, Tomato black ring virus, Rubus stunt Phytoplasma, Phytophthora spp. The parent plants were inspected and found free from: Erwinia amylovora, Phytophthora fragariae var. rubi, Phytophthora ramorum, Pellicularia koleroga, Aphelenchoides ritzemabosi.

The cultures in the consignment is meristem tip cultures (<0,8 mm) derived from disease free tested nuclear material.

Achillea
Actinidia
Aglaonema
Alocasia
Amaranthaceae
Amaryllidacea
Anigozanthos
Anthurium
Aphelandra
Aralia
Ardisia
Asparagus
Beaucarnea
Begonia
Bouvardia
Bromeliaceae
Cactaceae (m.u.v.)

Austrocylindropuntia, Brasiliopuntia,
Cereus peruvianus, Consolea,
Corynopuntia, Cylindropuntia,
Grusonia, Harissia martinii,
Lemaireocereus, Nopalea, Opuntia,
Pereskia aculeata, Pereskia grandiflora
en Tephrocactus)

Campanula
Calathea

Ceropogia
Chamaelaucium
Chrysanthemum
Clematis
Clerodendron
Codonanthe
Columnea
Cordyline
Crossandra
Ctenanthe
Cupressus
Cussonia
Dahlia
Dianthus
Dieffenbachia
Dipladenia
Draba
Dracaena
Echeveria
Erica
Euphorbia
Eustoma (voorheen Lisianthus)
Ficus
Fuchsia
Geogenanthus
Geranium

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

<u>Gerbera</u>	<u>Phlox</u>
<u>Grevillea</u>	<u>Phyloglossum</u>
<u>Gypsophila</u>	<u>Phyteuma</u>
<u>Hedera</u>	<u>Pisonia</u>
<u>Heliconia</u>	<u>Polypodiaceae</u>
<u>Helminthostachys</u>	<u>Polyscias</u>
<u>Hibiscus</u>	<u>Psilotum</u>
<u>Hoya</u>	<u>Rhododendron</u>
<u>Hydrangea</u>	<u>Ruscus</u>
<u>Kalanchoe</u>	<u>Rutaceae (m.u.v. Citrus)</u>
<u>Lambertia</u>	<u>Sansevieria</u>
<u>Limonium</u>	<u>Saxifraga</u>
<u>Lycopodium</u>	<u>Schizaea</u>
<u>Lysimachia</u>	<u>Scindapsus</u>
<u>Manihot</u>	<u>Simmondsia</u>
<u>Marantaceae</u>	<u>Solidaster</u>
<u>Monstera</u>	<u>Sonerilla</u>
<u>Musaceae</u>	<u>Spathiphyllum</u>
<u>Nematanthus</u>	<u>Stellaria (m.u.v. Stellaria media)</u>
<u>Nertera</u>	<u>Stephanotis</u>
<u>Ophioglossum</u>	<u>Strelitzia</u>
<u>Ophiopogon</u>	<u>Syngonium</u>
<u>Orchidaceae</u>	<u>Thalictrum</u>
<u>Pachypodium</u>	<u>Tibouchina</u>
<u>Passiflora</u>	<u>Tmesipteris</u>
<u>Penstemon</u>	<u>Tradescantia</u>
<u>Philodendron</u>	<u>Yucca</u>

The consignment was obtained from mother plants that are practically free from virus and other diseases.

AANVULLEND VOOR IN-VITRO MATERIAAL VAN

Amaranthaceae

The motherplants from which the tissue or tissue culture plants comprising the consignment were obtained, were indexed for and found free from beet curly top virus, cucumber mosaic virus, tobacco ringspot virus, tomato black ring virus and tomato ringspot virus.

Asparagus

The motherplants from which the tissue or tissue culture plants comprising the consignment were obtained, were indexed for and found free from asparagus virus 2.

Campanula

The motherplants from which the tissue or tissue culture plants comprising the consignment were obtained, were indexed for and found free from beet curly top virus and cucumber mosaic virus.

Chrysanthemum

The motherplants from which the tissue or tissue culture plants comprising the consignment were obtained, were indexed for and found free from aster yellows phytoplasma, chrysanthemum stunt viroid and tomato aspermy virus.

Dianthus

The motherplants from which the tissue or tissue culture plants comprising the consignment were obtained, were indexed for and found free from beet curly top virus,

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

carnation etched ring virus, carnation necrotic fleck virus, carnation streak virus and pelargonium leafcurl virus.

Euphorbia

The motherplants from which the tissue or tissue culture plants comprising the consignment were obtained, were indexed for and found free from euphorbia mosaic virus and poinsettia mosaic virus.

Fuchsia

The motherplants from which the tissue or tissue culture plants comprising the consignment were obtained, were indexed for and found free from alfalfa dwarf mosaic virus.

Geranium

The motherplants from which the tissue or tissue culture plants comprising the consignment were obtained, were indexed for and found free from beet curly top virus, pelargonium leafcurl virus and tomato blackring virus.

Hedera

The motherplants from which the tissue or tissue culture plants comprising the consignment were obtained, were indexed for and found free from alfalfa dwarf mosaic virus.

Heliconia

The motherplants from which the tissue or tissue culture plants comprising the consignment were obtained, were indexed for and found free from abaca mosaic virus and banana bunchy top virus.

Hibiscus

The motherplants from which the tissue or tissue culture plants comprising the consignment were obtained, were indexed for and found free from beet curly top virus and cotton leafcurl virus.

Hydrangea

The motherplants from which the tissue or tissue culture plants comprising the consignment were obtained, were indexed for and found free from hydrangea ringspot virus, tobacco ringspot virus and tomato ringspot virus.

Lambertia

Zie Euphorbia

Marantaceae

The motherplants from which the tissue or tissue culture plants comprising the consignment were obtained, were indexed for and found free from abaca mosaic virus and Rosselia bunodes.

Musacea

Zie Heliconia

Penstemon

The motherplants from which the tissue or tissue culture plants comprising the consignment were obtained, were indexed for and found free from cucumber mosaic virus.

Phlox

The motherplants from which the tissue or tissue culture plants comprising the consignment were obtained, were indexed for and found free from tomato aspermy virus.

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

Rutaceae

The motherplants from which the tissue or tissue culture plants comprising the consignment were obtained, were indexed for and found free from citrus stubborn mycoplasma; the consignment is free from Cercospora angolensis.

Solidaster

The motherplants from which the tissue or tissue culture plants comprising the consignment were obtained, were indexed for and found free from aster yellows phytoplasma and tobacco rattle virus.

Stellaria

The motherplants from which the tissue or tissue culture plants comprising the consignment were obtained, were indexed for and found free from beet curly top virus and tomato black ring virus.

Stephanotis

The motherplants from which the tissue or tissue culture plants comprising the consignment were obtained, were indexed for and found free from chrysanthemum stunt viroid.

Strelitzia

The motherplants from which the tissue or tissue culture plants comprising the consignment were obtained, were indexed for and found free from abaca mosaic virus and banana bunchy top virus.

WEEFSELKWEEK AFKOMSTIG VAN MATERIAAL DAT MINDER DAN 6 WEKEN IN EEN STERIEL MEDIUM HEEFT GESTAAN, VAN:

Achillea	Campanula	Hoya
Aglaonema	Ceropegia	Hydrangea
Alocasia	Chamaelaucium	Kalanchoe
Amaranthaceae	Crysanthemum	Lamertia
Amaryllidacea	Clerodendron	Limonium
Anigozanthos	Codonanthe	Lycopodium
Anthurium	Columnea	Lysimachia
Aphelandra	Cordyline	Monstera
Aralia	Crossandra	Nematanthus
Ardisia	Dahlia	Nertera
Beaucarnea	Dianthus	Ophioglossum
Begonia	Dieffenbachia	Orchidaceae
Botrichium	Dipladenia	Pachypodium
Bouvardia	Draba	Passiflora
Brachychiton	Dracaena	Penstemon
Bromeliaceae	Echeveria	Philodendron
Cactaceae (m.u.v.)	Erica	Phlox
<u>Astrocytindropuntia,</u>	Euphorbia	Phyloglossum
<u>Brasiliopuntia, Cereus</u>	<u>Eustoma</u> (voorheen	Phyteuma
<u>peruvianus, Consolea,</u>	Lisianthus)	Pisonia
<u>Corynopuntia,</u>	Ficus	Polypodiaceae
<u>Cylindropuntia,</u>	Fuchsia	Polyscias
<u>Grusonia, Harrisia</u>	Geogenanthus	Psilotum
<u>martinii,</u>	Geranium	Rhododendron
<u>Lamaireocereus,</u>	Gerbera	Sansevieria
<u>Nopalea, Opuntia,</u>	Grevillea	Saxifraga
<u>Pereskia aculeata,</u>	Gypsophila	Schizea
<u>Pereskia grandiflora en</u>	Hedera	Scindapsus
<u>Tephrocactus)</u>	Helminthostachys	Sonerilla

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

<u>Spathiphyllum</u>	<u>Strelitzia (kleiner dan 20 cm.)</u>	<u>Tibouchina</u>
<u>Stellaria (m.u.v. Stellaria media)</u>	<u>Syngonium</u>	<u>Tmesipteris</u>
<u>Stephanotis</u>	<u>Thalictrum</u>	<u>Tradescantia</u> <u>Yucca</u>

The consignment was obtained from motherplants that are practically free from virus and other diseases; the consignment is free from Eotetranychus pruni, Eotetranychus sexmaculatus, Frankliniella occidentalis, Liriomyza spp., Tetranychus canadensis, Tetranychus pacificus, Tetranychus schoenei, Tetranychus viennensis; the plants were rooted, grown and packed in a sterile medium

Amaranthaceae

Zie onder in-vitro materiaal

Campanula

Zie onder in-vitro materiaal

Chrysanthemum

Zie onder in-vitro materiaal

Dianthus

Zie onder in-vitro materiaal

Euphorbia

Zie onder in-vitro materiaal

Fuchsia

Zie onder in-vitro materiaal

Geranium

Zie onder in-vitro materiaal

Hedera

Zie onder in-vitro materiaal

Hydrangea

The mother plants from which the tissue or tissue culture plants comprising the consignment were obtained, were indexed for and found free from alfalfa dwarf mosaic virus.

Lambertia

Zie onder in-vitro materiaal

Penstemon

The motherplants from which the tissue or tissue culture plants comprising the consignment were obtained, were indexed for and found free from cucumber mosaic virus; Phymatotrichum omnivorum does not occur in the Netherlands.

Phlox

Zie onder in-vitro materiaal

Stellaria

Zie onder in-vitro materiaal

Stephanotis

Zie onder in-vitro materiaal

Landenoverzicht exporteisen Sierteelt
Land: **Zuid-Afrika**

Strelitzia (kleiner dan 20 cm)
Zie onder in-vitro materiaal

* Bijschrijving wijkt af van Zuid-Afrikaanse invoerbepalingen; dit kan problemen opleveren bij export!! Indien in bijschrijving 'inspected' staat vermeld, maar er kan een toetsresultaat worden overlegd, dan mag voor de betreffende organismen 'tested' worden vermeld in de bijschrijving.

Landenoverzicht exporteisen Sierplanten
Land: **Zuid-Afrika**

Overige voorschriften

Verpakking

Nieuw fust; geen hooi of stro.

Chemische middelen

- Snijgroen van Pteridophyta
- Snijbloemen en stekken van Lamium moeten zijn behandeld met een breedwerkend fungicide en insecticide overeenkomstig de toelatingen vermeld in het Wettelijk Gebruiksvoorschrift; ruimte 12 - 17 van het fytosanitair certificaat invullen.
- Planten en stekken van Nolina moeten zijn behandeld met een breedwerkend insecticide overeenkomstig de toelatingen vermeld in het Wettelijk Gebruiksvoorschrift; ruimte 12 - 17 van het fytosanitair certificaat invullen.
- Voortkwekingsmateriaal van Gerbera moet maximaal 14 dagen voor export zijn behandeld met een insecticide, werkzaam tegen Otiorhynchus sulcatus and Hercinothrips femoralis.
- Voortkwekingsmateriaal van Malus m.u.v. in vitro materiaal, moet zijn behandeld met een breedwerkend insecticide, acaricide en fungicide overeenkomstig de toelatingen vermeld in het Wettelijk Gebruiksvoorschrift; ruimte 12 - 17 van het fytosanitair certificaat invullen.
- Siertakken van Abies moeten niet meer dan 14 dagen voor export zijn begast met een geschikt ontsmettingsmiddel werkzaam tegen de in de bijschrijving vermelde plagen, overeenkomstig de toelatingen vermeld in het Wettelijk Gebruiksvoorschrift; ruimte 12 - 17 van het fytosanitair certificaat invullen.

Onbewortelde stekken van

Adenium
Agave
Aglonema
Aleurites
Aloë
Anthurium
Aquilegia
Atropa
Bougainvillea
Brachychiton
Cactaceae
Dioscorea
Erythrina
Flindersia

Fremontia
Hydrangea
Hyoscyamus
Hypericum
Impatiens
Khaya
Lamium
Oenothera
Petasites
Salvia
Saxifraga
Ziziphus

moeten zijn behandeld met een breedwerkend insecticide en fungicide overeenkomstig de toelatingen vermeld in het Wettelijk Gebruiksvoorschrift; ruimte 12 - 17 van het fytosanitair certificaat invullen.

Hoewel de NVWA dit document op zorgvuldige wijze en naar beste weten heeft samengesteld, kan niet worden ingestaan voor de juistheid en volledigheid van de beschikbaar gestelde informatie. Aan de beschikbaar gestelde informatie kunnen geen rechten worden ontleend. Een afdruk kan verouderd zijn. Een actuele versie is op de website van NVWA beschikbaar.