

Landenoverzicht exporteisen Zaaizaden.

Land: **Zambia**

Overzicht van de laatste wijziging(en)

versie	datum	toelichting
3.7	20-03-2023	Toevoeging \$ bij diverse gewassen
3.6	29-11-2023	Toevoeging code 21 Brassica oleracea, wijziging code diverse gewassen
3.5	04-10-2023	Wijziging code Phaseolus vulgaris

Landenoverzicht exporteisen Zaaizaden – Zambia

ZAMBIA (ZM)	Certificaat export	Certificaat re-export	Taal	Grondeis	Invoervergunning
	1	20	E	-	ja

Algemene informatie

Geleidelijk gaan we over naar een nieuwe coderingssysteem waardoor, voorlopig, twee verschillende systemen in gebruik zijn in dit document.

Uitleg codes, zie NVWA-site: <https://www.nvwa.nl/onderwerpen/export-planten-groenten-fruit-plantaardige-producten/documenten/export/fytosanitair/voorschriften/algemeen/toelichting-landeneisen>

Legenda:

\$ = Zie Register Dekkingen Zaaizaden

~ = De dekking van dit organisme moet nog bepaald worden. De datasheet moet nog worden opgesteld. Houd aub er rekening mee dat dit een paar weken in beslag kan nemen.

Pre-exportcertificaten

De exporteur dient er rekening mee te houden dat sommige garanties moeten worden afgegeven door het EU-land van origine. Dit gebeurt met een pre-exportcertificaat. Op dit certificaat verklaart het EU land van origine dat de planten, plantaardige producten of andere materialen die geteeld, geproduceerd, opgeslagen of verwerkt zijn, voldoen aan specifieke fytosanitaire voorschriften met betrekking tot één of meer van de volgende aspecten:

- de afwezigheid of aanwezigheid van bepaalde organismen;
- de oorsprong in of op een specifiek veld, productiefaciliteit, productieplaats of gebied;
- de status van een plaagorganisme in het veld, in de productiefaciliteit, op de productieplaats, in het gebied of het land van oorsprong;
- het resultaat van inspecties, het nemen van monsters van en het uitvoeren van tests.

Zie ook:

<https://www.nvwa.nl/documenten/export/fytosanitair/voorschriften/toelichting-certificaten/instructie-waarmeden-fytosanitair-certificaat>

“Convention countries” zijn de landen van “the Phytosanitary Convention for Africa South of the Sahara, signed at London in the United Kingdom on the 29th July, 1954, or any other international Phytosanitary Convention for Africa South of the Sahara to which the Government may be a party.”

Bron

The Plant Pest and Diseases, Chapter 233, 16th April, 2022.

Landenoverzicht exporteisen Zaaizaden.

Land: **Zambia**

Algemene eisen

Invoervergunning vereist voor (alle origines tenzij anders vermeld):

Abutilon sp.
 Acacia sp. (m.u.v. de "Convention countries")
 Acer sp. (Maple) (m.u.v. de "Convention countries")
 Agave and Furcraea spp. (Sisal) (m.u.v. de "Convention countries")
 Alcea sp. (Hollyhock of stokroos)
 Aleurites spp. (Tung) (m.u.v. Zuid-Afrika)
 Arachis spp. (groundnuts)
 Betula sp. (m.u.v. de "Convention countries")
 Camellia Sinensis (thee)
 Capsicum sp. (m.u.v. de "Convention countries")
 Carya sp. (Hickory seed) (m.u.v. de "Convention countries")
 Castanea sp. (m.u.v. Zuid-Afrika)
 Cereals, seed of the following: Barley (m.u.v. Zuid-Afrika), Oats (m.u.v. Zuid-Afrika),
 Rice (m.u.v. Zuid-Afrika), rye (m.u.v. Zuid-Afrika), wheat, (m.u.v. Zuid-Afrika)
 Citrus sp. (m.u.v. Zuid-Afrika en Mozambique)
 Coffea sp.
 Conifers, seeds of, from non-Convention countries
 Elaeis guineensis (Olie palm) (m.u.v. Zuid-Afrika)
 Eucalyptus spp. (m.u.v. de "Convention countries")
 Fagus sylvatica (m.u.v. de "Convention countries")
 Forest trees of species not specified elsewhere in this Schedule, seed of, from non-
 Convention countries
 Glycine max (sojaboon) (m.u.v. de "Convention countries")
 Gossypium sp. (m.u.v. Zuid-Afrika)
 Graszaden (Grass seed for propagation (m.u.v. Zuid-Afrika)
 Helianthus spp. (Zonnebloem), inclusief Helianthus tuberosus Jerusalem artichoke/
 aardpeer (m.u.v. Zuid-Afrika)
 Hevea brasiliensis (Rubber) seed
 Hibiscus sp.
 Lactuca sativa
 Malvaceous plants of species not specified elsewhere in this Schedule, seed of, from non-
 Convention countries
 Mangifera indica (m.u.v. Zuid-Afrika)
 Medicago sativa (Luzerne)
 Musa sp.
 Nicotiana tabacum (tabak)
 Piper nigrum (m.u.v. Zuid-Afrika)
 Pisum sativum seed (m.u.v. Zuid-Afrika)
 Planatus sp. (Plantaan/Plane) (m.u.v. de "Convention countries")
 Populus sp. Populier/ Poplar (m.u.v. de "Convention countries")
 Prunus persica and Prunus nectarine (perzik en nectarine) (m.u.v. de "Convention
 countries")
 Pyrethrum sp. (m.u.v. de "Convention countries")
 Quercus sp. (m.u.v. Zuid-Afrika)
 Saccharum officinarum (suikerriet) (m.u.v. de "Convention countries")
 Salix (Wilg) (m.u.v. de "Convention countries")
 Solanum lycopersicum
 Theobroma cacao
 Trifolium sp.
 Ulmus sp. (m.u.v. de "Convention countries")
 Vitis vinifera
 Zea mays (m.u.v. de "Convention countries")

Landenoverzicht exporteisen Zaaizaden.

Land: **Zambia**

Certificaat vereist voor:

Invoervergunning geeft aan of een fyto sanitair certificaat vereist is.

Invoerverbod:

Nicotiana sp.

Solanum lycopersicum (origine landen waar *Clavibacter michiganensis subsp. michiganensis* voorkomt)

Overige voorschriften:

Zaden mogen worden ontsmet met een daartoe geschikt en toegelaten fungicide.

Behandeling vermelden op certificaat.

Certificeringseisen

Bijschrijvingen:

invoervergunning geeft aan wat op het fyto sanitair certificaat verklaard dient te worden.

Voor een aantal zaden is een bijschrijving bekend. Deze zijn hierna vermeld.

Abelmoschus esculentus

Origine Nederland:

The parent plants were inspected during active growth and found free from *Chalara elegans* (6)\$.

Origine Verenigde Staten:

The parent plants were inspected during active growth and found free from *Chalara elegans* (6)\$, *Aspergillus flavus* (6), *Choanephora cucurbitarum* (6), *Cochliobolus lunatus* (6)\$ and *Pseudomonas cichorii* (6).

Allium cepa

Origine Nederland:

The parent plants were inspected during active growth and found free from *Ditylenchus dipsaci* (6), *Aphelenchoides fragariae* (V), *Chalara elegans* (6)\$ and *Gibberella avenacea* (6).

Origine Zuid-Afrika

The area of production is free from *Cirsium arvense* (V), *Orobanche ramosa* (V), *Raphanus raphanistrum* (V), *Spergula arvensis* (V), *Thlaspi arvense* (V), *Anagalis arvensis* (V), *Papaver rhoeas* (V), *Chalara elegans* (4-NL niet vrij; 5)\$.

Overige origines:

The parent plants have been inspected during active growth and found free from *Urocystis cepulae* (6).

Brassica oleracea

Origine Nederland:

The parent plants were inspected during active growth and found free from *Chalara elegans* (6).

Origine Verenigde Staten:

The seeds were tested and found free from *Chalara elegans* (2), *Gibberella avenacea* (2), *Peronospora parasitica* (2) y *Xanthomonas campestris pv. campestris* (2).

Overige origines:

Landenoverzicht exporteisen Zaaizaden.

Land: **Zambia**

The parent plants were inspected during active growth and found free from *Leptosphaeria maculans* (IV), *Xanthomonas campestris* pv. *campestris* (6).

EN

The seeds are free from *Sclerotinia sclerotiorum* (2; 4-NL niet vrij; 5; 6; 9; 13; 21).

Brassica pekinensis

Origine Denemarken:

The parent plants were inspected during active growth and found free from *Pyrenopeziza brassicae* (III).

Bloemzaden

Parent plants were inspected during active growth and found free from pests (V) and diseases (V) including viruses (V).

Capsicum sp.

Alle origines

The seeds are free from *Fusarium solani* (2; 4-NL niet vrij; 5; 6; 9; 13), *Phomopsis vexans* (99), eggplant mosaic virus (99: alleen origine Z. Amerika), tomato spotted wilt virus (98), *Phytophthora capsici* (98), *Corynebacterium michiganense* subsp. *michiganense* (2; 4-NL vrij; 5; 6; 9).

Citrullus lanatus

Alle origines:

The seeds are free from *Glomerella lagenarium* (2; 4-NL niet vrij; 5; 6; 9), cucumber mosaic virus (98), melon necrotic spot virus (98), tobacco ringspot virus (98), leaf curl virus (97) and *Xanthomonas campestris* pv. *cucurbitae* (98)

Cucumis sativus

Origine Nederland:

The parent plants were inspected during active growth and found free from *Chalara elegans* (6), cucumber green mottle mosaic virus (6) and prunus necrotic ring spot virus (6).

OF

The seeds are free from *Chalara elegans* (98), cucumber green mottle mosaic virus (2; 4-NL niet vrij; 5; 6; 9) and prunus necrotic ring spot virus (99).

Overige origines:

The seeds are free from *Glomerella lagenarium* (2; 4-NL niet vrij; 5; 6; 9; 11; 13), cucumber mosaic virus (98), melon necrotic virus (98), tobacco ringspot virus (2; 4-NL niet vrij; 5; 6; 9), leaf curl virus (97) and *Xanthomonas campestris* pv. *cucurbitae* (98).

Cucurbita sp.

Origine Nederland

The parent plants were inspected during active growth and found free from *Chalara elegans* (6), *Pseudomonas viridiflava* (6), squash mosaic virus (6) and *Lolium temulentum* (V).

Overige origines

The seeds are free from *Glomerella lagenarium* (2; 4-NL niet vrij; 5; 6; 9; 11), cucumber mosaic virus (2; 4-NL niet vrij; 5; 6; 9), melon necrotic spot virus (98), tobacco ringspot virus (98), leaf curl virus (97) and *Xanthomonas campestris* pv. *cucurbitae* (2; 4-NL vrij; 5; 6; 9).

Daucus carota

Landenoverzicht exporteisen Zaaizaden.

Land: **Zambia**

Origine Frankrijk:

The parent plants were inspected during active growth and found free from *Alternaria radicina* (6), *arabis mosaic virus* (6), *broad bean wilt virus 1* (6), *celery mosaic virus* (6), *Chalara elegans* (6), *Erwinia chrysanthemi* (6), *Glomerella cingulata* (IV), *Heterodera carotae* (III) and *Pseudomonas cichorii* (6).

EN

The seeds are free from *Lolium temulentum* (III) and *Orobanche* spp. (I).

Origine Nederland:

The parent plants were inspected during active growth and found free from *Chalara elegans* (6) and *tobacco necrosis virus* (6).

OF:

The seeds are free from *Chalara elegans* (98) and *tobacco necrosis virus* (98).

Overige origines:

The parent plants have been inspected during active growth and found to be free from pests and diseases (III).

Lactuca sativa

Origine Nederland:

The parent plants have been inspected during active growth and found free from *Chalara elegans* (6) and *Rhodococcus fascians* (6).

EN

The seeds are free from *Orobanche* sp. (V), *Orobanche ramosa* (V), *Orobanche crenata* (V), *Lolium multiflorum* (V).

Origine Verenigde Staten:

The parent plants have been inspected during active growth and found free from *Chalara elegans* (6) and *Rhodococcus fascians* (6).

Overige origines:

The seeds are free from *arabis mosaic virus* (2; 4-NL niet vrij; 5 ;6; 9), *lettuce mosaic virus* (2; 4-NL niet vrij; 5; 6; 9), *lettuce yellows mosaic virus* (97) and *tobacco ringspot virus* (99).

Phaseolus vulgaris

Origine Verenigde Staten:

The parent plants were inspected during the active growth and found free from *Aphelenchoides ritzemabosi* (V), *common mosaic necrosis virus* (6), *bean common mosaic virus* (6), *bean leafroll virus* (6)\$, *broad bean wilt virus 1* (6), *Choanephora cucurbitarum* (6), *Curtobacterium flaccumfaciens* (III), *Diaporthe phaseolorum* (6)\$, *Diaporthe phaseolorum* var. *sojae* (6), *Glomerella cingulata* (V), *Heterodera glycines* (V), *Phomopsis longicolla* (6), *Pseudomonas cichorii* (6), *Rhodococcus fascians* (6), *bean pod mottle virus* (6) and *Phakopsora meibomiaae* (6)\$.

The seeds are free from *Abutilon theophrasti* (V), *Ambrosia artemisiifolia* (V), *Heliotropium europaeum* (V), *Solanum carolinense* (V) and *Sorghum halepense* (V).

Overige origines:

The parent plants were inspected during active growth and found free from pests and diseases especially *Pseudomonas syringae* pv. *phaseolicola* (6), *Xanthomonas campestris* pv. *phaseoli* (6), *Pseudomonas pisi* (6)\$ and *bean common mosaic virus* (6).

Pisum sativum

The parent plants were inspected during active growth and found free from pests and diseases especially *Pseudomonas syringae* pv. *phaseolicola* (6), *Xanthomonas campestris* pv. *phaseoli* (6), *Pseudomonas pisi* (6) and *bean mosaic virus* (6).

Landenoverzicht exporteisen Zaaizaden.

Land: **Zambia**

Solanum lycopersicum

(zie ook invoerverbod tomaat)

Origine China:

The parent plants were inspected during active growth and found free from *Aphelenchoides ritzemabosi* (V), *Bemisia tabaci* (V), *Chalara elegans* (6), *Heterodera glycines* (V), *Cochliobolus lunatus* (6), *Diaporthe phaseolorum* var. *sojae* (6), *Diaporthe phaseolorum* var. *meridionalis* (6), *Glomerella cingulata* (IV), *Pseudomonas cichorii* (6), tobacco ringspot virus (6), *Verticillium albo-atrum* (6), *Phomopsis longicolla* (6)\$, potato spindle tuber viroid (6), tomato spotted wilt virus (6) and *Xanthomonas campestris* (6).

EN

The seeds are free from *Ambrosia artemisiifolia* (V), *Conyza canadensis* (V), *Echinochloa crusgalli* (V), *Emex spinosa* (V), *Glomerella avenacea* (97), *Lolium temulentum* (V), *Orobancha ramosa* (V), *Orobancha* sp. (V), *Orobancha cernua* (V), *Parthenium hysterophorus* (V), *Mimosa pudica* (V), *Mimosa diplotricha* (V) and *Heliotropium europaeum* (V).

Origine Nederland:

The parent plants were inspected during active growth and found free from *Chalara elegans* (6), tomato black ring virus (6), pepino mosaic virus (6) and tobacco streak virus (6).

Overige origines:

The seeds are free from *Fusarium solani* (2; 4-NL niet vrij; 5; 6; 9; 13)\$, *Phomopsis vexans* (99), tomato spotted wilt virus (98), *Phytophthora capsici* (98) and *Corynebacterium michiganense* subsp. *michiganense* (2; 4-NL vrij; 5; 6; 9).

Solanum melongena

Origine Nederland:

The parent plants were inspected during active growth and found free from *Chalara elegans* (6) and pepino mosaic virus (6).

Origine Zuid-Amerika:

The seeds are free from *Fusarium solani* (2, 4-NL niet vrij, 5, 6, 9, 13)\$, *Phomopsis vexans* (2; 4-NL vrij; 5; 6; 9; 13), eggplant mosaic virus (98), tomato spotted wilt virus (98), *Phytophthora capsici* (98) and *Clavibacter michiganensis* subsp. *michiganensis* (2; 4-NL vrij; 5; 6; 9).

Overige origines:

The seeds are free from *Fusarium solani* (2,4-NL niet vrij,5 ,6, 9, 13)\$, *Phomopsis vexans* (2; 4-NL vrij; 5; 6; 9; 13), tomato spotted wilt virus (98), *Phytophthora capsici* (98) and *Clavibacter michiganensis* subsp. *michiganensis* (2; 4-NL vrij; 5; 6; 9).

Hoewel de NVWA dit document op zorgvuldige wijze en naar beste weten heeft samengesteld, kan niet worden ingestaan voor de juistheid en volledigheid van de beschikbaar gestelde informatie. Aan de beschikbaar gestelde informatie kunnen geen rechten worden ontleend.

Een afdruk kan verouderd zijn. Een actuele versie is op de website van NVWA beschikbaar.