

Landenoverzicht exporteisen Zaaizaden

Land: **Australië**

Overzicht van de laatste wijziging(en)

versie	datum	toelichting
3.69	26-08-2026	Update taget-risk landen voor <i>Trogoderma</i> , update lijst <i>Trogoderma</i> soorten
3.68	17-12-2025	Aanpassing <i>Capsicum annum</i> , <i>C. chinense</i> , <i>C. frutescens</i> , <i>Solanum lycopersicum</i>
3.67	05-11-2025	Laboratoria toetsen op ToBRFV en ToMMV; behandelingen omtrent <i>Trogoderma</i> -eisen

Landenoverzicht exporteisen Zaaizaden - Australië

AUSTRALIË (AU)	Certificaat export	Certificaat re-export	Taal	Grondeis	Invoervergunning
	1	20	E	V	soms

Algemene informatie

Legenda

\$ = Zie Register Dekkingen Zaaizaden

~ = De dekking van dit organisme moet nog bepaald worden. De datasheet moet nog worden opgesteld. Houd aub er rekening mee dat dit een paar weken in beslag kan nemen.

Pre-exportcertificaten

De exporteur dient er rekening mee te houden dat sommige garanties moeten worden afgegeven door het EU-land van origine. Dit gebeurt met een pre-exportcertificaat.

Op dit certificaat verklaart het EU land van origine dat de planten, plantaardige producten of andere materialen die geteeld, geproduceerd, opgeslagen of verwerkt zijn, voldoen aan specifieke fytosanitaire voorschriften met betrekking tot één of meer van de volgende aspecten:

- de afwezigheid of aanwezigheid van bepaalde organismen;
- de oorsprong in of op een specifiek veld, productiefaciliteit, productieplaats of gebied;
- de status van een plaagorganisme in het veld, in de productiefaciliteit, op de productieplaats, in het gebied of het land van oorsprong;
- het resultaat van inspecties, het nemen van monsters van en het uitvoeren van tests.

Zie ook:

<https://www.nvwa.nl/documenten/export/fytosanitair/voorschriften/toelichting-certificaten/instructie-waarmeden-fytosanitair-certificaat>

Definities (volgens website BICON – AU)

- 'Low value freight' means goods that are brought or imported into Australia as air or sea freight with a value not exceeding the amount prescribed for the purposes of subparagraph 68(1)(f)(iii) of the Customs Act 1901.
- 'Low value air freight' are goods that arrive via commercial air freight companies and have a declared value of less than \$1000. These goods are processed through a Self Assessed Clearance (SAC) declaration in the Integrated Cargo System (ICS).
- 'High value air freight' are goods that arrive via air freight and have a declared value greater than \$1000. These goods are typically processed through a Full Import Declaration (FID).
- 'Break bulk cargo' or 'General cargo' is a term that covers a great variety of goods that must be loaded individually, and not in shipping containers nor in bulk as with oil or grain. Ships that carry this sort of cargo are often called general cargo ships.
- 'Bulk cargo' is commodity cargo that is shipped unpackaged in large quantities. Such cargoes are usually dropped or poured as a liquid, or as a mass of relatively small solids (e.g. grain, fertilizer, coal), into a bulk carrier ship's hold.
- 'Full Container Load (FCL) Sea Freight' is a standard (20 or 40 foot length) shipping container that is loaded with cargo by one shipper for only one consignee. For the purposes of Australian biosecurity import requirements, FCX shipments (one importer - multiple suppliers) are treated as FCL containers.
- 'Less than container load (LCL) – High value' is a shipment that is not large enough to fill a standard (20 or 40 foot) cargo shipping container and has a declared value of greater than \$1000. Since more than one LCL consignment will be consolidated into a single container for

Landenoverzicht exporteisen Zaaizaden
Land: **Australië**

export, these containers are typically unpacked at Container Depots in the destination port and the individual shipments will be collected from the Depot by their consignees.

- 'Less than container load (LCL) – Low value' is a shipment that is not large enough to fill a standard (20 or 40 foot) cargo shipping container and has a declared value of less than \$1000. Since more than one LCL consignment will be consolidated into a single container for export, these containers are typically unpacked at Container Depots in the destination port and the individual shipments will be collected from the Depot by their consignees.
- 'Accompanied baggage' means goods that are brought or imported into Australia as the accompanied personal effects of a passenger, or a member of the crew, of a ship or aircraft.

Algemene eisen

Certificaat vereist voor:

Alle zaaizaden.

Toegestane gewassoorten

Het is aan te raden het elektronische importsysteem BICON (Australian Biosecurity Import Conditions, <https://bicon.agriculture.gov.au/BiconWeb4.0>) te raadplegen voor de actuele lijst van toegestane soorten en import eisen.

Check via deze link de lijst van 'Permitted species':

[BICON - Biosecurity Import Conditions](#)

Invoervergunning vereist voor:

Agropyron sp., Anthriscus cerefolium, Arachis sp., Avena sp., Brachiaria sp., Cajanus sp., Calopogonium sp., Capsicum sp., Carthamus tinctorius, Cenchrus sp., Centrosema sp., Chloris sp., Cicer arietinum, Citrus sp., Cocos nucifera, Coffea sp., Cyamopsis tetragonoloba, Daucus carota, Desmodium sp., Digitaria sp., Dolichos lablab, Glycine max, Gossypium sp., Helianthus annuus, Hordeum sp., Lactuca sativa, Leucaena sp., Linum usitatissimum, Lotononis sp., Melilotus alba, melinis sp., Nicotiana sp., Oryza sativa, Panicum sp., Pastinaca sativa, Pennisetum sp. (behalve P. macrourum), Petroselinum crispum, Phaseolus sp., Pisum sativum, Pueraria sp., Ricinus communis, Secale cereale, Sesamum indicum, Setaria sp., Solanum lycopersicum, Solanum tuberosum, Sorghum sp., Stizolobium sp., Stylosanthes sp., Triticum sp., Ulmaceae, Zea mays.

Certificeringseisen

Algemene eisen

Zaad moet vrij zijn van levende insecten, grond, ziektesymptomen, verboden zaden, ander plantaardig materiaal (blad, stengelmateriaal, vruchtvlees, (delen van) peulen etc.), dierlijk materiaal (uitwerpselen, veren, etc.) en enige andere verontreiniging van quarantaine belang.

Een ISTA Certificaat wordt ook als garantie geaccepteerd mits het onderzoek voor dit ISTA Certificaat door een NL keuringsdienst is uitgevoerd.

Let op: het ISTA certificaat wordt niet door Australië geaccepteerd als garantie voor de hierna genoemde Trogoderma spp.-eis.

Eisen om introductie van *Trogoderma granarium* ('knapra beetle') te voorkomen – visuele inspectie

Australië heeft in verschillende fases nieuwe en zware maatregelen geïmplementeerd om de introductie van *Trogoderma granarium* in Australië te voorkomen. Vanaf fase 5 (exportdatum vanaf 28 april 2022) wordt er een visuele inspectie van alle zaaizaden en alle origines vóór het waarmerken van het FC vereist.

N.B.: voor Nederlands (re)export FC's geldt dat de visuele inspectie mag worden uitgevoerd zowel op het moment van waarmerken van het FC als eerder, op de 'bulk' voorraad. Deze voorraadinspectie is 1 jaar geldig.

Gepilleerd of gecoat zaad:

Australië heeft gepilleerd/gecoat zaad niet uitgezonderd van de visuele inspectie-eis op *Trogoderma spp.* De visuele inspectie moet plaatsvinden op een officieel bemonsterd naaktzaad van de zaadpartij, en is vervolgens ook toepasbaar op dezelfde gepilleerde partij.

Landenoverzicht exporteisen Zaaizaden
Land: **Australië**

Als er van een bepaalde zaadpartij geen naaktzaad meer beschikbaar is mag de importeur bij BICON-AU een invoervergunning aanvragen om uitgezonderd te worden van de visuele inspectie.

Producten die uitgezonderd zijn van de visuele inspectie-eis:

- 'High risk plant product' (zie annex) dat geïmporteerd wordt voor onderzoek *in Australië, in een door AU te bepalen onderzoekscentrum of laboratorium* met invoer als 'Low value freight (under \$1,000)'.
- 'Other risk plant product' (zie annex) dat geïmporteerd wordt voor onderzoek, in alle vormen van invoer.
- Zaden die gezaaid zullen worden in een 'approved arrangement site operating under a process management system approved arrangement' of in de 'Government post-entry quarantine facility at Mickleham, Victoria'.

De importeur moet d.m.v. een verklaring bevestigen dat het materiaal dit doel en/of bestemming heeft. Ook de naam van de onderzoeksinstantie moet in deze verklaring worden aangegeven.

Trogoderma-soorten die onder deze eis vallen:

Tot en met 29 april 2026

De Trogoderma-soorten in de 'Australia's list of Trogoderma species of biosecurity concern' zijn: *Trogoderma angustum*, *T. anthrenoides*, *T. cavum*, *T. granarium*, *T. grassmani*, *T. inclusum*, *T. longisetosum*, *T. ornatum*, *T. simplex*, *T. sinistrum*, *T. sternale*, *T. teukton*, *T. versicolor*, *T. yunnaeensis*.

Vanaf 30 april 2026

De Trogoderma-soorten in de 'Australia's list of Trogoderma species of biosecurity concern' zijn: *Trogoderma angustum*, *T. anthrenoides*, *T. cavum*, *T. granarium*, *T. grassmani*, *T. inclusum*, *T. longisetosum*, *T. ornatum*, ~~*T. serraticorne*~~, *T. simplex*, *T. sinistrum*, *T. sternale*, *T. teukton*, *T. versicolor*, *T. yunnaeensis*.

Behandeling om introductie van *Trogoderma granarium* ('khapra beetle') te voorkomen:

Voor 'certain sea containers' geldt sinds 12 april 2021 al een verplichte 'offshore' behandeling tegen *Trogoderma granarium*.

Sinds 28 mei 2025 gelden er extra eisen voor zaden genoemd in de de 'List of High-risk Goods for Host of Khapra Beetle'(zie annex) verpakt en/of geëxporteerd worden vanuit landen genoemd in de 'Target Risk Countries' (zie annex):

1. Er geldt een speciale bijschrijving voor zaden die verpakt zijn in 'gas permeable packaging'. Zie kopje 'Bijschrijvingen'.

2. Afhankelijk van wie de behandeling heeft uitgevoerd, gelden er ook speciale bijschrijvingen (zie kopje 'Bijschrijvingen'). Dit is het geval wanneer de behandeling is uitgevoerd door een bedrijf dat door AU aangemerkt is als:

- *Suspended, Under Review or Withdrawn on Australia's list of registered treatment providers*; of als
- *Unacceptable or Under Review on Australia's list of unregistered treatment providers*.

Meer informatie over de Trogoderma-eisen is te lezen op:

[Measures for plant products under the khapra beetle urgent actions - DAFF](#)

en

<http://www.awe.gov.au/khapra-containers>.

Ter informatie:

Fase 1: is op 3 september 2020 ingegaan.

Fase 2: is op 15 oktober 2020 ingegaan.

Fase 3: is op 30 september 2021 ingegaan (geldt voor 'high-risk plant products [...], excluding seeds for sowing').

Fase 4: is op 28 april 2022 ingegaan (geldt voor 'other risk plant products')

Fase 5: is op 28 april 2022 ingegaan en geldt voor ALLE zaaizaden en alle origines.

Invoerverbod

(Overzicht omvat zaden van cultuurplanten en zaden van onkruiden)

Abrus precatorius, *Acrotilon repens*, *Aegilops* sp., *Alhagi pseudalhagi*, *Allium vineale*, *Alternanthera achyrantha*, *A. philoxeroides*, *A. pungens*, *A. repens*, *Ambrosia* sp., *Amsinckia* sp., *Baccharis halimifolia*, *Berberis* sp., *Bromus commutatus*, *Cabomba caroliniana*, *Calotropis procera*,

Landenoverzicht exporteisen Zaaizaden

Land: **Australië**

Capsicum breviflorum, Capsicum chacoense, Capsicum ciliatum, Capsicum eximium, Capsicum flexuosum, Capsicum glandulosum, Capsicum pyraster, Capsicum rhomboideum, Capsicum schottianum, Cardaria draba, Carduus nutans, Carthamus glaucus, C. lanatus, C. leucocaulos, Castanea sp., Cenchrus gracillimus, Centaurea solstitialis, Cestrum parqui, Chondrilla juncea, Cicer arietinum, Cirsium arvense, Citrus aurantium, C. limon, C. medica, C. paradisi, C. reticulata, C. sinensis, Cocos nucifera, Conium sp., Convolvulus arvensis, Cuscuta sp., Cyamopsis tetragonolobus, Cyperus aromaticus, Echium plantagineum, Eichhornia crassipes, Emex australis, Euphorbia lathyris, Fortunella sp., Haologeton glomeratus, Helianthus glomeratus, H. ciliaris, Heliotropium amplexicaule, Hibiscus cannabidis, Humulus lupulus, Hydrilla verticillata, Hypericum perforatum, Ibicella latea, Iva axillaris, Lactuca pulchella, Lagarosiphon major, Lantana camara, Linaria dalmatica, Malachra fasciata, Manihot esculenta, Medicago sp., Mimosa invisa, Mimosa pigra, Myriophyllum aquaticum, M. spicatum, Nassella trichotoma, Onobrychus viciifolia, Oryza rufipogon, Papaver somniferum, Parthenium hysterophorus, Pennisetum macrourum, Persea americana, Picnemon acarna, Pistia stratiotes, Proboscidea louisianica, Prunus sp. Ricinus communis, Roroppa austriaca, Sagittaria graminea, S. montevidensis, Senecio jacobaea, S. pterophorus, Setaria faberi, Solanum carolinense, S. elaeagnifolium, Sonchus arvensis, Sorghum alnum, S. halepense, Stipa brachychaeta, Stratiotes aloides, Taeniatherum caput-medusae, Toxicodendron radicans, Tribulus terrestris, Wedelia glauca en Xanthium sp.

Voor de volgende zaaizaden geldt een invoerverbod wanneer het ingevoerd wordt:

- als 'low value (less than \$1,000) air and sea freight' *;
- als het om 'unaccompanied personal effects' gaat (bezittingen die apart van de eigenaar ingevoerd worden);
- als crew- of passagiersbagage;
- als post

Apium graveolens

Cajanus cajan

Carthamus tinctorius

Citrullus spp.

Coriandrum sativum

Cucumis spp.

Cucurbita spp.

Cuminum cyminum

Foeniculum vulgare

Phaseolus spp.

Pisum sativum

Triticum spp.

* M.u.v. 'Low value freight' geïmporteerd als onderzoekmateriaal.

Zie ook tekst onder kopje 'Bijbeschrijvingen'.

Labtoetsen

Wanneer een labtoets moet worden uitgevoerd, moet deze uitgevoerd worden vóór eventuele pelleting of coating. Indien gekozen wordt voor labtoets na aankomst (*on arrival*) mag het zaad niet gepilleerd zijn. Zendingen van gepilleerde zaden die nog niet getoetst zijn, kunnen niet getoetst worden in Australië en zullen bij de grens worden geweigerd.

Het toetsrapport moet het FC begeleiden.

Alle toetsrapporten moeten bevatten:

- laboratoriumnaam en -adres
- datum van de toets
- getoetste gewas met de wetenschappelijke naam genoemd
- partijnummer (gelijk aan het nummer vermeld op het FC)
- getoeste pathogenen
- toetsmethode
- grootte monsters en grootte submonsters
- testresultaat dat bevestigt dat getoeste pathogenen niet zijn gedetecteerd in de zaadpartij(en).

Het is verplicht om op het FC het partijnummer, de laboratoriumnaam en het labrapportnummer als volgt te vermelden: 'lotnumber(s): xxx, testing laboratory yyy, test report number zzz'.

Landenoverzicht exporteisen Zaaizaden
Land: **Australië**

Aanvullende eisen voor toetsen op tomato brown rugose fruit virus en tomato mottle mosaic virus van zaden van *Solanum lycopersicum*, *Capsicum annuum*, *C. chinense* en *C. frutescens*

De toetsrapporten voor ToBRFV en ToMMV moeten ook het door Australië toegestaan qPCR protocol en primernummer bevatten. Zie toegestane protocollen hierna:

Tot en met 11 november 2025:

Voor tomato brown rugose fruit virus worden alleen de volgende 'testing protocols' toegestaan:

- de 'PCR testing protocol as specified by Levitzky et al., 2019';
- de 'PCR testing protocol as specified by Alkowni et al. 2019';
- de 'CaTa28 reverse-transcription qPCR as specified by Berendsen S.M.H. et al. (2020)';
- de 'CSP1325 reverse-transcription qPCR as specified by Berendsen S.M.H. et al. (2020)';
- (sinds 7-dec-2022) op zaad van *Capsicum annuum*, *C. chinense* en *C. frutescens* de 'testing protocols delivered by the Naktuinbouw laboratory in the Netherlands'. *Let op: wanner het Naktuinbouw lab wordt gebruikt, moet er een speciale 'Additional Declaration' op het FC vermeld worden.*
- (sinds 18-dec-2023) op zaad van *Solanum lycopersicum* de 'testing protocols delivered by the Naktuinbouw laboratory in the Netherlands'. *Let op: wanner het Naktuinbouw lab wordt gebruikt, moet er een speciale 'Additional Declaration' op het FC vermeld worden.*

Voor tomato mottle mosaic virus worden alleen de volgende 'testing protocols' toegestaan:

- de 'PCR testing protocol as specified by Levitzky et al., 2019';
- (sinds 7-dec-2022) op zaad van *Capsicum annuum*, *C. chinense* en *C. frutescens* de 'testing protocols delivered by the Naktuinbouw laboratory in the Netherlands'. *Let op: wanner het Naktuinbouw lab wordt gebruikt, moet er een speciale 'Additional Declaration' op het FC vermeld worden.*
- (sinds 18-dec-2023) op zaad van *Solanum lycopersicum* de 'testing protocols delivered by the Naktuinbouw laboratory in the Netherlands'. *Let op: wanner het Naktuinbouw lab wordt gebruikt, moet er een speciale 'Additional Declaration' op het FC vermeld worden.*

Vanaf 12 november 2025:

Voor tomato brown rugose fruit virus worden alleen de volgende 'testing protocols' toegestaan:

- de 'CaTa28 reverse-transcription qPCR as specified by Berendsen S.M.H. et al. (2020)';
- de 'CSP1325 reverse-transcription qPCR as specified by Berendsen S.M.H. et al. (2020)';
- de RT-qPCR as specified by Menzel W., and Winter S. (2021).

Voor tomato mottle mosaic virus worden alleen de volgende 'testing protocols' toegestaan:

- de 'CaTa9 reverse-transcription qPCR as specified by Mehle, N. et al. (2024)';
- de 'CSP1572 reverse-transcription qPCR as specified by Mehle, N. et al. (2024)';
- de 'ToMMV2 reverse-transcription qPCR as specified by Mehle, N. et al. (2024)'.

Let op: als de exporteur een ander protocol wenst te gebruiken, moet eerst toestemming aan AU gevraagd te worden via de 'SPS Contact Point'.

Check de actuele informatie over de door Australië toegestane protocols ('Department approved PCR testing protocol(s)') voor tomato brown rugose fruit virus en tomato mottle mosaic virus op zaden van *Solanum lycopersicum*, *Capsicum annuum*, *C. chinense* en *C. frutescens* via onderstaande link:

[Emergency measures for tomato and capsicum seed](#)

Geautoriseerde laboratoria voor de tests op ToBRFV en ToMMV:

Een lijst met 'department authorised laboratories' is gepubliceerd op 1 oktober 2025. Vanaf 12 november 2025 zullen alleen uitslagen worden geaccepteerd van de in die lijst genoemde laboratoria.

Check de actuele informatie over de door Australië toegestane laboratoria via onderstaande link:

<https://www.agriculture.gov.au/biosecurity-trade/import/goods/plant-products/seeds-for-sowing/dept-auth-seed-test-labs#france>

Zuiverheidsbepaling

Australië hanteert een 'tolerantie-tabel'. Deze tolerantie geldt voor een aantal zaden en een aantal fungi-achtigen. Gebruik onderstaande link voor de volledige informatie:

[Seed contaminants and tolerance tables - DAFF \(agriculture.gov.au\)](#)

Australië kent een lijst van goedgekeurde laboratoria voor de zuiverheidsbepaling ('Department approved seed testing laboratories'). Alleen certificaten van een van deze laboratoria worden door Australië geaccepteerd.

In deze lijst staan een aantal van de onder NAL geautoriseerde bedrijven voor de 'physical purity' analyse vermeld.

In deze lijst staan ook een aantal buitenlandse vestigingen van deze bedrijven. De 'physical purity' analyse van deze vestigingen worden gedaan onder de ISTA accreditatie en ze worden door Australië geaccepteerd omdat ze deze ISTA accreditatie hebben, niet vanwege de NAL autorisatie. Daarom worden de zuiverheidsbepalingen van de buitenlandse vestigingen gedaan onder NAL niet door de NVWA geaccepteerd.

Gebruik onderstaande link voor de volledige informatie:

[Department approved seed purity testing laboratories - DAFF \(agriculture.gov.au\)](https://www.daff.gov.au/agriculture/seeds/seed-testing-laboratories)

Een van de volgende certificaten moet bij de zending gevoegd worden en duidelijk aan de zending worden gelinkt:

- Een 'ISTA Orange International Seed Lot Certificate' van een zuiverheidsonderzoek en bepaling van het aantal afwijkende zaden, conform de 'ISTA international rules for seed testing manual'.
- Een 'Seed analysis certificate' van een zuiverheidsonderzoek en bepaling van het aantal afwijkende zaden, conform de 'ISTA international rules for seed testing manual'. Ook moet in dit certificaat een van de volgende verklaringen zijn vermeld:
 - 'Sample tested was officially drawn and analysed in accordance with ISTA rules from an identified seed lot.', of
 - 'Sample tested was officially drawn and analysed in accordance with ISTA methodology.'
- Een 'NAL Quality Certificate', met vermelding van:
 - de botanische naam van het product;
 - het lotnummer van het product;
 - de botanische namen en het aantal van de afwijkende zaden;
 - het percentage grond en fungi-achtigen delen;
 - als het zaad is gecoat, dan ook de type coating ('seed pellets', 'encrusted seeds', 'seed granules', etc.) en het gewicht van het ongecoat zaad vermelden.

Zie link voor aanvullende informatie over de door Australië geaccepteerde NAL Quality Certificate:

[BICON - Case Documentation Requirement \(agriculture.gov.au\)](https://www.bicon.gov.au/case-documentation-requirement)

Behandeling

Zie ook behandelingsvoorschriften vermeld onder de informatie omtrent de Trogoderma-eisen.

Behandeling voor vertrek ('offshore'):

Indien het zaad voor vertrek ('offshore') behandeld is, moet de behandeling vermeld worden in vakken 12 t/m 17 van het FC. *Let op: alle vakken invullen, en niet alleen de dosering en het werkzame stof maar ook de productnaam opgeven!*

Behandeling bij aankomst ('onshore'):

Er zijn beperkte goedgekeurde locaties beschikbaar om fungicidenbehandelingen uit te voeren op Australisch grondgebied. De importeur is verantwoordelijk voor het contacteren met een van deze locaties om alle regelingen te bevestigen, inclusief de beschikbaarheid van de locatie om de hoeveelheid zaad in de zending te behandelen, voorafgaand aan de import. In het geval dat een goedgekeurde plaats van afspraak niet kan worden bevestigd, zijn de goederen onderhevig aan retournering of vernietiging.

De volgende gewassen moeten voor vertrek of bij aankomst behandeld zijn/worden (verplichte behandeling):

- Brassica campestris, B. chinensis, B. pekinensis, B. rapa (BICON 205/2019, 05-12-2019): behandeling tegen *Colletotrichum higginsianum* met een breedwerkende fungicide OF met droge hetelucht (70oC, 90 min) OF met heet water (53oC, 10 min of 50oC, 20 min)
- Cucumis melo, Cucumis sativus (BICON 15-10-2020): behandeling tegen *Diaporthe cucurbitae* met een breedwerkende fungicide.
- Eruca vesicaria (BICON 205/2019, 05-12-2019): behandeling tegen *Fusarium oxysporum f. sp. raphani* met een breedwerkende fungicide.

Landenoverzicht exporteisen Zaaizaden

Land: **Australië**

- *Raphanus sativus* (BICON 205/2019, 05-12-2019): behandeling tegen *Colletotrichum higginsianum* en *Fusarium oxysporum f. sp. raphani* met een breedwerkende fungicide.

Overige voorschriften

Gewassoorten die niet vermeld worden onder 'Invoerverbod' of onder 'Invoervergunning en certificaat noodzakelijk' kunnen zonder restricties worden ingevoerd, mits deze gewassoorten vermeld staan in de lijst van 'Permitted seed for sowing' (zie link van BICON:

<https://bicon.agriculture.gov.au/BiconWeb4.0/ImportConditions/Search>

Zendingen van zaaizaden via zee- of luchtcargo moeten door de importeur aangemeld worden bij de 'Department of Agriculture regional office' in het eerste 'point of entry' om inspectie en (eventueel) behandelingen te regelen.

Elke zending moet verpakt zijn in schoon en nieuwe verpakking, duidelijk gelabeld met de volledige botanische naam (geslacht en soort). Doorzichtig (plastic) verpakking is toegestaan.

Om de inklaring te vergemakkelijken, moeten luchtvracht- of postzendingen alle documentatie veilig aan de buitenkant van (de verpakking van) de zending zijn bevestigd en duidelijk zijn gemarkeerd als 'Attention Quarantine'.

Bij aankomst zal van elke zaadpartij een monster worden genomen voor inspectie op aanwezigheid van levende insecten, symptomen van ziekten en/of plagen en voor de identiteitscontrole.

Bijschrijvingen

Datum waarmede van het FC na datum verzending:

Indien het FC gewaarmerkt is na verzending van het zaad dient de datum van inspectie te worden vermeld in de 'Additional Declaration'. In dit geval, neem contact op met de NVWA om een IVI aan te vragen zodat de inspectiedatum verwerken kan worden in de bijschrijving.

Algemeen voor zendingen >100 g bestemd voor voortkweek inclusief zendingen die met gebruik van een IVI (Instructie Voor Invoervergunning) geëxporteerd worden:

This is to certify that the plants, plant products or other regulated articles described herein have been inspected and/or tested according to appropriate official procedures and are considered to be free from the quarantine pests specified by the importing contracting party and to conform with the current phytosanitary requirements of the importing contracting party, including those for regulated non-quarantine pests. (V).

Algemeen voor alle zendingen zaaizaden:

Representative samples were inspected and found free from evidence of any species of *Trogoderma* (whether live, dead or exuviae) in Australia's list of *Trogoderma* species of biosecurity concern. (1)

Zaden verpakt in 'gas permeable packaging':

Voor gewassen genoemd in de 'List of High-risk Goods for Host of Khapra Beetle' (zie annex) verpakt en/of geëxporteerd vanuit landen genoemd in de 'Target Risk Countries' (zie annex) wordt een van de volgende bijschrijvingen vereist:

- Behandeling met methylobromide:
 - The goods were fumigated in gas permeable packaging.
 - OF
 - The goods were fumigated prior to being sealed in gas impermeable packaging.
- Behandeling zogenaamd 'controlled atmosphere treatment':
 - The goods were treated in gas permeable packaging.
 - OF
 - The goods were treated prior to being sealed in gas impermeable packaging.

Bedrijf dat de behandeling heeft uitgevoerd:

Afhankelijk van wie de behandeling heeft uitgevoerd, gelden ook de volgende bijschrijvingen:

Behandeling uitgevoerd door een bedrijf dat door AU aangemerkt is als:

- Suspended, Under Review or Withdrawn on Australia's list of registered treatment providers; or as

Landenoverzicht exporteisen Zaaizaden
Land: **Australië**

- Unacceptable or Under Review on Australia's list of unregistered treatment providers.

Import type	New additional declaration from 28 May 2025
High-risk plant products packed in a khapra beetle target-risk country	<u>For methyl bromide fumigation:</u> 'The monitoring of start and end point concentration readings were conducted under direct NPPO supervision, and the treatment was performed in accordance with Australia's methyl bromide fumigation methodology as per the attached methyl bromide fumigation certificate [insert certificate number].' <u>For heat treatment:</u> 'The temperature sensors were placed under direct NPPO supervision, and the treatment was performed in accordance with Australia's heat treatment methodology as per the attached heat treatment certificate [insert certificate number].'
FCL/FCX sea containers packed in a khapra beetle target-risk country and either packed with high-risk plant products OR will be unpacked in a rural khapra risk postcode of Australia	<u>For methyl bromide fumigation:</u> 'The monitoring of start and end point concentration readings were conducted under direct NPPO supervision, and the treatment was performed in accordance with Australia's methyl bromide fumigation methodology as per the attached methyl bromide fumigation certificate [insert certificate number].' <u>For heat treatment:</u> 'The temperature sensors were placed under direct NPPO supervision, and the treatment was performed in accordance with Australia's heat treatment methodology as per the attached heat treatment certificate [insert certificate].'

Aanvullende bijschrijvingen, voor de volgende gewassen:

Anthriscus cerefolium (BICON, 1-12-2021)

Geen extra bijschrijvingen, alleen de bijschrijving over Trogoderma. Zie opmerking onder het kopje 'bijschrijvingen'.

Apium graveolens (BICON, 09-05-2025)

Geen extra bijschrijvingen, alleen de bijschrijving over Trogoderma. Zie opmerking onder het kopje 'bijschrijvingen'.

Brassica campestris, B. chinensis, B. pekinensis, B. rapa (BICON 205/2019, 05-12-2019)

Fungicidebehandeling verplicht (vóór vertrek of bij aankomst) tegen Colletotrichum higginsianum.

The seed in lot(s) specified on this phytosanitary certificate shall be treated with a broad-spectrum systemic fungicide on arrival for Colletotrichum higginsianum.

OF

Indien zaad voor vertrek is behandeld:

Landenoverzicht exporteisen Zaaizaden
Land: **Australië**

In geval van fungicidebehandeling:

The seed species, lot(s) and with origin specified above on this phytosanitary certificate were treated with a broad spectrum fungicide as declared in the Treatment boxes of this phytosanitary certificate (boxes 12 – 17) for *Colletotrichum higginsianum* (13).

OF

In geval van droge heteluchtbehandeling:

The seed species, lot(s) and with origin specified above on this phytosanitary certificate were treated with dry heat at 70°C for 90 minutes (13).

OF

In geval van warmwaterbehandeling:

The seed species, lot(s) and with origin specified above on this phytosanitary certificate were treated with hot water as as declared in the Treatment boxes of this phytosanitary certificate (boxes 12 – 17). (13)

Cannabis sp.: (BICON, 26-05-2021)

The seeds have been sourced from a country which is free from *Pseudomonas cannabina* pv. *cannabina* (4-NL vrij).

OF

The seeds have been sourced from a pest free area free from *Pseudomonas cannabina* pv. *cannabina* (5).

OF

The consignment was hot water treated at a minimum temperature of 50 ° C for 20 minutes (13).

EN

The seeds have been sourced from a country which is free from *Fusarium oxysporum* f. sp. *cannabis* (4 NL vrij).

OF

The seeds have been sourced from a pest free area free from *Fusarium oxysporum* f. sp. *cannabis* (5).

OF

The consignment was hot water treated at a minimum temperature of 50 ° C for 20 minutes (13).

OF

Fungicidebehandeling (13).

(raadpleeg de website van BICON om te zien welke behandelingen zijn toegestaan)

Capsicum sp.: (BICON, 07-12-2022)

Voor columnea latent viroid, pepper chat fruit viroid and potato spindle tuber viroid:

The seed species, lot(s) and with origin specified above on this phytosanitary certificate was tested by using a reverse-transcription PCR test for the viroids on a sample size of 20,000 seeds (or 20% of small seed lots) drawn from the lot and divided and tested as sub-samples of no more than 400 seeds and found to be free from *columnea latent viroid* (2), *pepper chat fruit viroid* (2) and *potato spindle tuber viroid* (2).

OF

The seed species, lot(s) and with origin specified above on this phytosanitary certificate was tested by PCR using primers and protocols approved by the Australian Department of Agriculture at the Naktuinbouw laboratory, Netherlands (report number(s) specified above on this phytosanitary certificate) on a sample size of 20,000 seeds (or 20% of small seed lots) as sub-samples of no more than 1000 seeds and found free from *columnea latent viroid* (2), *pepper chat fruit viroid* (2) and *potato spindle tuber viroid* (2).

OF

(indien partij bij aankomst getoetst wordt)

The seed in lot(s) specified on this phytosanitary certificate shall be tested on arrival on a sample size of 20,000 seeds (or 20% of small seed lots) for *columnea latent viroid*, *pepper chat fruit viroid* and *potato spindle tuber viroid*.

Capsicum annum, C. chinense and C. frutescens (BICON, 05-11-2019)

Voor tomato mottle mosaic virus (lees ook informatie onder 'Labtoetsen'):

Zaden getoetst vóór 11 november 2025

The seed species, lot(s) and with origin specified above on this phytosanitary certificate was tested by PCR using primers and protocols approved by the Australian Department of Agriculture (laboratory name and report number(s) specified above on this phytosanitary certificate) on a

Landenoverzicht exporteisen Zaaizaden
Land: **Australië**

sample size of 20,000 seeds (or 20% of small seed lots) as sub-samples of no more than 400 seeds and found free from tomato mottle mosaic virus (2).

OF

The seed species, lot(s) and with origin specified above on this phytosanitary certificate was tested by PCR using primers and protocols approved by the Australian Department of Agriculture at the Naktuinbouw laboratory, Netherlands (report number(s) specified above on this phytosanitary certificate) on a sample size of 20,000 seeds (or 20% of small seed lots) as sub-samples of no more than 1000 seeds and found free from tomato mottle mosaic virus (2).

OF

(indien partij bij aankomst getoetst wordt)

The seed in lot(s) specified on this phytosanitary certificate shall be tested on arrival on a sample size of 20,000 seeds (or 20% of small seed lots) for tomato mottle mosaic virus.

Zaden getoetst vanaf 12 november 2025

The seed species, lot(s) and with origin specified above on this phytosanitary certificate was tested by an authorised laboratory, by PCR using primers and protocols approved by the Australian Department of Agriculture (laboratory name and report number(s) specified above on this phytosanitary certificate) on a sample size of 20,000 seeds (or 20% of small seed lots) as sub-samples of no more than 400 seeds and found free from tomato mottle mosaic virus (2).

OF

The seed species, lot(s) and with origin specified above on this phytosanitary certificate was tested by PCR using primers and protocols approved by the Australian Department of Agriculture at the Naktuinbouw laboratory, Netherlands (report number(s) specified above on this phytosanitary certificate) on a sample size of 20,000 seeds (or 20% of small seed lots) as sub-samples of no more than 1000 seeds and found free from tomato mottle mosaic virus (2).

OF

(indien partij bij aankomst getoetst wordt)

The seed in lot(s) specified on this phytosanitary certificate shall be tested on arrival on a sample size of 20,000 seeds (or 20% of small seed lots) for tomato mottle mosaic virus.

EN

Voor tomato brown rugose fruit virus (lees ook informatie onder 'Labtoetsen'):

Zaden getoetst vóór 11 november 2025

The seed species, lot(s) and with origin specified above on this phytosanitary certificate was tested by PCR using primers and protocols approved by the Australian Department of Agriculture (laboratory name and report number(s) specified above on this phytosanitary certificate) on a sample size of 20,000 seeds (or 20% of small seed lots) as sub-samples of no more than 400 seeds and found free from tomato brown rugose fruit virus (2).

OF

The seed species, lot(s) and with origin specified above on this phytosanitary certificate was tested by PCR using primers and protocols approved by the Australian Department of Agriculture at the Naktuinbouw laboratory, Netherlands (report number(s) specified above on this phytosanitary certificate) on a sample size of 20,000 seeds (or 20% of small seed lots) as sub-samples of no more than 1000 seeds and found free from tomato brown rugose fruit virus (2).

OF

(indien partij bij aankomst getoetst wordt)

The seed in lot(s) specified on this phytosanitary certificate shall be tested on arrival on a sample size of 20,000 seeds (or 20% of small seed lots) for tomato brown rugose fruit virus.

Na 15 april 2019 wordt de bijschrijving voor ToBRFV met labtoets methode ELISA (die gold van 1 april t/m 14 april 2019) nog steeds geaccepteerd door Australië mits de toets vóór 15 april 2019 is uitgevoerd. Dit moet blijken uit het toetsrapport.

Zaden getoetst vanaf 12 november 2025

The seed species, lot(s) and with origin specified above on this phytosanitary certificate was tested by an authorised laboratory, by PCR using primers and protocols approved by the Australian Department of Agriculture (laboratory name and report number(s) specified above on this phytosanitary certificate) on a sample size of 20,000 seeds (or 20% of small seed lots) as sub-samples of no more than 400 seeds and found free from tomato brown rugose fruit virus (2).

OF

The seed species, lot(s) and with origin specified above on this phytosanitary certificate was tested by PCR using primers and protocols approved by the Australian Department of Agriculture at the

Landenoverzicht exporteisen Zaaizaden

Land: **Australië**

Naktuinbouw laboratory, Netherlands (report number(s) specified above on this phytosanitary certificate) on a sample size of 20,000 seeds (or 20% of small seed lots) as sub-samples of no more than 1000 seeds and found free from tomato brown rugose fruit virus (2).

OF

(indien partij bij aankomst getoetst wordt)

The seed in lot(s) specified on this phytosanitary certificate shall be tested on arrival on a sample size of 20,000 seeds (or 20% of small seed lots) for tomato brown rugose fruit virus.

Na 15 april 2019 wordt de bijschrijving voor ToBRFV met labtoets methode ELISA (die gold van 1 april t/m 14 april 2019) nog steeds geaccepteerd door Australië mits de toets vóór 15 april 2019 is uitgevoerd. Dit moet blijken uit het toetsrapport.

Citrullus lanatus (BICON, 21-06-2021)

The consignment of the product which is specified on this certificate was tested by ELISA on a sample size of 9,400 seeds (or 20% of small seed lots) and found free from cucumber green mottle mosaic virus (2), kyuri green mottle mosaic virus (2) zucchini green mottle mosaic virus (2) and melon necrotic spot virus (2).

OF

(indien partij bij aankomst getoetst wordt)

The seed in lot(s) specified on this phytosanitary certificate shall be tested on arrival for cucumber green mottle mosaic virus, kyuri green mottle mosaic virus, zucchini green mottle mosaic virus and melon necrotic spot virus.

Cucumis melo (BICON, 21-06-2021)

The consignment of the product which is specified on this certificate was tested by ELISA on a sample size of 9,400 seeds (or 20% of small seed lots) and found free from cucumber green mottle mosaic virus (2) and melon necrotic spot virus (2).

OF

(indien partij bij aankomst getoetst wordt)

The seed in lot(s) specified on this phytosanitary certificate shall be tested on arrival for cucumber green mottle mosaic virus and melon necrotic spot virus.

Fungicidebehandeling verplicht (vóór vertrek of bij aankomst) tegen Diaporthe cucurbitae.

The seed in lot(s) specified on this phytosanitary certificate shall be treated with a broad-spectrum systemic fungicide on arrival for Diaporthe cucurbitae.

OF

Indien zaad voor vertrek is behandeld:

The seeds in lot(s) specified on this phytosanitary certificate have been treated with a broad spectrum fungicide, as specified on this certificate, for Diaporthe cucurbitae (13).

Cucumis sativus (BICON, 21-06-2021)

The consignment of the product which is specified on this certificate was tested by ELISA on a sample size of 9,400 seeds (or 20% of small seed lots) and found free from cucumber green mottle mosaic virus (2) and kyuri green mottle mosaic virus (2).

OF

(indien partij bij aankomst getoetst wordt)

The seed in lot(s) specified on this phytosanitary certificate shall be tested on arrival for cucumber green mottle mosaic virus and kyuri green mottle mosaic virus.

Fungicidebehandeling verplicht (vóór vertrek of bij aankomst) tegen Diaporthe cucurbitae.

(indien partij bij aankomst behandeld wordt)

The seed in lot(s) specified on this phytosanitary certificate shall be treated with a broad-spectrum systemic fungicide on arrival for Diaporthe cucurbitae.

OF

(indien zaad voor vertrek behandeld is)

The seeds in lot(s) specified on this phytosanitary certificate have been treated with a broad spectrum fungicide, as specified on this certificate, for Diaporthe cucurbitae (13).

Cucurbita maxima, Cucurbita moschata, Cucurbita maxima x C. moschata (BICON, 29-04-2024)

The consignment of the product which is specified on this certificate was tested ELISA on a sample size of 9,400 seeds (or 20% of small seed lots) and found free from cucumber green mottle mosaic virus (2).

Landenoverzicht exporteisen Zaaizaden

Land: **Australië**

OF

(indien partij bij aankomst getoetst wordt)

The seed in lot(s) specified on this phytosanitary certificate shall be tested on arrival for cucumber green mottle mosaic virus

Cucurbita pepo (BICON, 21-06-2021)

The consignment of the product which is specified on this certificate was tested by ELISA on a sample size of 9,400 seeds (or 20% of small seed lots) and found free from cucumber green mottle mosaic virus (2), kyuri green mottle mosaic virus (2) and zucchini green mottle mosaic virus (2).

OF

(indien partij bij aankomst getoetst wordt)

The seed in lot(s) specified on this phytosanitary certificate shall be tested on arrival for cucumber green mottle mosaic virus, kyuri green mottle mosaic virus and zucchini green mottle mosaic virus.

Daucus carota (BICON, 1-12-2021)

Geen extra bijschrijvingen, alleen de bijschrijving over Trogoderma. Zie opmerking onder het kopje 'bijschrijvingen'.

Eruca vesicaria (BICON 205/2019, 05-12-2019)

Fungicidebehandeling verplicht (vóór vertrek of bij aankomst) tegen Fusarium oxysporum f. sp. raphani.

(indien partij bij aankomst behandeld wordt)

The seed in lot(s) specified on this phytosanitary certificate shall be treated with a broad-spectrum systemic fungicide on arrival for Fusarium oxysporum f. sp. raphani.

OF

(indien partij voor vertrek behandeld is)

The seed species, lot(s) and with origin specified above on this phytosanitary certificate were treated with a broad spectrum fungicide as declared in the Treatment boxes of this phytosanitary certificate (boxes 12 – 17) for Fusarium oxysporum f. sp. raphani (13).

Foeniculum vulgare (BICON, 08-05-2024)

Geen extra bijschrijvingen, alleen de bijschrijving over Trogoderma. Zie opmerking onder het kopje 'bijschrijvingen'.

Lagenaria siceraria (BICON, 22-06-2021)

The consignment of the product which is specified on this certificate was tested by ELISA on a sample size of 9,400 seeds (or 20% of small seed lots) and found free from cucumber green mottle mosaic virus (2).

OF

(indien partij bij aankomst getoetst wordt)

The seed in lot(s) specified on this phytosanitary certificate shall be tested on arrival for cucumber green mottle mosaic virus

Linum sp. (m.u.v. Linum usitatissimum) (BICON, 06-02-2023)

Geen extra bijschrijvingen, alleen de bijschrijving over Trogoderma. Zie opmerking onder het kopje 'bijschrijvingen'.

Momordica charantia (BICON, 01-06-2021)

Geen extra bijschrijvingen, alleen de bijschrijving over Trogoderma. Zie opmerking onder het kopje 'bijschrijvingen'.

Nicotiana sp. (BICON, 09-12-2022)

The seed in the consignment originated from glasshouse-grown plants that were inspected and found free from virus or virus-like symptoms.

Pastinaca sativa (BICON, 1-12-2021)

Geen extra bijschrijvingen, alleen de bijschrijving over Trogoderma. Zie opmerking onder het kopje 'bijschrijvingen'.

Petroselinum crispum (BICON, 1-12-2021)

Geen extra bijschrijvingen, alleen de bijschrijving over Trogoderma. Zie opmerking onder het kopje 'bijschrijvingen'.

Landenoverzicht exporteisen Zaaizaden
Land: **Australië**

Phaseolus vulgaris:

Origine Verenigde Staten van Amerika, Staten Californië en Washington.

The field was inspected during the growing season by a qualified inspector designated by the State Department of Agriculture and is apparently free of *Pseudomonas syringae* pv. *phaseolicola* (6), *Pseudomonas syringae* pv. *syringae* (6), *Elsinoë phaseoli* (6), *Xanthomonas campestris* pv. *phaseoli* (6), *Xanthomonas phaseoli* pv. *fuscans* (6), *Corynebacterium flaccumfaciens* (6), *Colletotrichum lindemuthianum* (6) and Bean common mosaic virus (6).

Origine Verenigde Staten van Amerika, Staat Idaho.

The field was inspected during the growing season by a qualified inspector designated by the State Department of Agriculture and is apparently free of *Pseudomonas syringae* pv. *phaseolicola* (6), *Pseudomonas syringae* pv. *syringae* (6), *Xanthomonas campestris* pv. *phaseoli* (6), *Xanthomonas phaseoli* pv. *fuscans* (6), *Corynebacterium flaccumfaciens* (6), *Colletotrichum lindemuthianum* (6) and Bean common mosaic virus (6).

Overige origines

Free from *Xanthomonas campestris* pv. *phaseoli* (2; 4-NL niet vrij; 5; 9), *Pseudomonas syringae* p. v. *phaseolicola* (2; 4-NL niet vrij; 5; 9; 11), *Curtobacterium flaccumfaciens* pv. *flaccumfaciens* (2; 4-NL vrij; 5; 9), *Colletotrichum lindemuthianum* (2; 4-NL niet vrij; 5; 6; 9).

Pisum sativum, P. elatius, P. fulvum (BICON 30-09-2021)

Geen extra bijschrijvingen, alleen de bijschrijving over *Trogoderma*. Zie opmerking onder het kopje 'bijschrijvingen'.

Post-entry quarantine vereist.

Raphanus sativus (BICON 205/2019, 05-12-2019)

Fungicidebehandeling verplicht (vóór vertrek of bij aankomst) tegen Colletotrichum higginsianum en Fusarium oxysporum f. sp. raphani.

(indien partij bij aankomst behandeld wordt)

The seed in lot(s) specified on this phytosanitary certificate shall be treated with a broad-spectrum systemic fungicide on arrival for *Colletotrichum higginsianum* and *Fusarium oxysporum* f. sp. *raphani*.

OF

(indien partij voor vertrek behandeld is)

The seed species, lot(s) and with origin specified above on this phytosanitary certificate were treated with a broad spectrum fungicide as declared in the Treatment boxes of this phytosanitary certificate (boxes 12 – 17) for *Colletotrichum higginsianum* (13) and *Fusarium oxysporum* f. sp. *raphani* (13).

Solanum lycopersicum (BICON, 18-12-2023)

Let op: alle hybriden met S. lycopersicum moeten aan de eisen voor S. lycopersicum voldoen.

Voor tomato mottle mosaic virus:

Zaden getoetst vóór 11 november 2025

The seed species, lot(s) and with origin specified above on this phytosanitary certificate was tested by PCR using primers and protocols approved by the Australian Department of Agriculture (laboratory name and report number(s) specified above on this phytosanitary certificate) on a sample size of 20,000 seeds (or 20% of small seed lots) as sub-samples of no more than 400 seeds and found free from tomato mottle mosaic virus (2).

OF

The seed species, lot(s) and with origin specified above on this phytosanitary certificate was tested by PCR using primers and protocols approved by the Australian Department of Agriculture at the Naktuinbouw laboratory, Netherlands (report number(s) specified above on this phytosanitary certificate) on a sample size of 20,000 seeds (or 20% of small seed lots) as sub-samples of no more than 1000 seeds and found free from tomato mottle mosaic virus (2).

OF

(indien partij bij aankomst getoetst wordt)

The seed in lot(s) specified on this phytosanitary certificate shall be tested on arrival on a sample size of 20,000 seeds (or 20% of small seed lots) for tomato mottle mosaic virus.

Zaden getoetst vanaf 12 november 2025

Landenoverzicht exporteisen Zaaizaden
Land: **Australië**

The seed species, lot(s) and with origin specified above on this phytosanitary certificate was tested by an authorised laboratory, by PCR using primers and protocols approved by the Australian Department of Agriculture (laboratory name and report number(s) specified above on this phytosanitary certificate) on a sample size of 20,000 seeds (or 20% of small seed lots) as sub-samples of no more than 400 seeds and found free from tomato mottle mosaic virus (2).

OF

The seed species, lot(s) and with origin specified above on this phytosanitary certificate was tested by PCR using primers and protocols approved by the Australian Department of Agriculture at the Naktuinbouw laboratory, Netherlands (report number(s) specified above on this phytosanitary certificate) on a sample size of 20,000 seeds (or 20% of small seed lots) as sub-samples of no more than 1000 seeds and found free from tomato mottle mosaic virus (2).

OF

(indien partij bij aankomst getoetst wordt)

The seed in lot(s) specified on this phytosanitary certificate shall be tested on arrival on a sample size of 20,000 seeds (or 20% of small seed lots) for tomato mottle mosaic virus.

EN

Voor pepino mosaic virus:

Zaad getoetst vóór 23 juni 2021

The seed species, lot(s) and with origin specified above on this phytosanitary certificate were tested prior to 23 June 2021 by using the ELISA test method of the Manual of Seed Health Testing Methods of the International Seed Federation (current version) on a sample size of 3,000 seeds (or 20% of small seed lots) drawn from the lot and divided and tested as sub-samples of no more than 250 seeds, and found to be free of pepino mosaic virus (2).

OF

The seed species, lot(s) and with origin specified above on this phytosanitary certificate were tested prior to 23 June 2021 by PCR test for the virus on a sample size of 3,000 seeds (or 20% of small seed lots) drawn from the lot and divided and tested as sub-samples of no more than 400 seeds, and found to be free of pepino mosaic virus (2).

Na 22 juni 2021 wordt een toets gedaan met monstergrootte van 3.000 zaden nog steeds geaccepteerd door Australië mits de toets vóór 23 juni 2021 is uitgevoerd. Dit moet blijken uit de de bijschrijving op het FC.

In deze situatie wordt ook een 'supplier's declaration' gevraagd.

Zaad getoetst vanaf 23 juni 2021

The seed species, lot(s) and with origin specified above on this phytosanitary certificate was tested by using the ELISA test method of the Manual of Seed Health Testing Methods of the International Seed Federation (current version) on a sample size of 20,000 seeds (or 20% of small seed lots) drawn from the lot and divided and tested as sub-samples of no more than 250 seeds, and found to be free of pepino mosaic virus (2).

OF

The seed species, lot(s) and with origin specified above on this phytosanitary certificate was tested by using a reverse-transcription PCR test for the virus on a sample size of 20,000 seeds (or 20% of small seed lots) drawn from the lot and divided and tested as sub-samples of no more than 400 seeds, and found free of pepino mosaic virus (2).

OF

The seed species, lot(s) and with origin specified above on this phytosanitary certificate was tested by PCR using primers and protocols approved by the Australian Department of Agriculture at the Naktuinbouw laboratory, Netherlands (report number(s) specified above on this phytosanitary certificate) on a sample size of 20,000 seeds (or 20% of small seed lots) as sub-samples of no more than 1000 seeds and found free from pepino mosaic virus (2).

OF

(indien partij bij aankomst getoetst wordt):

The seed in lot(s) specified on this phytosanitary certificate shall be tested on arrival on a sample size of 20,000 seeds for pepino mosaic virus.

OF (bij partijen met minder dan 300 gram en bij aankomst PCR getoetst wordt):

Seed lots of 300 g or less will be PCR tested on arrival using 20% of the seed lot by weight for pepino mosaic virus.

EN

Landenoverzicht exporteisen Zaaizaden
Land: **Australië**

Voor columnea latent viroid, pepper chat fruit viroid, potato spindle tuber viroid, tomato apical stunt viroid:

The seed species, lot(s) and with origin specified above on this phytosanitary certificate was tested by using a reverse-transcription PCR test for the viroids on a sample size of 20,000 seeds (or 20% of small seed lots) drawn from the lot and divided and tested as sub-samples of no more than 400 seeds and found free from columnea latent viroid (2), pepper chat fruit viroid (2), potato spindle tuber viroid (2), tomato apical stunt viroid (2).

OF

The seed species, lot(s) and with origin specified above on this phytosanitary certificate was tested by PCR using primers and protocols approved by the Australian Department of Agriculture at the Naktuinbouw laboratory, Netherlands (report number(s) specified above on this phytosanitary certificate) on a sample size of 20,000 seeds (or 20% of small seed lots) as sub-samples of no more than 1000 seeds and found free columnea latent viroid (2), pepper chat fruit viroid (2), potato spindle tuber viroid (2), tomato apical stunt viroid (2).

OF

(indien partij bij aankomst getoetst wordt)

The seed lot(s) shall be tested on arrival on a sample size of 20,000 seeds for potato spindle tuber viroid, columnea latent viroid, pepper chat fruit viroid, tomato apical stunt viroid.

OF *(bij partijen met minder dan 300 gram en bij aankomst PCR-getoetst wordt)*

Seed lots of 300 g or less will be PCR tested on arrival using 20% of the seed lot by weight for potato spindle tuber viroid, columnea latent viroid, pepper chat fruit viroid, tomato apical stunt viroid.

EN

Voor tomato brown rugose fruit virus:

Zaden getoetst vóór 12 november 2025

The seed species, lot(s) and with origin specified above on this phytosanitary certificate was tested by PCR using primers and protocols approved by the Australian Department of Agriculture (laboratory name and report number(s) specified above on this phytosanitary certificate) on a sample size of 20,000 seeds (or 20% of small seed lots) as sub-samples of no more than 400 seeds and found free from tomato brown rugose fruit virus (2).

OF

The seed species, lot(s) and with origin specified above on this phytosanitary certificate was tested by PCR using primers and protocols approved by the Australian Department of Agriculture at the Naktuinbouw laboratory, Netherlands (report number(s) specified above on this phytosanitary certificate) on a sample size of 20,000 seeds (or 20% of small seed lots) as sub-samples of no more than 1000 seeds and found free tomato brown rugose fruit virus (2).

OF

(indien partij bij aankomst getoetst wordt)

The seed in lot(s) specified on this phytosanitary certificate shall be tested on arrival on a sample size of 20,000 seeds (or 20% of small seed lots) for tomato brown rugose fruit virus.

Na 15 april 2019 wordt de bijschrijving voor ToBRFV met labtoets methode ELISA (die gold van 1 april t/m 14 april 2019) nog steeds geaccepteerd door Australië mits de toets vóór 15 april 2019 is uitgevoerd. Dit moet blijken uit het toetsrapport.

Zaden getoetst vanaf 12 november 2025

The seed species, lot(s) and with origin specified above on this phytosanitary certificate was tested by an authorised laboratory, by PCR using primers and protocols approved by the Australian Department of Agriculture (laboratory name and report number(s) specified above on this phytosanitary certificate) on a sample size of 20,000 seeds (or 20% of small seed lots) as sub-samples of no more than 400 seeds and found free from tomato brown rugose fruit virus (2).

OF

The seed species, lot(s) and with origin specified above on this phytosanitary certificate was tested by PCR using primers and protocols approved by the Australian Department of Agriculture at the Naktuinbouw laboratory, Netherlands (report number(s) specified above on this phytosanitary certificate) on a sample size of 20,000 seeds (or 20% of small seed lots) as sub-samples of no more than 1000 seeds and found free tomato brown rugose fruit virus (2).

OF

(indien partij bij aankomst getoetst wordt)

The seed in lot(s) specified on this phytosanitary certificate shall be tested on arrival on a sample size of 20,000 seeds (or 20% of small seed lots) for tomato brown rugose fruit virus.

Landenoverzicht exporteisen Zaaizaden
Land: **Australië**

Na 15 april 2019 wordt de bijschrijving voor ToBRFV met labtoets methode ELISA (die gold van 1 april t/m 14 april 2019) nog steeds geaccepteerd door Australië mits de toets vóór 15 april 2019 is uitgevoerd. Dit moet blijken uit het toetsrapport.

Solanum chilense, S. chmielewskii, S. parviflorum, S. peruvianum en S. pimpinellifolium (wilde tomatensoorten) (BICON, 04-06-2021)

Let op: alle hybriden met S. lycopersicum moeten aan de eisen voor S. lycopersicum voldoen.

Voor tomato mottle mosaic virus:

The seed species, lot(s) and with origin specified above on this phytosanitary certificate was tested by PCR using primers and protocols approved by the Australian Department of Agriculture (laboratory name and report number(s) specified above on this phytosanitary certificate) on a sample size of 20,000 seeds (or 20% of small seed lots) as sub-samples of no more than 400 seeds and found free from tomato mottle mosaic virus (2).

OF

(indien partij bij aankomst getoetst wordt)

The seed in lot(s) specified on this phytosanitary certificate shall be tested on arrival on a sample size of 20,000 seeds (or 20% of small seed lots) for tomato mottle mosaic virus.

EN

Voor tomato brown rugose fruit virus:

The seed species, lot(s) and with origin specified above on this phytosanitary certificate was tested by PCR using primers and protocols approved by the Australian Department of Agriculture (laboratory name and report number(s) specified above on this phytosanitary certificate) on a sample size of 20,000 seeds (or 20% of small seed lots) as sub-samples of no more than 400 seeds and found free from tomato brown rugose fruit virus (~).

OF

(indien partij bij aankomst getoetst wordt)

The seed in lot(s) specified on this phytosanitary certificate shall be tested on arrival on a sample size of 20,000 seeds (or 20% of small seed lots) for tomato brown rugose fruit virus.

Let op: na 15 april 2019 wordt de bijschrijving voor de labtoets ELISA (die van 1 april t/m 14 april 2019 gold) nog steeds geaccepteerd door Australië mits de toets vóór 15 april 2019 is uitgevoerd. Dit moet blijken uit de toetsrapport.

Spinacia oleracea (BICON, 23-07-2019)

Geen extra bijschrijvingen, alleen de bijschrijving over Trogoderma. Zie opmerking onder het kopje 'bijschrijvingen'.

Trichosanthes cucumerina (BICON, 22-06-2021)

The consignment of the product which is specified on this certificate was tested by ELISA on a sample size of 9,400 seeds (or 20% of small seed lots) and found free from cucumber green mottle mosaic virus (2).

OF

(indien partij bij aankomst getoetst wordt)

The seed in lot(s) specified on this phytosanitary certificate shall be tested on arrival for cucumber green mottle mosaic virus.

Landenoverzicht exporteisen Zaaizaden
Land: **Australië**

Annexes

List of High-risk Plant Products Host of Khapra Beetle

Updated on 28 May 2025

The following are high risk plant products which are a host of khapra beetle:

Goods*

Bean seed (<i>Phaseolus</i> spp.)
Celery seed (<i>Apium graveolens</i>)
Chickpeas (<i>Cicer arietinum</i>)
Coriander seed (<i>Coriandrum sativum</i>)
Cucurbit seed (<i>Cucurbita</i> spp., <i>Cucumis</i> spp., <i>Citrullus</i> spp.)
Cumin seed (<i>Cuminum cyminum</i>)
Dried chillies/capsicum (<i>Capsicum</i> spp.)
Faba bean, broad bean, fava bean (<i>Vicia faba</i>)
Fennel seed (<i>Foeniculum vulgare</i>)
Lentils (<i>Lens culinaris</i>)
Mung beans, cowpeas (<i>Vigna</i> spp.)
Pea seed (<i>Pisum sativum</i>)
Peanuts (<i>Arachis hypogaea</i>)
Pigeon Pea seed (<i>Cajanus cajan</i>)
Rice (<i>Oryza sativa</i>)
Safflower seed (<i>Carthamus tinctorius</i>)
Soybean (<i>Glycine max</i>)
Wheat seed (<i>Triticum</i> spp.)

Important: High-risk plant products also includes all synonyms and subordinate taxa of the species listed above.

The following exclusions apply:

- Commercially prepared and packaged goods that have been thermally processed so that the nature of the material has been transformed from their original raw form, such as retorted, blanched, roasted, fried, par-boiled, boiled, puffed, malted or pasteurised.
- Goods that are commercially milled or ground to a powder, meal or flakes and packaged in bags less than or equal to 25kg
- Breakfast cereals, instant cereal beverage mixes, couscous meal mixes and snack foods (including muesli bars, granola bars and wholefood bars/balls, trail mixes) that are commercially prepared and retail packaged*
- Bakery and bread mixes (including whole seeds) that are commercially prepared and retail packaged*
- Commercially prepared and packaged herbal teas, with or without seeds (including loose leaf and teabags).

Landenoverzicht exporteisen Zaaizaden

Land: **Australië**

-
- Goods that are chemically processed and preserved such as with a Formalin Propionic Acid fixative, Formalin Acetic acid alcohol, Carnoy's fixative or ethanol.
 - Fresh vegetables.
 - Commercially manufactured frozen or freeze-dried food (perishable foodstuffs only).
 - Frozen plant samples for plant research (including through the use of liquid nitrogen and freeze drying).
 - Oils derived from vegetables or seed.
 - Preserved or pickled.
 - Goods that have been refined or extracted to obtain specific components from plant-based raw materials (including starch, lecithin, protein, cellulose, sugars and pigments).

*An imported good is considered retail packaged if it has been commercially prepared and packaged overseas and is in a final state that requires no further processing, packaging or labelling prior to retail sale or consumer use in Australia.

Landenoverzicht exporteisen Zaaizaden
Land: **Australië**

List of Other-risk Goods (including Mode of Arrival and End Use) for Host of Khapra Beetle

Updated on 28 May 2025

This list is referenced in sections 57E and 57F of the *Biosecurity (Conditionally Non-prohibited Goods) Determination 2021*.

This list contains conditionally non-prohibited goods which are subject to specific conditions for import in the above instrument.

Goods	End use	Modes of arrival			
		Mail	Accompanied baggage ¹	Low value freight ²	Other modes of arrival
Seeds (other than high-risk goods)	All uses except as herbarium specimens and research	ü	ü	ü	ü
Nuts (other than high-risk goods)	All uses except as herbarium specimens and research	ü	ü	ü	ü
Plant gums and resins	All uses except as herbarium specimens and research	x	x	x	ü
Processed seed, tuber and corm products (other than high-risk goods; and including flours, meals, flakes)	All uses except as herbarium specimens and research	x	x	x	ü
Dried fruits (other than high-risk goods)	All uses except as herbarium specimens and research	x	x	x	ü
Dried vegetables (other than high-risk goods; and including mushrooms)	All uses except as herbarium specimens and research	x	x	x	ü
Unprocessed plant products (excluding fresh fruits, vegetables, nursery stock, herbarium specimens, fresh cut flowers, coir peat, peat and timber)	All uses except as herbarium specimens and research	x	x	x	ü

¹ 'Accompanied baggage' means goods that are brought or imported into Australia as the accompanied personal effects of a passenger, or a member of the crew, of a ship or aircraft.

² 'Low value freight' means goods that are brought or imported into Australia as air or sea freight with a value not exceeding the amount prescribed for the purposes of subparagraph 68(1)(f)(iii) of the *Customs Act 1901*.

Landenoverzicht exporteisen Zaaizaden

Land: **Australië**

The following exclusions apply:

- Commercially prepared and packaged goods that have been thermally processed so that the nature of the material has been transformed from their original raw form, such as retorted, blanched, roasted, fried, par-boiled, boiled, puffed, malted or pasteurised.
- Goods that are commercially milled or ground to a powder, meal or flakes and packaged in bags less than or equal to 25kg.
- Breakfast cereals, instant cereal beverage mixes, couscous meal mixes and snack foods (including muesli bars, granola bars and wholefood bars/balls, trail mixes) that are commercially prepared and retail packaged*
- Bakery and bread mixes (including whole seeds) that are commercially prepared and retail packaged*
- Commercially prepared and packaged herbal teas, with or without seeds (including loose leaf and teabags).
- Goods that are chemically processed and preserved such as with a Formalin Propionic Acid fixative, Formalin Acetic acid alcohol, Carnoy's fixative or ethanol.
- Fresh vegetables.
- Commercially prepared, shelled nuts packaged under strong vacuum.
- Commercially manufactured frozen or freeze-dried food (perishable foodstuffs only).
- Frozen plant samples for plant research (including through the use of liquid nitrogen and freeze drying).
- Oils derived from vegetables or seed.
- Preserved or pickled.
- Goods that have been refined or extracted to obtain specific components from plant-based raw materials (including refined gum, starch, lecithin, protein, cellulose, sugars and pigments).

*An imported good is considered retail packaged if it has been commercially prepared and packaged overseas and is in a final state that requires no further processing, packaging or labelling prior to retail sale or consumer use in Australia.

Landenoverzicht exporteisen Zaaizaden

Land: **Australië**[List of Target-risk Countries for Host of Khapra Beetle](#)Updated on 30 april 2026 ~~28 May 2025~~This list is referenced in sections 57C and 57E of the *Biosecurity (Conditionally Non-prohibited Goods) Determination 2021*.

Afghanistan	Mauritania
Albania	Morocco
Algeria	Myanmar
Angola (vanaf 30 april 2026)	Nepal
Bangladesh	Niger
Benin	Nigeria
Burkina Faso	Oman
Chad (vanaf 30 april 2026)	Pakistan
Côte d'Ivoire (Ivory Coast)	Qatar
Cyprus	Saudi Arabia
Egypt	Senegal
Ghana	Somalia
Greece	South Sudan
Guinea (vanaf 30 april 2026)	Sri Lanka
India	Sudan
Iran Islamic Republic of	Syrian Arab Republic
Iraq	Tajikistan (vanaf 30 april 2026)
Israel	Tanzania (vanaf 30 april 2026)
Jordan (vanaf 30 april 2026)	Timor-Leste
Kazakhstan (vanaf 30 april 2026)	Tunisia
Kuwait	Turkey
Lebanon	Turkmenistan (vanaf 30 april 2026)
Libya	United Arab Emirates
Mali	Yemen

Hoewel de NVWA dit document op zorgvuldige wijze en naar beste weten heeft samengesteld, kan niet worden ingestaan voor de juistheid en volledigheid van de beschikbaar gestelde informatie. Aan de beschikbaar gestelde informatie kunnen geen rechten worden ontleend. Een afdruk kan verouderd zijn. Een actuele versie is op de website van NVWA beschikbaar.