

Landenoverzicht exporteisen Zaaizaden
Land: **India**

Overzicht van de laatste wijziging(en)

versie	datum	toelichting
4.96	05-08-2026	Vervanging oude code Zea mays
4.95	01-07-2026	Aanpassing codes Solanum lycopersicum, vervanging oude code Tagetes sp.
4.94	17-06-2026	Vervanging oude code Chamaedorea sp.

Landenoverzicht exporteisen Zaaizaden - India

INDIA (IN)	Certificaat export	Certificaat re-export	Taal	Grondeis	Invoervergunning
	1	20	E	GV	soms

Algemene informatie

Geleidelijk gaan we over naar een nieuwe coderingssysteem waardoor, voorlopig, twee verschillende systemen in gebruik zijn in dit document.

Uitleg codes, zie NVWA-site: <https://www.nvwa.nl/onderwerpen/export-planten-groenten-fruit-plantaardige-producten/documenten/export/fytosanitair/voorschriften/algemeen/toelichting-landeneisen>

Legenda:

\$ = zie Register Dekkingen Zaaizaden

~ = De dekking van dit organisme moet nog bepaald worden. De datasheet moet nog worden opgesteld. Houd aub er rekening mee dat dit een paar weken in beslag kan nemen.

Pre-exportcertificaten

De exporteur dient er rekening mee te houden dat sommige garanties moeten worden afgegeven door het EU-land van origine. Dit gebeurt met een pre-exportcertificaat. Op dit certificaat verklaart het EU land van origine dat de planten, plantaardige producten of andere materialen die geteeld, geproduceerd, opgeslagen of verwerkt zijn, voldoen aan specifieke fytosanitaire voorschriften met betrekking tot één of meer van de volgende aspecten:

- de afwezigheid of aanwezigheid van bepaalde organismen;
- de oorsprong in of op een specifiek veld, productiefaciliteit, productieplaats of gebied;
- de status van een plaagorganisme in het veld, in de productiefaciliteit, op de productieplaats, in het gebied of het land van oorsprong;
- het resultaat van inspecties, het nemen van monsters van en het uitvoeren van tests.

Zie ook:

<https://www.nvwa.nl/documenten/export/fytosanitair/voorschriften/toelichting-certificaten/instructie-waarmeden-fytosanitair-certificaat>

Bron

<https://pqms.cgg.gov.in/pqms-angular/homeGuidelines/Import> en klikken op "Plant Quarantine Order and Amendments".

Document 'Plant Quarantine (Regulation of Import into India) Order, 2003'.

Algemene eisen

Invoerverbod:

Voor zover bij de NVWA bekend, alleen de gewassen die genoemd worden in Schedule V ("restricted permission") en in Schedule VI zijn voor invoer in India toegestaan. Deze laatste

Landenoverzicht exporteisen Zaaizaden
Land: **India**

staan onder het kopje 'Bijschrijvingen' genoemd.

Als u een gewas mist, graag dit aan de NVWA doorgeven via de helpdesk van de keuringsdienst. We controleren dan of invoer van het gewas is toegestaan.

Uitsluitend de bij de producten genoemde origines worden toegelaten.

Daarnaast, in Schedule IV, worden expliciet de volgende gewassen/origines genoemd waarvoor er een invoerverbod geldt voor zaaizaden ervan:

Castanea sp.

Verenigde Staten, Canada

Coffea sp.

Afrika, Zuid-Amerika

Cocos nucifera

Cameroon, Ghana, Nigeria, Togo and Tanzania, Florida (USA), Mexico, Cayman Islands, Bahamas, Cuba, Dominican Republic, Haiti, Jamaica, Philippines and Gaum, Brazil, Trinidad, Tobago, Grenada, St. Vincent, Barbados, Belize, Honduras, Costa Rica, El Salvador, Panama, Columbia, Venezuela and Ecuador, Suriname, Sri Lanka.

Elaeis guineensis

Filipijnen, Guam

Hevea sp.

Tropical Amerika

Manihot esculenta

Afrika en Zuid-Amerika

Phoenix dactylifera

Algerije, Marokko, Verenigde Staten (Florida)

Pinus sp.

Canada, Verenigde Staten, Mexico

Quercus sp.

Verenigde Staten

Triticum sp.

Latijns Amerika, Bangladesh

Invoer met een (speciale) invoervergunning (Schedule V)

Invoervergunningen worden alleen voor het import van een beperkt aantal gewassen verstrekt. Voor zover bekend, zijn het de volgende gewassen:

Arachis sp.

Castanea sp.

Citrus sp.

Coffea sp.

Cocos nucifera

Gossypium sp.

Hevea sp.

Ipomoea sp.

Juglans sp.

Manihot esculenta

Nicotiana sp.

Oryza sativa

Pinus sp.

Quercus sp.

Saccharum sp.

Solanum tuberosum

Theobroma cacao

Triticum sp.

Ulmus sp.

Origine Pakistan:

Volgens ontvangen informatie mag geen enkel product met origine Pakistan naar dit bestemmingsland worden geëxporteerd, vanwege politieke redenen. Verzending van deze producten kan problemen opleveren.

Landenoverzicht exporteisen Zaaizaden
Land: **India**

Certificeringseisen

Fytosanitaire Certificaat vereist voor:

Plant Quarantaine Order geeft aan of een fytosanitair certificaat vereist is en of er een post-entry quarantaine na aankomst volgt.

Datum waarmerken van het FC

Datum van waarmerken van het FC mag niet liggen ná datum van vertrek van de zending uit Nederland.

Quarantaine onkruidsoorten

Alle zendingen moeten vrij zijn van quarantaine onkruidsoorten. Deze staan genoemd in de "Schedule VIII" van de Plant Quarantaine Order. Ze zijn niet ingevoerd in e-CertNL. Raadpleeg daarom deze lijst voordat u zaden exporteert.

Toelichting op de bijschrijvingen

In de wetgeving van India, 'Schedule V en VI' staan de vereiste bijschrijvingen genoemd in de kolom 'Additional declarations required to be incorporated into Phytosanitary Certificate'. Echter, de eisen die in de kolom 'Special conditions of import' moeten ook als bijschrijving op het fytosanitaire certificaat staan.

Daarnaast geldt ook dat, i.p.v. de bijschrijvingen vermeld in bovengenoemde kolommen, als exportgarantie mag ook gebruikt worden de verklaring op het originele FC dat de gereguleerde organismen niet voorkomen in het land van productie.

Wanneer er voor een gewas zowel de bijschrijving "Free from..." als "Crop inspection for free from ..." gevraagd worden, geldt voor de eerste bijschrijving dezelfde dekkingscode als voor de tweede bijschrijving.

Zaad geoogst in India

Volgens informatie van verschillende exporteurs accepteert de NPPO van India zaden met origine India die ge-reëxporteerd worden naar India altijd met een re-export FC zonder bijschrijvingen. Deze informatie is niet te vinden in de Indiase wetgeving en we hebben deze informatie ook niet van de Indiase NPPO ontvangen. Op verzoek van de exporteur kan dit in e-CertNL ingeregeld worden. Invoer van dit zaad is op eigen risico van de exporteur.

Bijschrijvingen

Alcea sp. (schedule VI, 28)

Origine Azië, Europa, Verenigde Staten

Free from quarantine weed seeds (V).

Allium sp. (schedule VI, 31)

Alle origines

Eis:

Partij vrij van *Urocystis cepulae* (98), *Ditylenchus dipsaci* (2; 4-NL niet vrij; 5; 6; 9), *Pseudomonas cepacia* (98), *Embellisia allii* (98), *Pseudomonas marginalis* pv. *marginalis* (98), *Phomopsis longicolla* (99), *Hylemya antiqua* (V).

Bijschrijving:

Free from *Urocystis cepulae*, *Ditylenchus dipsaci*, *Pseudomonas cepacia*, *Embellisia allii*, *Pseudomonas marginalis* pv. *marginalis*, *Phomopsis longicolla*, *Hylemya antiqua*.

Free from soil contamination.

Landenoverzicht exporteisen Zaaizaden
Land: **India**

Allium schoenoprasum (schedule VI, 32)

Origine Frankrijk

Free from quarantine weed seeds (V).

Free from soil contamination.

Amaranthus sp. (schedule VI, 43)

Origine Japan

Eis:

Gewas na inspectie vrij van tobacco rattle virus (IV)

Bijschrijving:

Crop inspection and certification for free from tobacco rattle virus.

Free from quarantine weed seeds (V).

Free from soil contamination.

Amaranthus caudatus (schedule VI, 44)

Origine Australië, Europa, Verenigde Staten

Eis:

Gewas na inspectie vrij van strawberry latent ringspot virus (IV)

Bijschrijving:

Crop inspection and certification for free from strawberry latent ringspot virus.

Free from quarantine weed seeds (V).

Anemone sp. (schedule VI, 50)

Origine Europa

Eis:

Gewas na inspectie vrij van tobacco rattle virus (6).

Bijschrijving:

Crop inspection and certification for free from tobacco rattle virus.

Free from quarantine weed seeds (V).

Free from soil contamination.

Anethum graveolens (schedule VI, 55)

Origine Denemarken

Geen bijschrijvingen.

Origine Frankrijk

Eis:

Partij vrij van Pseudomonas viridiflava (I of IV)

Bijschrijving:

Free from Pseudomonas viridiflava.

Free from quarantine weed seeds (V).

Antirrhinum sp. (schedule VI, 59)

Origine Japan

Free from quarantine weed seeds (V).

Free from soil contamination.

Antirrhinum majus (schedule VI, 59)

Origine Australië.

Eis:

Partij vrij van Colletotrichum antirrhini (2; 4-NL niet vrij; 5; 6; 9), Puccinia antirrhini (2; 4-NL niet vrij; 5; 6; 9).

Landenoverzicht exporteisen Zaaizaden

Land: **India**

Bijschrijving:

Free from Colletotrichum antirrhini, Puccinia antirrhini.

Free from quarantine weed seeds (V).

Origine Europa m.u.v. Verenigd Koninkrijk.

Eis:

Partij vrij van Colletotrichum antirrhini (2; 4-NL niet vrij; 5; 6; 9).

Bijschrijving:

Free from Colletotrichum antirrhini.

Free from quarantine weed seeds (V).

Origine Guatemala

Free from quarantine weed seeds (V).

Origine Verenigd Koninkrijk.

Eis:

Partij vrij van Heteropatella antirrhini (~), Phyllosticta antirrhini (2; 4-NL niet vrij; 5; 9; 13), Pseudomonas ananas (98).

Bijschrijving:

Free from Heteropatella antirrhini, Phyllosticta antirrhini, Pseudomonas ananas.

Free from quarantine weed seeds (V).

Origine Verenigde Staten

Eis:

Partij vrij van Colletotrichum antirrhini (2; 4-NL niet vrij; 5; 6; 9), Heteropatella antirrhini (~), Phyllosticta antirrhini (2; 4-NL niet vrij; 5; 9; 13), Puccinia antirrhini (2; 4-NL niet vrij; 5; 6; 9).

Bijschrijving :

Free from Colletotrichum antirrhini, Heteropatella antirrhini, Phyllosticta antirrhini, Puccinia antirrhini.

Free from quarantine weed seeds (V).

Apium graveolens (schedule VI, 62)

Origine Denemarken:

Free from Ditylenchus dipsaci (V).

Seed crop inspection and certification by a competent authority at the country of origin for free from Ditylenchus dipsaci (V).

Free from soil contamination.

Origine Frankrijk:

Free from arabis mosaic virus (6), peanut stunt virus (6), Pseudomonas viridiflava (98), Ditylenchus dipsaci (V), and strawberry latent ringspot virus (6).

Free from arabis mosaic virus, peanut stunt virus, Pseudomonas viridiflava, Ditylenchus dipsaci, and strawberry latent ringspot virus.

Crop inspection and certification for free from Arabis mosaic virus (6), Peanut stunt virus (6) and Strawberry latent ringspot virus (6).

Free from quarantine weed seeds (V).

Origine Italië:

Free from arabis mosaic virus (6), celery latent virus (6), celery mosaic virus (6), chicory yellow mottle virus (6), peanut stunt virus (6), Pseudomonas viridiflava (98), Sclerotinia minor (1; 4-NL niet vrij; 5; 6; 9; 13; 21), strawberry latent ringspot virus (6), and Ditylenchus dipsaci (V).

Landenoverzicht exporteisen Zaaizaden
Land: **India**

Crop inspection and certification for free from arabis mosaic virus (6), Celery latent virus (6), Celery mosaic virus (6), Chicory yellow mottle virus (6), Peanut stunt virus (6), Strawberry latent ringspot virus (6).
Free from soil contamination.

Origine Japan:

Free from arabis mosaic virus (6), celery mosaic virus (6), peanut stunt virus (6), Pseudomonas viridiflava (98), and Ditylenchus dipsaci (V).
Crop inspection and certification for free from arabis mosaic virus (6), celery mosaic virus (6), peanut stunt virus (6).
Free from soil contamination.

Origine Noord-Korea:

Free from peanut stunt virus (6).
Seed crop inspection and certification by a competent authority at the country of origin for free from peanut stunt virus (6).

Origine Zuid-Korea:

Free from Pseudomonas viridiflava (98) and peanut stunt virus (6).
Crop inspection and certification for free from peanut stunt virus (6).

Origine Nederland:

Free from arabis mosaic virus (6), celery latent virus (6), Pseudomonas viridiflava (98), strawberry latent ringspot virus (6), and Ditylenchus dipsaci (V).
Seed crop inspection and certification by a competent authority at the country of origin for free from arabis mosaic virus (6), celery latent virus (6), strawberry latent ringspot virus (6).
Free from soil contamination.

Origine Thailand

Free from quarantine weed seeds (V).

Origine Verenigde Staten

Free from arabis mosaic virus (6), Cercospora apii (2; 4-NL niet vrij; 5; 6; 9; 13), Fusarium oxysporum f.sp. apii (2; 4-NL vrij; 5; 6; 9; 11), peanut stunt virus (6), Pseudomonas viridiflava (98), Sclerotinia minor (1; 4-NL niet vrij; 5; 6; 9; 13; 21), Strawberry latent ringspot virus (6), and Ditylenchus dipsaci (V).
Seed crop inspection and certification by a competent authority at the country of origin for free from arabis mosaic virus (6), peanut stunt virus (6), Strawberry latent ringspot virus (6).
Free from soil contamination.

Arachis sp. (restricted import, schedule V, 9)

Free from Sphaceloma arachidis (~), Burkholderia solanacearum (~), Peanut stripe virus (~), Peanut stunt virus (~), Tobacco streak virus (~), Stator pruininus (~), Aphelenchoides arachidis (~).

Post-entry quarantine gedurende een periode van 6 weken.

Let op: uitsluitend ontdopte zaden toegestaan voor invoer.

Areca sp. (schedule VI, 68)

Alle origines (m.u.v. Filipijnen en Salomons eilanden)

Free from coconut cadang-cadang viroid (99)
Free from quarantine weeds seeds (V).

Landenoverzicht exporteisen Zaaizaden
Land: **India**

Asparagus officinalis (schedule VI, 77)

Origine Denemarken:

Free from arabis mosaic virus (6), and Asparagus virus-2 (6).

Seed crop inspection and certification by a competent authority at the country of origin for free from arabis mosaic virus (6), Asparagus virus-2 (6).

Free from soil contamination.

Origine Japan:

Free from Phytophthora cryptogea (98), arabis mosaic virus (6), and Asparagus virus-1 (6).

Seed crop inspection and certification by a competent authority at the country of origin for free from arabis mosaic virus (6), and Asparagus virus-1 (6).

Free from soil contamination.

Origine Frankrijk, Nederland:

Free from arabis mosaic virus (6), and Strawberry latent ringspot virus (6).

Seed crop inspection and certification by a competent authority at the country of origin for free from arabis mosaic virus (6), Strawberry latent ringspot virus (6).

Free from quarantine weeds seeds (V).

Free from soil contamination.

Origine Verenigd Koninkrijk, Italië, Duitsland:

Free from Asparagus virus-1 (6), Asparagus virus-2 (6), arabis mosaic virus (6), and Strawberry latent ringspot virus (6).

Seed crop inspection and certification by a competent authority at the country of origin for free from Asparagus virus-1 (6), Asparagus virus-2 (6), arabis mosaic virus (6), and Strawberry latent ringspot virus (6).

Free from quarantine weeds seeds (V).

Free from soil contamination.

Origine Spanje:

Free from Acremonium strictum (98), and Strawberry latent ringspot virus (6).

Seed crop inspection and certification by a competent authority at the country of origin for free from Strawberry latent ringspot virus (6).

Free from quarantine weeds seeds (V).

Free from soil contamination.

Origine Rusland en Verenigde Staten

Free from quarantine weeds seeds (V).

Begonia sp. (schedule VI, 86)

Origine Australië, Europa, Japan, Noord-Amerika.

Free from Ditylenchus dipsaci (V).

Free from quarantine weeds seeds (V).

Origine Duitsland, Italië, Verenigd Koninkrijk.

Free from Arabis mosaic virus (~), Strawberry latent ringspot virus (6), Asparagus virus 1 (~), Asparagus virus 2 (~).

Seed crop inspection and certification by a competent authority at the country of origin for free from Arabis mosaic virus (~), Strawberry latent ringspot virus (6), Asparagus virus 1 (~), Asparagus virus 2 (~).

Free from quarantine weeds seeds (V).

Free from soil contamination.

Landenoverzicht exporteisen Zaaizaden
Land: **India**

Origine Spanje.

Free from Strawberry latent ringspot virus (6), Acremonium strictum (99).
Seed crop inspection and certification by a competent authority at the country of origin for free from Strawberry latent ringspot virus (6)
Free from quarantine weeds seeds (V).
Free from soil contamination.

Origine Guatemala.

Free from Pseudococcus jackbeardsleyi (V).
Free from quarantine weeds seeds (V).
Free from soil contamination.

Bellis sp. (schedule VI, 87)

Origine Australië, Canada, Europa, Japan, Nieuw-Zeeland, Zuid-Afrika

Eis:

Gewas na inspectie vrij van arabis mosaic virus (6).

Bijschrijving:

Free from Arabis mosaic virus (6).
Crop inspection and certification for free from Arabis mosaic virus (6).
Free from quarantine weeds seeds (V).

Origines Azië, Verenigde Staten

Free from quarantine weeds seeds (V).

Beta vulgaris (schedule VI, 91)

Alle origines

Eis:

Partij vrij van Peronospora farinosa (2; 4-NL niet vrij; 5; 6; 9; 13), Curtobacterium flaccumfaciens pv. betae (2; 4-NL niet vrij; 5; 6; 9), Pseudomonas syringae pv. aptata (2; 4-NL vrij; 5; 6; 9), Heterodera schachtii (V), Uromyces spp. (If of IV) and beet necrotic yellow vein virus (2; 4-NL niet vrij; 5; 6; 9; 11).

Bijschrijving:

Free from Peronospora farinosa, Curtobacterium flaccumfaciens pv. betae, Pseudomonas syringae pv. aptata, Heterodera schachtii, Uromyces spp., beetroot yellows necrotic virus (let op: deze naam wijkt af van de huidige naam van het organisme!) .
Free from soil contamination.

Brassica oleracea (India noemt Brassica sp. in de schedule VI van de wetgeving, maar bedoelt (onder)soorten die onder B. oleracea vallen. De eisen zijn daarom in e-CertNL onder B. oleracea ingevoerd.) (schedule VI, 104)

Invoervergunning vereist.

Origines Chili en Denemarken

Bijschrijving:

Free from quarantine weed seeds (V).

Origine Italië

Eis:

Partij vrij van Leptosphaeria maculans (2; 4-NL niet vrij; 5; 6; 9; 13), Pseudomonas viridiflava (98), Xanthomonas campestris pv. campestris (2; 4-NL niet vrij; 5; 9).

Bijschrijving:

Free from Leptosphaeria maculans, Pseudomonas viridiflava, Xanthomonas campestris pv. campestris.

Landenoverzicht exporteisen Zaaizaden
Land: **India**

Free from quarantine weed seeds (V).

Overige origines

Eis:

Partij vrij van *Leptosphaeria maculans* (2; 4-NL niet vrij; 5; 6; 9; 13), *Pseudomonas viridiflava* (98), *Pseudomonas syringae* pv. *maculicola* (98), *Xanthomonas campestris* pv. *campestris* (2; 4-NL niet vrij; 5; 9).

Bijschrijving:

Free from *Leptosphaeria maculans*, *Pseudomonas viridiflava*, *Pseudomonas syringae* pv. *maculicola*, *Xanthomonas campestris* pv. *campestris*.

Free from quarantine weed seeds (V).

Brassica carinata (schedule VI, 105)

Origine Verenigde Staten

Free from *Colletotrichum higginsianum* (99), *Pseudomonas syringae* pv. *maculicola* (98), *Pseudomonas viridiflava* (99), *Xanthomonas campestris* pv. *raphani* (99).

Free from quarantine weed seeds (V).

Brassica pekinensis (schedule VI, 105)

Origine Verenigde Staten

Free from *Colletotrichum higginsianum* (98), *Pseudomonas syringae* pv. *maculicola* (98), *Pseudomonas viridiflava* (98), *Xanthomonas campestris* pv. *raphani* (98).

Free from quarantine weed seeds (V).

Brassica rapa subsp. rapa – knol-, meiraap, raapstelen (schedule VI, 106)

Origine Denemarken, Italië, Japan, Nederland, Verenigde Staten

Free from *Ditylenchus dipsaci* (V).

Free from quarantine weed seeds (V)

Origine Frankrijk

Free from *Leptosphaeria maculans* (2; 4-NL niet vrij; 5; 6; 9; 13), *Xanthomonas campestris* pv. *campestris* (2; 4-NL niet vrij; 5; 9), and *Ditylenchus dipsaci* (V).

Free from quarantine weed seeds (V)

Calendula sp. (schedule VI, 118)

Origine Australië, Japan, Verenigd Koninkrijk, Verenigde Staten

Free from *Pseudomonas viridiflava* (98)

Free from quarantine weed seeds (V)

Origine Denemarken, Duitsland, Frankrijk, Nederland

Free from quarantine weed seeds (V).

Callistephus chinensis (schedule VI, 121)

Origine China

Free from Chrysanthemum mosaic virus (~).

Crop inspection and certification for free from chrysanthemum mosaic virus (~).

Free from quarantine weed seeds (V).

Origine Frankrijk, Japan, Nederland, Thailand, Verenigd Koninkrijk

Free from quarantine weed seeds (V).

Origine Afghanistan

Free from soil and other plant debris.

Landenoverzicht exporteisen Zaaizaden
Land: **India**

Origine Germany

Free from *Aphelenchoides ritzemabosi* (II), *Aphelenchoides blastophorus* (~), *Spaceloma violae* (~), *Urocystis violae* (~)

Free from quarantine weed seeds (V).

Origine Verenigde Staten

Free from: *Fusarium oxysporum* f. sp. *callistephi* (2; 4-NL niet vrij; 5; 6; 9; 13), *Septoria callistephi* (~), *Stemphylium callistephi* (~).

Free from quarantine weed seeds (V).

Capsicum sp. (schedule VI, 126)

Alle origines

Eis:

Partij vrij van *Xanthomonas vesicatoria* (2; 4-NL vrij; 5; 6; 9), *Peronospora hyoscyami* f. sp. *tabacina* (98).

Gewas na inspectie vrij van pepper mild mottle virus (6), pepper mild mosaic virus (6), tomato ringspot virus (6) and tomato black ring virus (6).

Bijschrijving:

Free from *Xanthomonas vesicatoria*, pepper viruses viz. mild mosaic and mild mottle, *Peronospora hyoscyami* f. sp. *tabacina*, tomato ringspot virus and tomato black ring virus.

Crop inspection and certification for free from pepper viruses viz. mild mosaic and mild mottle, tomato ringspot virus and tomato black ring virus.

Free from quarantine weed seeds (V).

Castanea sp.

Free from *Coronartium ribicola* (~), *Endothia parasitica* (2; 4-NL niet vrij; 5; 6; 9; 13), *Ceratocystis ulmi* (~), *Dothiostroma pini* (~) and *Lophodermium pinastri* (~).

N.B: Import alleen mogelijk via het Biological Research, Forest Research Institute, New Forest Post, Dehradun of organisaties onder beheer van de centrale overheid.

Catharanthus roseus (schedule VI, 137)

Origine Australië

Free from quarantine weed seeds (V).

Origine Guatemala

Free from quarantine weed seeds (V).

Free from soil contamination.

Chamaedorea sp. (schedule VI, 485)

Alle origines

Eis:

Partij vrij van *Rhadinaphelenchus cocophilus* (synoniem van *Bursaphelenchus cocophilus*) (II of III).

EN

Moederplanten vrij van coconut cadang-cadang viroid (9).

Bijschrijving:

Free from *Rhadinaphelenchus cocophilus*.

Certified that the seeds/seed sprouts were collected from mother palms free from coconut cadang-cadang viroid.

Post entry quarantine gedurende een periode van 10-12 maanden.

Cichorium sp. – andijve, witlof, (wilde) cichorei (schedule VI, 157)

Landenoverzicht exporteisen Zaaizaden

Land: **India**

Free from *Pseudomonas cichorii* (98), *bidens mottle virus* (98), *chicory yellow mottle virus* (2; 4-NL vrij; 5; 6; 9) and *Marssonina panattoniana* (98)

Free from quarantine weed seeds (V).

Citrullus lanatus – watermeloen (schedule VI, 159)

Origine Thailand

Free from quarantine weed seeds (V).

Origine alle landen m.u.v. Thailand

Eis:

Partij vrij van *Acidovorax avenae* subsp. *citrulli* (2; 4-NL vrij; 5; 6; 9), *Pseudomonas syringae* pv. *lachrymans* (98), *Xanthomonas melonis* (99).

Gewas na inspectie vrij van watermelon chlorotic stunt virus (6), watermelon curly mottle virus (6), watermelon mosaic virus 2 (6), *Verticillium albo-atrum* (6), squash mosaic virus (6).

Bijschrijving:

Free from *Acidovorax avenae* subsp. *citrulli*, *Pseudomonas syringae* pv. *lachrymans*, *Xanthomonas melonis*, watermelon viruses viz. chlorotic stunt, curly mottle, mosaic virus 2, squash mosaic virus, *Verticillium albo-atrum*.

Crop inspection and certification for free from watermelon viruses viz. chlorotic stunt, curly mottle, mosaic virus 2, *Verticillium albo-atrum*, squash mosaic virus.

Free from quarantine weed seeds (V).

Coriandrum sativum (schedule VI, 184)

Origine Australia, Italië, Japan, Verenigde Staten

Free from *Pseudomonas viridiflava* (98), *Xanthomonas hortorum* pv. *carotae* (6), Celery mosaic virus (IV)

Seed crop inspection and certification by a competent authority at the country of origin for free from *Xanthomonas hortorum* pv. *carotae* (6) Celery mosaic virus (IV)

Free from quarantine weed seeds (V).

Origine Bulgaria

Free from *Pseudomonas viridiflava* (98)

Free from quarantine weed seeds (V).

Free from soil contamination.

Origine China

Free from *Pseudomonas viridiflava* (98)

Free from quarantine weed seeds (V).

Origine France

Free from *Pseudomonas viridiflava* (98)

Free from quarantine weed seeds (V).

Origine Moldavia

Free from quarantine weed seeds (V).

Free from soil contamination.

Origine New Zealand

Free from *Pseudomonas viridiflava* (98), Celery mosaic virus (IV)

Seed crop inspection and certification by a competent authority at the country of origin for free from Celery mosaic virus (IV)

Free from quarantine weed seeds (V).

Landenoverzicht exporteisen Zaaizaden
Land: **India**

Origine Thailand

Geen bijschrijving

Cucumis melo (schedule VI, 196)

Origine China, Nederland

Free from *Pseudomonas viridiflava* (98) and zucchini yellow mosaic virus (6).

Seed crop inspection and certification by a competent authority at the country of origin for free from zucchini yellow mosaic virus (6).

Free from quarantine weed seeds (V).

Origine Frankrijk:

Free from *Pseudomonas viridiflava* (98), zucchini yellow fleck virus (6) and zucchini yellow mosaic virus (6).

Seed crop inspection and certification by a competent authority at the country of origin for free from zucchini yellow fleck virus (6) and zucchini yellow mosaic virus (6).

Free from quarantine weed seeds (V).

Origine Japan:

Free from *Pseudomonas viridiflava* (98), melon necrotic spot virus (6) and zucchini yellow mosaic virus (6).

Seed crop inspection and certification by a competent authority at the country of origin for free from melon necrotic spot virus (6) and zucchini yellow mosaic virus (6).

Free from quarantine weed seeds (V).

Origine USA:

Free from *Acidovorax avenae* subsp. *citrulli* (6), *Pseudomonas viridiflava* (6), lettuce infectious yellows virus (6) and zucchini yellow mosaic virus (6).

Seed crop inspection and certification by a competent authority at the country of origin for free from *Acidovorax avenae* subsp. *citrulli* (6), *Pseudomonas viridiflava* (6), lettuce infectious yellows virus (6) and zucchini yellow mosaic virus (6).

Free from quarantine weed seeds (V).

Origine, Israël, Italië, Jordanië, Spanje, Taiwan

Free from zucchini yellow mosaic virus (6).

Crop inspection and certification for free from zucchini yellow mosaic virus (6).

Free from quarantine weed seeds (V).

Origine Chili

Free from quarantine weed seeds (V).

Origine Hong Kong, India, Noord-Korea, Russische Federatie, Thailand

Geen bijschrijvingen.

Cucumis sativus (schedule VI, 197)

Origine Russische Federatie:

Eis:

Partij vrij van *Pseudomonas putida* (98), *Fusarium oxysporum* f. sp. *cucumerinum* (2; 4-NL niet vrij; 5; 6; 9; 11; 13).

Gewas na inspectie vrij van Arabis mosaic virus (6) and tomato ringspot virus (6).

Bijschrijving:

Free from *Pseudomonas putida*, *Fusarium oxysporum* f. sp. *cucumerinum*, Arabis mosaic virus, and tomato ringspot virus.

Landenoverzicht exporteisen Zaaizaden
Land: **India**

Crop inspection and certification for free from Arabis mosaic virus and tomato ringspot virus.
Free from quarantine weed seeds (V).

Origine alle landen m.u.v. Russische Federatie:

Eis:

Partij vrij van *Fusarium oxysporum* f. sp. *cucumerinum* (2; 4-NL niet vrij; 5; 6; 9; 11; 13), *Phomopsis sclerotioides* * (98), *Septoria cucurbitarum* (98), *Verticillium albo-atrum* (98).
Gewas na inspectie vrij van cucumber leaf spot virus (6), Squash mosaic virus (6).

Bijschrijving:

Free from *Fusarium oxysporum* f. sp. *cucumerinum*, *Phomopsis sclerotioides*, *Septoria cucurbitacearum*, cucumber seed-borne virus viz. leaf spot, *Verticillium albo-atrum* and Squash mosaic virus.

Crop inspection and certification for free from cucumber seed-borne virus viz. leaf spot, Squash mosaic virus.

Free from quarantine weed seeds (V).

** Let op: dit organisme staat fout geschreven in de wettekst van India. In e-CertNL wordt de correcte schrijfwijze gebruikt. Dit kan problemen opleveren bij aankomst in India.*

Cucurbita sp. met uitzondering van *C. pepo* en *C. maxima* (schedule VI, 198)

Origine Nieuw-Zeeland

Free from *Pseudomonas viridiflava* (98), arabis mosaic virus (6), squash mosaic virus (6), zucchini yellow mosaic virus (6).

Crop inspection and certification for free from arabis mosaic virus (6), squash mosaic virus (6), zucchini yellow mosaic virus (6).

Free from quarantine weed seeds (V).

Free from soil contamination.

Cucurbita maxima (schedule VI, 199)

Origine Argentinië, Frankrijk, Italië, Japan, Taiwan, Zuid-Afrika

Free from zucchini yellow mosaic virus (6).

Crop inspection and certification for free from zucchini yellow mosaic virus (6).

Free from quarantine weed seeds (V).

Origine Nieuw-Zeeland (schedule VI, 198)

Free from *Pseudomonas viridiflava* (98), arabis mosaic virus (6), squash mosaic virus (6), zucchini yellow mosaic virus (6).

Crop inspection and certification for free from arabis mosaic virus (6), squash mosaic virus (6), zucchini yellow mosaic virus (6).

Free from quarantine weed seeds (V)

Free from soil contamination.

Origine Verenigde Staten

Free from lettuce infectious yellows virus (6) and zucchini yellow mosaic virus (6).

Crop inspection and certification for free from lettuce infectious yellows virus (6) and zucchini yellow mosaic virus (6).

Free from quarantine weed seeds (V).

Origine China, Duitsland, Nederland

Free from *Pseudomonas viridiflava* (98), zucchini yellow mosaic virus (6).

Crop inspection and certification for free from zucchini yellow mosaic virus (6).

Free from quarantine weed seeds (V).

Origine Zuid-Korea

Landenoverzicht exporteisen Zaaizaden

Land: **India**

Free from *Pseudomonas viridiflava* (98)

Free from quarantine weed seeds (V).

Origine Tsjechië

Free from arabis mosaic virus (6), *Pseudomonas viridiflava* (6).

Seed crop inspection and certification by a competent authority at the country of origin for free from arabis mosaic virus (6), *Pseudomonas viridiflava* (6).

Post entry quarantaine gedurende een periode van 2-3 maanden.

Origine Filipijnen, Israël, Russische Federatie, Thailand, Vietnam, Noord-Korea.

Free from quarantine weed seeds (V).

Cucurbita moschata – pompoen (schedule VI, 200)

Origine Argentinië, Japan

Free from zucchini yellow mosaic virus (6).

Crop inspection and certification for free from zucchini yellow mosaic virus (6)

Free from quarantine weed seeds (V).

Origine Denemarken, Duitsland, Frankrijk, Italië, Nederland, Spanje, Verenigd Koninkrijk

Free from *Peridroma saucia* (V).

Free from quarantine weed seeds (V).

Origine Noord-Korea, Zuid-Korea, Thailand.

Free from quarantine weed seeds (V).

Origine Filipijnen

Free from quarantine weed seeds (V).

Free from soil contamination.

Origine Nieuw-Zeeland (schedule VI, 198)

Free from *Pseudomonas viridiflava* (99), arabis mosaic virus (6), squash mosaic virus (6), zucchini yellow mosaic virus (6).

Crop inspection and certification for free from arabis mosaic virus (6), squash mosaic virus (6), zucchini yellow mosaic virus (6).

Free from quarantine weed seeds (V).

Free from soil contamination.

Cucurbita pepo – courgette, squash (schedule VI, 201):

Origine Australië

Free from *Acidovorax avenae* subsp. *citrulli* (2; 4-NL vrij; 5; 6; 9), arabis mosaic virus (6) and zucchini yellow mosaic virus (6).

Crop inspection and certification for free from arabis mosaic virus (6) and zucchini yellow mosaic virus (6).

Free from quarantine weed seeds (V).

Origine Nieuw-Zeeland (schedule VI, 198)

Free from *Pseudomonas viridiflava* (98), arabis mosaic virus (6), squash mosaic virus (6), zucchini yellow mosaic virus (6).

Crop inspection and certification for free from arabis mosaic virus (6), squash mosaic virus (6), zucchini yellow mosaic virus (6).

Free from quarantine weed seeds (V).

Free from soil contamination.

Landenoverzicht exporteisen Zaaizaden
Land: **India**

Origine China, Duitsland, Frankrijk, Italië, Japan, Nederland, Zuid-Afrika

Free from arabis mosaic virus (6) and zucchini yellow mosaic virus (6).
Crop inspection and certification for free from arabis mosaic virus (6) and zucchini yellow mosaic virus (6).
Free from quarantine weed seeds (V).

Origine Verenigde Staten

Free from Acidovorax avenae subsp. citrulli (6), lettuce infectious yellows virus (6) and zucchini yellow mosaic virus (6).
Seed crop inspection and certification by a competent authority at the country of origin for free from Acidovorax avenae subsp. citrulli (6), lettuce infectious yellows virus (6) and zucchini yellow mosaic virus (6).
Free from quarantine weed seeds (V).

Origine Argentinië, Israel, Jordanië, Spanje, Taiwan

Free from zucchini yellow mosaic virus (6).
Crop inspection and certification for free from zucchini yellow mosaic virus (6).
Free from quarantine weed seeds (V).

Origine Russische Federatie

Free from arabis mosaic virus (6).
Crop inspection and certification for free from arabis mosaic virus (6).
Free from quarantine weed seeds (V).

Origine Chili

Free from zucchini yellow mosaic virus (6).
Crop inspection and certification for free from zucchini yellow mosaic virus (6).
Free from quarantine weed seeds (V).

Origine Noord-Korea, Zuid-Korea, Thailand.

Free from quarantine weed seeds (V).

Cyclamen sp. (schedule VI, 206)

Origine Europa, Japan, Verenigde Staten

Free from tobacco rattle virus (6), Pseudomonas viridiflava (98).
Crop inspection and certification for free from tobacco rattle virus (6).
Free from quarantine weed seeds (V).

Origine Australië

Free from Pseudomonas viridiflava (98).
Free from quarantine weed seeds (V).

Daucus carota (schedule VI, 216)

Alle origines

Eis:

Partij vrij van Xanthomonas hortorum pv. carotae (2; 4-NL vrij; 6; 9; 13).
Gewas na inspectie vrij van Carrot mottle dwarf virus (6), Carrot red leaf virus (6) and Carrot yellow leaf virus (6).

Bijschrijving:

Free from Xanthomonas hortorum pv. carotae, carrot mottle dwarf virus, carrot red leaf virus and carrot yellow leaf virus.

Landenoverzicht exporteisen Zaaizaden
Land: **India**

Crop inspection and certification for free from carrot mottle dwarf virus, carrot red leaf virus and carrot yellow leaf virus.

Free from quarantine weed seeds (V).

Dahlia sp. (schedule VI, 212)

Origine Australië, Europa, Japan, Verenigde Staten

Free from quarantine weeds seeds (V)

Delphinium sp. (schedule VI, 220)

Origine Europa, Japan, Verenigde Staten

Free from quarantine weed seeds (V).

Dianthus sp. (schedule VI, 224 en 225)

Origines alle landen m.u.v. Guatemala, Japan

Free from Uromyces dianthi (98), Sorosporium saponariae (2; 4-NL niet vrij; 5; 6; 9; 13)\$, Peronospora dianthi (99), Peronospora dianthicola (98), arabis mosaic virus (6) and Ditylenchus dipsaci (98).

Crop inspection and certification for free from arabis mosaic virus (6).

Free from quarantine weed seeds (V).

Origine Guatemala

Free from quarantine weed seeds (V).

Origine Japan

Free from Ditylenchus dipsaci (98), arabis mosaic virus (6).

Crop inspection and certification for free from arabis mosaic virus (6).

Free from quarantine weed seeds (V).

Digitalis sp. (schedule VI, 230)

Origine Guatemala

Free from quarantine weeds seeds (V)

Free from soil contamination.

Eucalyptus sp. schedule VI, 265)

Origine Australië

Eis:

Partij vrij van Cryphonectria gyrosa (99), Cytospora eucalypticola (98).

Bijschrijving:

Free from Cryphonectria gyrosa, Cytospora eucalypticola.

Free from quarantine weeds seeds and plant debris (V)

Origine Honduras

Free from quarantine weeds seeds (V).

Foeniculum vulgare (schedule VI, 294)

Origine Chili, Frankrijk.

Free from Rhizobium rhizogenes (99).

Free from quarantine weeds seeds (V)

Free from soil contamination.

Origine Denemarken

Free from quarantine weeds seeds (V)

Free from soil contamination.

Landenoverzicht exporteisen Zaaizaden
Land: **India**

Gazania sp. (schedule VI, 303)

Origine Australië, Europa, Guatemala, Japan, Verenigde Staten

Free from quarantine weeds seeds (V)

Free from soil contamination.

Geranium sp. (schedule VI, 306)

Origine Guatemala.

The seed is free from *Phenacoccus madeirensis* (V), *Pseudococcus jackbeardsleyi* (V), *Spodoptera frugiperda* (V).

Free from quarantine weeds seeds (V)

Free from soil contamination.

Origine Verenigde Staten, Azië, Europa.

Free from quarantine weed seeds (V).

Gerbera jamesonii (schedule VI, 307)

Origine Azië, Europa, Verenigde Staten

Free from quarantine weeds seeds (V)

Glycine sp. (schedule VI, 311)

Alle origines:

Eis:

Partij vrij van *Peronospora manshurica* (II), *Diaporthe phaseolorum* var. *caulivora* (~), *Phytophthora megasperma* var. *sojae* (III), *Phomopsis longicolla* (~), *Heterodera glycines* (III), *Curtobacterium flaccumfaciens* pv. *flaccumfaciens* (2; 4-NL vrij; 5; 9), soybean dwarf virus (~), soybean chlorotic mottle virus (~), soybean stunt phytoplasma (=Candidatus *Phytoplasma costaricanum*) (~), soybean mosaic virus (III), *Bruchidius* spp. (V).

Bijschrijving:

Free from *Peronospora manshurica*, *Diaporthe phaseolorum* var. *caulivora*, *Phytophthora megasperma* var. *sojae*, *Phomopsis longicolla*, *Heterodera glycines*, *Curtobacterium flaccumfaciens* pv. *flaccumfaciens*, soybean viruses viz. dwarf, chlorotic mottle, stunt, poty, and *Bruchidius* spp.

Free from soil contamination.

Helianthus sp. (schedule VI, 323)

Alle origines:

Free from *Plasmopara halstedii* (2; 4-NL niet vrij; 5; 6; 9; 13) *Bruchidius* sp. (V) en *Trogoderma versicolor* (V).

Fungicidebehandeling vereist (13), behandeling vermelden op het FC.

Hordeum sp. (schedule VI, 334)

Invoervergunning vereist.

Alle origines:

Eis:

Partij vrij van *Claviceps purpurea* (1; 4-NL niet vrij; 5; 6; 9; 13; 21), *Pseudomonas syringae* pv. *atrofaciens* (IV), barley stripe virus (2; 4-NL vrij; 5; 6; 9), *Sitophilus granarius* (V).

Bijschrijving:

Free from *Claviceps purpurea*, *Pseudomonas syringae* pv. *atrofaciens*, barley stripe virus, *Sitophilus granarius*.

Free from quarantine weeds (V).

Impatiens sp. (schedule VI, 352)

Landenoverzicht exporteisen Zaaizaden
Land: **India**

Origines: Europe

Eis:

Gewas na inspectie vrij van tomato ringspot virus (IV) and tomato aspermy virus (6).

Bijschrijving:

Free from tomato ringspot virus and tomato aspermy virus.

Crop inspection and certification for free from tomato ringspot virus and tomato aspermy virus.

Free from quarantine weed seeds (V).

Origine Denmark

Eis:

Partij vrij van Phyllosticta impatiens (~)

Bijschrijving:

Free from Phyllosticta impatiens.

Free from quarantine weed seeds (V).

Origine USA

Eis:

Gewas na inspectie vrij van impatiens necrotic virus. (6)

Bijschrijving:

Free from Impatiens necrotic virus.

Crop inspection and certification for free from impatiens necrotic virus.

Free from quarantine weed seeds (V).

Origine Australia, Japan, Taiwan

Free from quarantine weed seeds (V).

Origine Guatemala

Free from quarantine weeds seeds (V)

Free from soil contamination.

Lactuca sativa (schedule VI, 372)

Origine Australië:

Free from Chrysodeixis includens (III), Deroceras reticulatum (IV), Sclerotinia minor (1; 4-NL niet vrij; 5; 6; 9; 13; 21), Pseudomonas syringae pv. tagetis (99), Rhizobium rhizogenes (98), arabis mosaic virus (2; 4-NL niet vrij; 5; 6; 9), Lolium multiflorum (V), Orobanche minor (V).

Insecticidebehandeling (begassing) vereist (13), behandeling vermelden op het FC.

Free from quarantine weed seeds (V).

Free from soil contamination.

Origine China

Free from Peridroma saucia (~), Sclerotinia minor (1; 4-NL niet vrij; 5; 6; 9; 13; 21), Rhizobium rhizogenes (98), Lolium multiflorum (V).

Insecticidebehandeling (begassing) vereist (13), behandeling vermelden op het FC.

Free from quarantine weed seeds (V).

Free from soil contamination.

Origine Denemarken:

Free from Pythium tracheophilum (98), arabis mosaic virus (6), tobacco rattle virus (6), Lolium multiflorum (V).

Seed crop inspection and certification by a competent authority at the country of origin for free from arabis mosaic virus (6), tobacco rattle virus (6).

Landenoverzicht exporteisen Zaaizaden
Land: **India**

Free from soil contamination.

Origine Filipijnen

Free from *Helix aspersa* (V), *Lolium multiflorum* (V).

Free from quarantine weed seeds (V).

Free from soil contamination.

Origine Frankrijk:

Free from arabis mosaic virus (6).

Crop inspection and certification by a competent authority at the country of origin for free from arabis mosaic virus (6).

Free from quarantine weed seeds (V).

Origine Israël:

Free from *Peridroma saucia* (~), *Orobanche minor* (V).

Free from quarantine weed seeds (V).

Free from soil contamination.

Origine Italië:

Free from *Pyrenochaeta lycopersici* (99), *Sclerotinia minor* (1; 4-NL niet vrij; 5; 6; 9; 13; 21), *Xanthomonas axonopodis* pv. *vitians* (6), arabis mosaic virus (6), impatiens necrotic spot virus (6), lettuce big vein virus (6), tobacco rattle virus (6), tomato infectious chlorosis virus (6), and *Lolium multiflorum* (V).

Seed crop inspection and certification by a competent authority at the country of origin for free from *Xanthomonas axonopodis* pv. *vitians* (6), arabis mosaic virus (6), impatiens necrotic spot virus (6), lettuce big vein virus (6), tobacco rattle virus (6), tomato infectious chlorosis virus (6),

Free from soil contamination.

Origine Nederland:

Free from *Mycocentrospora acerina* (98), arabis mosaic virus (6), impatiens necrotic spot virus (6), lettuce big vein virus (6), tobacco rattle virus (6), *Lolium multiflorum* (V).

Seed crop inspection and certification by a competent authority at the country of origin for free from arabis mosaic virus (6), impatiens necrotic spot virus (6), lettuce big vein virus (6), tobacco rattle virus (6).

Free from soil contamination.

Origine Thailand:

Free from quarantine weed seeds (V).

Free from soil contamination.

Origine USA:

Free from *Pyrenochaeta lycopersici* (99), *Sclerotinia minor* (1; 4-NL niet vrij; 5; 6; 9; 13; 21), *Xanthomonas axonopodis* pv. *vitians* (6), *bidens mottle virus* (6), *Impatiens necrotic spot virus* (V), *Lettuce big vein virus* (6), *Lettuce infectious yellows virus* (6), *Tobacco rattle virus* (6), *tomato infectious chlorosis virus* (6), *Brachiaria plantaginea* (V), *Lolium multiflorum* (V).

Seed crop inspection and certification by a competent authority at the country of origin for free from *Xanthomonas axonopodis* pv. *vitians* (6), *bidens mottle virus* (6), *Impatiens necrotic spot virus* (V), *Lettuce big vein virus* (6), *Lettuce infectious yellows virus* (6), tobacco rattle virus (6), tomato infectious chlorosis virus (6).

Free from soil contamination.

Landenoverzicht exporteisen Zaaizaden
Land: **India**

Luffa acutangular (schedule VI, 410)

Origine China, Indonesië, Filipijnen, Taiwan, Thailand, Vietnam

Free from quarantine weed seeds (V).

Free from soil contamination.

Matthiola sp. (schedule VI, 434)

Origine Japan

Free from quarantine weeds seeds (V).

Matthiola incana (schedule VI, 435)

Origine Denemarken

Free from Phoma matthiolicola (~).

Free from quarantine weed seeds (V).

Origine Verenigde Staten

Free from Fusarium oxysporum f. sp. matthiolae (~), Xanthomonas campestris pv. raphani (~), Xanthomonas campestris pv. incanae (2; 4-NL vrij; 5; 6; 9; 13).

Free from quarantine weed seeds (V).

Origine Brazilië

Free from Xanthomonas campestris pv. raphani (~).

Free from quarantine weed seeds (V).

Origine Australië, Zuid-Afrika

Free from Xanthomonas campestris pv. incanae (2; 4-NL vrij; 5; 6; 9; 13)

Free from quarantine weed seeds (V).

Origine Duitsland, Frankrijk, Nederland, Verenigd Koninkrijk

Free from quarantine weed seeds (V).

Medicago sp. (schedule VI, 436)

Free from Pyrenopeziza medicaginis (~), Sclerotinia trifoliorum (~), Corynebacterium michiganense subsp. insidiosus (2; 4-NL vrij; 5; 6; 9; 11), Alfalfa cryptic virus (~).

Free from quarantine weed seeds (V).

Momordica charantia (schedule VI, 451)

Origine China, Hong Kong

Free from Pythium spinosum (99), zucchini yellow mosaic virus (6).

Crop inspection and certification for free from zucchini yellow mosaic virus (6)

Free from quarantine weed seeds (V).

Origine Japan

Free from Zucchini yellow mosaic virus (6)

Crop inspection and certification for free from zucchini yellow mosaic virus (6)

Free from quarantine weed seeds (V).

Origine Indonesia, Phillipines, Thailand, Taiwan, Vietnam

Free from quarantine weed seeds (V).

Free from soil contamination.

Nicotiana sp. (schedule V, 15 en schedule VI, 471)

Alle origines

Landenoverzicht exporteisen Zaaizaden

Land: **India**

Free from *Peronospora tabacina* (2; 4-NL vrij; 5; 6; 9; 11;13), *Orobanche cumana* (V), *Heterodera tabacum* (V).

Post-entry quarantaine gedurende een heel groeiseizoen.

Origine Europe

Free from quarantine weed seeds (V).

Origine Verenigd Koninkrijk

Free from *Ditylenchus dipsaci* (98), Pepino mosaic virus (6).

Crop inspection and certification for free from Pepino mosaic virus (6).

Free from quarantine weed seeds (V).

Origine Verenigde Staten

Free from *Pseudomonas syringae* pv. *mellea* (98)

Free from quarantine weed seeds (V).

Ocimum basilicum (schedule VI, 477)

Origine Europa, Rusland, Thailand, Verenigde Staten

Free from quarantine weed seeds (V).

Origine Japan

Free from *Pseudomonas viridiflava* (98)

Free from quarantine weed seeds (V).

Oryza sativa (schedule V, 11)

Alle origines

Eis:

Partij vrij van *Sitophilus granarius* (III), *Pseudomonas fuscovaginae* (~), *Pseudomonas glumae* (1; 2; 4-NL vrij; 5; 6; 9; 11) *Pseudomonas syringae* pv. *oryzae* (~).

Warmwaterbehandeling verplicht (52°C, 10 minutes) (13).

Bijschrijving:

Free from *Sitophilus granarius*, *Pseudomonas fuscovaginae*, *Pseudomonas glumae*, *Pseudomonas syringae* pv. *oryzae*.

Free from quarantine weed seeds (V).

Pelargonium sp. (schedule VI, 504)

Alle origines, behalve Australië

Eis:

Partij vrij van *Xanthomonas campestris* pv. *pelargonii* (98), Pelargonium flower break virus (98), Pelargonium leaf curl virus (98), Pelargonium vein clearing virus (98), Pelargonium zonate spot virus (98).

Bijschrijving:

Free from *Xanthomonas campestris* pv. *pelargonii*, Pelargonium viruses viz. flower break virus, leaf curl virus, vein clearing virus and zonate spot virus.

Free from quarantine weed seeds (V).

Post-entry quarantaine gedurende een periode van 45-60 dagen.

Origine Australië

Eis:

Gewas na inspectie vrij van tomato ringspot virus (6).

Bijschrijving:

Free from tomato ringspot virus.

Crop inspection and certification for freedom from tomato ringspot virus.

Landenoverzicht exporteisen Zaaizaden
Land: **India**

Free from quarantine weed seeds (V).
Free from soil contamination.

Petroselinum crispum – peterselie (schedule VI, 513)

Origine Denemarken

Free from Ditylenchus dipsaci (V).
Free from quarantine weed seeds (V).
Free from soil contamination.

Origine Duitsland

Free from Ditylenchus dipsaci (V), Pleospora herbarum (98), Pseudomonas viridiflava (98), Celery mosaic virus (6) and Chicory mosaic virus (~).
Crop inspection and certification for freedom from Celery mosaic virus (6) and Chicory mosaic virus (~).
Free from quarantine weed seeds (V).
Free from soil contamination.

Origine Israël

Free from Ditylenchus dipsaci (V).
Free from quarantine weed seeds (V).

Origine Italië

Free from Ditylenchus dipsaci (V), Pleospora herbarum (98), Pseudomonas viridiflava (98), Celery mosaic virus (6) and Chicory yellow mosaic virus (97).
Crop inspection and certification for freedom from Celery mosaic virus (6) and Chicory yellow mosaic virus (97).
Free from quarantine weed seeds (V).
Free from soil contamination.

Origine Verenigd Koninkrijk en Japan

Free from Ditylenchus dipsaci (V), Pseudomonas viridiflava (98) and Celery mosaic virus (6).
Crop inspection and certification for freedom from Celery mosaic virus (6).
Free from quarantine weed seeds (V).
Free from soil contamination.

Origine Frankrijk, Nederland

Free from Ditylenchus dipsaci (V), Pseudomonas viridiflava (98).
Free from quarantine weed seeds (V).
Free from soil contamination.

Origine Spanje

Free from Ditylenchus dipsaci (V), Pseudomonas viridiflava (98).
Free from quarantine weed seeds (V).

Origine Verenigde Staten

Free from Ditylenchus dipsaci (V), Pleospora herbarum (98), Pseudomonas viridiflava (98), Celery mosaic virus (6).
Crop inspection and certification for freedom from Celery mosaic virus (6).
Free from quarantine weed seeds (V).
Free from soil contamination.

Petunia sp. (schedule VI, 514)

Origine Australië, Canada, Europa, Kazachstan, Nieuw-Zeeland, Turkije, Zuid-Afrika

Landenoverzicht exporteisen Zaaizaden
Land: **India**

Free from arabis mosaic virus (6).
Crop inspection and certification for free from arabis mosaic virus (6).
Free from quarantine weed seeds (V).

Origine Zuid-Amerika

Free from andean potato latent virus (6).
Crop inspection and certification for free from andean potato latent virus (6).
Free from quarantine weed seeds (V).

Origine Japan, Verenigde Staten

Free from *Pseudomonas viridiflava* (IV).
Free from quarantine weed seeds (V).

Origine Guatemala

Free from quarantine weed seeds (V).

Phaseolus sp. (schedule VI, 677)

Alle origine

Free from *Elsinoe phaseoli* (98), *Phytophthora phaseoli* (98), *Phomopsis longicolla* (98), *Curtobacterium flaccumfaciens* pv. *Flaccumfaciens* (2; 4-NL vrij; 5; 9), *Acanthoscellides obtectus* (V).
Free from quarantine weed seeds (V).

Phlox sp. (schedule VI, 517)

Free from *Ditylenchus dipsaci* (V) and tobacco rattle virus (6).
Crop inspection and certification for free from tobacco rattle virus (6).
Free from quarantine weed seeds (V).
Free from soil contamination.

Pinus sp.

Free from *Coronartium ribicola* (~), *Endothia parasitica* (~), *Ceratocystis ulmi* (~), *Dothiostroma pini* (~) and *Lophodermium pinastri* (~).
N.B: Import alleen mogelijk via het biological Research, Forest Research Institute, New Forest Post, Dehradun of organisaties onder beheer van de centrale overheid.

Pisum sp. (schedule VI, 533)

Alle origines:

Eis:

Partij vrij van *Phomopsis logicolla* (98), *Ditylenchus dipsaci* (V), *Heterodera goettingiana* (V), *Bruchidius* spp. (V), *Specularis impressithorax* (V), pea early-browning virus (I; IV), pea enation mosaic virus (98), pea green mottle virus (99).
Fungicidebehandeling vereist (13), behandeling vermelden op het FC.

Bijschrijving:

Free from *Phomopsis logicolla*, *Ditylenchus dipsaci*, *Heterodera goettingiana*, *Bruchidius* spp., *Specularis impressithorax*, Pea viruses viz. early-browning, enation mosaic and green mottle.
Free from quarantine weed seeds (V).
Free from soil contamination.

Portulaca sp. (schedule VI, 543)

Origines Australië, Verenigde Staten

Eis:

Gewas na inspectie vrij van tobacco rattle virus (~).

Landenoverzicht exporteisen Zaaizaden
Land: **India**

Bijschrijving:

Crop inspection and certification for free from tobacco rattle virus.
Free from quarantine weed seeds (V).

Origines Japan

Eis:

Partij vrij van *Peridroma saucia* (~), *Phytonemus pallidus* (~).

Bijschrijving:

Free from *Peridroma saucia*, *Phytonemus pallidus*.
Free from quarantine weed seeds (V).
Free from soil contamination.

Origines Nederland

Free from quarantine weed seeds (V).

Origines Taiwan

Eis:

Gewas na inspectie vrij van aster yellows phytoplasma (~).

Bijschrijving:

Crop inspection and certification for free from aster yellows phytoplasma group.
Free from quarantine weed seeds (V).

Origines Verenigd Koninkrijk

Eis:

Partij vrij van *Duponchelia fovealis* (~), *Peridroma saucia* (~), *Phytonemus pallidus* (~).

Bijschrijving:

Free from *Duponchelia fovealis*, *Peridroma saucia*, *Phytonemus pallidus*.
Free from quarantine weed seeds (V).
Free from soil contamination.

Primula sp. (schedule VI, 550)

Origines Europa, Japan, Verenigde Staten

Free from quarantine weed seeds (V).
Free from soil contamination.

Origine Australië

Free from *Pseudomonas syringae* pv. *primulae* (98).
Free from quarantine weed seeds (V).

Ranunculus sp. (schedule VI, 567)

Origine Japan:

Free from *Ditylenchus dipsaci* (98) and arabis mosaic virus (99).
Free from quarantine weed seeds (V).

Origine Nederland:

Free from *Ditylenchus dipsaci* (6) and arabis mosaic virus (6).
Seed crop inspection and certification by a competent authority at the country of origin for free from *Ditylenchus dipsaci* (6) and arabis mosaic virus (6).
Free from quarantine weed seeds (V).
Free from soil contamination.

Origine Verenigde Staten en Europa (m.u.v. Nederland):

Free from *Ditylenchus dipsaci* (98).

Landenoverzicht exporteisen Zaaizaden
Land: **India**

Free from quarantine weed seeds (V).

Raphanus sativus – radijs (schedule VI, 569)

Origine Australië

Free from *Pseudomonas viridiflava* (98) and turnip yellow mosaic virus (98).
Crop inspection and certification for freedom from turnip yellow mosaic virus (6).
Free from quarantine weed seeds (V).

Origine China, Nieuw Zeeland, Zuid-Korea

Free from *Pseudomonas viridiflava* (98).
Free from quarantine weed seeds (V).

Origine Nepal

Free from *Pseudomonas viridiflava* (98).
Free from quarantine weed seeds (V).
Free from soil contamination.

Origine Italië

Free from *Pleospora herbarum* (98), *Pseudomonas viridiflava* (98) and radish mosaic virus (6).
Crop inspection and certification for freedom from radish mosaic virus (6).
Free from quarantine weed seeds (V).

Origine Japan

Free from *Pseudomonas viridiflava* (98) and radish mosaic virus (6).
Crop inspection and certification for freedom from radish mosaic virus (6).
Free from quarantine weed seeds (V).

Origine Frankrijk

Free from *Pseudomonas viridiflava* (98), *Xanthomonas campestris* pv. *campestris* (98).
Free from quarantine weed seeds (V).

Origine Verenigde Staten

Free from *Epitrix tuberus* (V), *Peridroma saucia* (V), *Pleospora herbarum* (98), *Pseudomonas viridiflava* (98), *Xanthomonas campestris* pv. *raphani* (6), radish mosaic virus (6).
Crop inspection and certification for freedom from *Xanthomonas campestris* pv. *raphani* (6) and Radish mosaic virus (6).
Insecticidebehandeling (begassing) vereist (13), behandeling vermelden op het FC.
Free from quarantine weed seeds (V).
Free from soil contamination.

Origine Chili

Free from *Peridroma saucia* (V).
Free from quarantine weed seeds (V).

Origine Denemarken, Hong Kong, Noord-Korea, Vietnam

Free from quarantine weed seeds (V).

Rosmarinus officinalis (schedule VI, 579)

Origine Frankrijk

Free from *Helix aspersa* (V).
Free from quarantine weed seeds (V).
Free from soil contamination.

Landenoverzicht exporteisen Zaaizaden
Land: **India**

Salvia sp. (schedule VI, 586)

Origine Guatemala

Free from *Lygus lineolaris* (V), *Peridroma suacia* (V), *Pseudococcus jackbeardsleyi* (V).

Free from quarantine weed seeds (V).

Free from soil contamination.

Salvia hispanica (schedule VI, 588)

Origine Australië

Free from quarantine weed seeds (V).

Free from soil contamination.

Salvia officinalis (schedule VI, 589)

Origine Denemarken, Frankrijk, Nederland

Free from quarantine weed seeds (V).

Salvia splendens (schedule VI, 590)

Origine Australië, Europe, Israël, Japan, Rusland, Taiwan, Verenigde Staten

Free from quarantine weed seeds (V).

Solanum lycopersicum (schedule VI, 414)

Alle origines

Eis:

Partij vrij van *Clavibacter michiganensis* sub sp. *michiganensis* (2; 4-NL vrij; 5; 6; 9), *Pseudomonas syringae* pv. *tomato* (2; 4-NL vrij; 5; 6; 9; 11; 13), *Pseudomonas syringae* pv. *punctulans* (*is synoniem van Pseudomonas syringae* pv. *tomato*) (2; 4-NL vrij; 5; 6; 9; 11; 13), potato spindle tuber viroid (2; 4-NL niet vrij; 5; 6; 9), *Peronospora hyoscyami* pv. *tabacina* (99), *Phoma andigena* (99), *Verticillium albo-atrum* (98), *Clavibacter michiganensis* subsp. *sepedonicus* (98).

Gewas na inspectie vrij van pepino mosaic virus (6), tomato aspermy virus (6), tomato black ring virus (6), tomato bushy stunt virus (6), tomato ringspot virus (6).

Bijschrijving:

Free from *Clavibacter michiganensis* sub sp. *michiganensis*, *Pseudomonas syringae* pv. *tomato*, *Pseudomonas syringae* pv. *punctulans*, potato spindle tuber viroid, *Peronospora hyoscyami* pv. *tabacina*, *Phoma andigena*, *Verticillium albo-atrum*, *Clavibacter michiganensis* subsp. *Sepodonicus*, pepino mosaic virus, tomato aspermy virus, tomato black ring virus, tomato bushy stunt virus, tomato ringspot virus.

Crop inspection and certification for free from pepino mosaic virus, tomato aspermy virus, tomato black ring virus, tomato bushy stunt virus, tomato ringspot virus.

Free from quarantine weed seeds (V).

Solanum melongena – aubergine (schedule VI, 616)

Origine China:

Eis:

Partij vrij van *Pythium spinosum* (98).

Bijschrijving:

Free from *Pythium spinosum*.

Free from quarantine weed seeds (V).

Free from soil contamination.

Origine Europa:

Eis:

Landenoverzicht exporteisen Zaaizaden

Land: **India**

Gewas na inspectie vrij van pepino mosaic virus (6), tomato black ring virus (6), tomato bushy stunt virus (6).

Bijschrijving:

Free from pepino mosaic virus, tomato black ring virus, tomato bushy stunt virus.

Crop inspection and certification for freedom from pepino mosaic virus, tomato black ring virus, tomato bushy stunt virus.

Free from quarantine weed seeds (V).

Origine Filipijnen, Japan, Thailand, Vietnam

Free from quarantine weed seeds (V).

Origine Jordanië, Israël:

Eis:

Partij vrij van Peronospora hyoscyami f. sp. tabacina (98).

Gewas na inspectie vrij van eggplant mottled dwarf virus (6).

Bijschrijving:

Free from Peronospora hyoscyami f. sp. tabacina, eggplant mottled dwarf virus.

Crop inspection and certification for freedom from eggplant mottled dwarf virus.

Free from quarantine weed seeds (V).

Origine Russia, Taiwan

Eis:

Partij vrij van Peronospora hyoscyami f.sp. tabacina (98).

Gewas na inspectie vrij van pepino mosaic virus (6) and tomato bushy stunt virus (6).

Bijschrijving:

Free from Peronospora hyoscyami f.sp. tabacina.

Crop inspection and certification for freedom from pepino mosaic virus, tomato bushy stunt virus.

Free from quarantine weed seeds (V).

Post-entry quarantine gedurende een periode van 2-3 maanden.

Origine Verenigde Staten:

Eis:

Gewas na inspectie vrij van tomato bushy stunt virus (6).

Bijschrijving:

Crop inspection and certification for freedom from tomato bushy stunt virus.

Free from quarantine weed seeds (V).

Solanum tuberosum (schedule V, 10)

Alle origines behalve Nederland

Eis:

Moederplanten na toetsing vrij van: potato purple-top wilt phytoplasma (9), potato stolbur phytoplasma (9), andean potato latent virus (9), andean potato mottle virus (9), arracacha B virus (9), potato deforming mosaic virus (9), potato virus T (9), potato yellow dwarf virus (9), potato yellow vein virus (9), potato calico strain of tobacco ringspot virus (9), potato strain of tobacco streak virus (9), potato spindle tuber viroid (9).

Bijschrijving:

The true seeds of potato were obtained from plants tested and certified free from viruses and viroids of potato and other tuber bearing solanaceous plant species.

Origine Nederland

Eis:

Landenoverzicht exporteisen Zaaizaden

Land: **India**

Moederplanten moeten getoetst en vrij bevonden zijn van de volgende organismen: potato spindle tuber viroid (9).

Bijschrijving:

The true seeds of potato were obtained from plants tested and certified free from viruses and viroids of potato and other tuber bearing solanaceous plant species.

Let op: voorlopig gaat de NVWA voor TPS met origine NL alleen de toets op PSTVd eisen, tot uitkomst van onderzoek over andere zaadoverdraagbare virussen/viroïden bekend is.

Spinacia oleracea (niet genoemd in de wetgeving)

Geen bijschrijving.

Tagetes sp. (schedule VI, 635)

Origine alle landen m.u.v. Guatemala

Free from *Fusarium oxysporum* f. sp. *callistephi* (2; 4-NL vrij; 5; 6; 9; 13), *Septoria tagetica* (98), *Pseudomonas tagetis* (2; 4-NL vrij; 5; 6; 9).

Free from quarantine weed seeds (V).

Origine Guatemala

Free from quarantine weed seeds (V).

Thymus vulgaris (schedule VI, 648)

Origine Denemarken

Free from quarantine weed seeds (V).

Origines Duitsland, Frankrijk, Italië, Nederland, Spanje, Verenigd Koninkrijk, Verenigde Staten

Crop inspection and certification for freedom from *Helix aspersa* (V).

Free from quarantine weed seeds (V).

Torenia sp. (schedule VI, 657 en 665)

Origine Europa, Japan, Verenigde Staten

Free from quarantine weed seeds (V).

Triticum sp. (schedule V, 16)

Origine alle landen

Free from *Claviceps purpurea* (~), *Tilletia contraversa* (2; 4-NL vrij; 5; 6; 9; 11; 13), *Pseudomonas atrofaciens* (~) and *Sitophilus granarius* (~).

Free from quarantine weed seeds (V).

N.B: Import alleen mogelijk via National Bureau of Plant Genetic Research te New Delhi. Er volgt een post-entry quarantine na aankomst.

Tropaeolum majus (schedule VI, 664)

Origine Duitsland, Frankrijk, Nederland

Free from *Pseudomonas viridiflava* (6)

Crop inspection and certification for freedom from *Pseudomonas viridiflava* (6)

Free from quarantine weed seeds (V).

Origine Italië, Spanje, Verenigd Koninkrijk

Free from *Peridroma saucia* (V), *Pseudomonas viridiflava* (99).

Free from quarantine weed seeds (V).

Ulmus sp. (schedule V, 8)

Landeneis wijkt af van wetgeving.

Landenoverzicht exporteisen Zaaizaden
Land: **India**

Free from *Coronartium ribicola* (~), *Endothia parasitica* (syn. van *Cryphonectria parasitica*) (~), *Ceratocystis ulmi* (~), *Dothiostroma pini* (~) and *Lophodermium pinastri* (~).

N.B: Import alleen mogelijk via het Biological Research, Forest Research Institute, New Forest Post, Dehradun of organisaties onder beheer van de centrale overheid.

Verbena sp. (schedule VI, 673)

Origine Verenigde Staten

Free from *Phytonemus pallidus* (V).

Free from quarantine weed seeds (V).

Origine Azië, Australië, Denemarken, Duitsland, Frankrijk, Guatemala, Nederland, Verenigde Koninkrijk

Free from quarantine weed seeds (V).

Vicia faba - tuinboon (schedule VI, 675)

Alle origines

Eis:

Partij vrij van *Ascochyta fabae* (I), *Heterodera glycines* (V), *Ditylenchus dipsaci* (V), broad bean mottle virus (~), broad bean necrosis virus (~), broad bean stain virus (1; 2; 4-NL vrij; 5; 6; 9), broad bean true mosaic virus (2; 4-NL vrij; 5; 9), broad bean wilt virus 1 (~), broad bean wilt virus 2 (~).

Bijschrijving:

Free from *Ascochyta fabae*, *Heterodera glycines*, *Ditylenchus dipsaci*, Broad bean viruses viz. mottle, necrosis, stain (Comovirus), true mosaic, wilt virus I and 2 (Fabavirus).

Free from quarantine weed seeds (V).

Viola sp. (schedule VI, 680)

Origine Duitsland.

Free from *Colletotrichum violae-tricoloris* (2; 4-NL vrij; 5; 6; 9), *Sphaceloma violae* (2; 4-NL niet vrij; 5; 6 ;9), *Urocystis violae* (2; 4-NL niet vrij; 5; 6; 9).

Free from quarantine weed seeds (V).

Origine Verenigde Staten.

Free from *Mycocentrospora acerina* (2; 4-NL niet vrij; 5; 6; 9), *Ramularia lactea* (99), *Sphaceloma violae* (2; 4-NL niet vrij; 5; 6; 9), Cherry leaf roll virus (6), *Pseudomonas viridiflava* (III).

Crop inspection and certification for free from cherry leaf roll virus (6)

Free from quarantine weed seeds (V).

Origine Frankrijk, Denemarken.

Free from *Mycocentrospora acerina* (2; 4-NL niet vrij; 5; 6; 9).

Free from quarantine weed seeds (V).

Origine Japan.

Free from *Pseudomonas viridiflava* (III).

Free from quarantine weed seeds (V).

Origine Australië.

Free from *Pseudomonas viridiflava* (III), Tobacco rattle virus (6).

Crop inspection and certification for freedom from tobacco rattle virus (6)

Free from quarantine weed seeds (V).

Origine Guatemala.

Landenoverzicht exporteisen Zaaizaden
Land: **India**

Free from *Peridroma saucia* (V), *Spodoptera frugiperda* (V).
Free from quarantine weed seeds (V).
Free from soil contamination.

Origine Nederland, Verenigd Koninkrijk.
Free from quarantine weed seeds (V).

Zea mays (schedule VI, 688)

Alle origines

Eis:

Partij vrij van *Pantoea stewartii* subsp. *stewartii* (2; 4-NL vrij; 5; 6; 9), *Clavibacter michiganensis* subsp. *nebraskensis* (2; 4-NL vrij; 5; 6; 9), *Drechslera maydis* Race T (2; 4-NL vrij; 5; 6; 9; 13~~III~~), *Claviceps gigantea* (1; 4-NL vrij; 5; 6; 13), *Physopella zeae* (4-NL vrij; 5; 6; 9; 13), *Kabatiella zeae* (98), *Prostephanus truncatus* (I of IV), *Sitophilus zeamais* (II of III), *Mycosphaerella zeae-maydis* (98), *Burkholderia andropogonis* (II), *Pantoea agglomerans* (98), *Pseudomonas fuscovaginae* (98), *Pseudomonas syringae* pv. *coronofaciens* (I), Maize chlorotic dwarf machlovirus (98).

Bijschrijving:

Free from *Pantoea stewartii* subsp. *stewartii*, *Clavibacter michiganensis* subsp. *nebraskensis*, *Drechslera maydis* Race T, *Claviceps gigantea*, *Physopella zeae*, *Kabatiella zeae*, *Prostephanus truncatus*, *Sitophilus zeamais*, *Mycosphaerella zeae-maydis*, *Burkholderia andropogonis*, *Pantoea agglomerans*, *Pseudomonas fuscovaginae*, *Pseudomonas syringae* pv. *coronofaciens*, Maize chlorotic dwarf machlovirus.

Free from quarantine weed seeds (V).

Free from soil contamination.

Let op: Invoer onder voorbehoud van goedkeuring van de NPPO van India, met uitzondering van het proefmateriaal van dezelfde gewassoort of variëteit zoals gespecificeerd in bijlage XII van Plant Quarantine (Regulation of Import in to India) Order, 2003.

Zinnia sp. (schedule VI, 691)

Alle origine

Free from quarantine weed seeds.

*Hoewel de NVWA dit document op zorgvuldige wijze en naar beste weten heeft samengesteld, kan niet worden ingestaan voor de juistheid en volledigheid van de beschikbaar gestelde informatie. Aan de beschikbaar gestelde informatie kunnen geen rechten worden ontleend.
Een afdruk kan verouderd zijn. Een actuele versie is op de website van NVWA beschikbaar.*