Overzicht van de laatste wijziging(en)

versie	*datum*	*toelichting*
2.67	*28-10-2026*	*Toevoeging informatie over begassing (fumigation)*
2.66	*07-10-2026*	*Aanpassing Solanum melongena*
2.65	*16-09-2026*	*Toevoeging Solanum melongena, aanpassing Cucurbita pepo*

Landenoverzicht exporteisen Zaaizaden - *Turkije*

TURKIJE (TR)	Certificaat Export	Certificaat re-export	Taal	Grondeis	Invoervergunning
	1	20	E	V	ja

Algemene informatie

Geleidelijk gaan we over naar een nieuwe coderingssystematiek waardoor, voorlopig, twee verschillende systemen in gebruik zijn in dit document.
Uitleg codes, zie NVWA-site: https://www.nvwa.nl/onderwerpen/export-planten-groenten-fruit-plantaardige-producten/documenten/export/fytosanitair/voorschriften/algemeen/toelichting-landeneisen

Legenda:
$ = zie Register Dekkingen Zaaizaden
~ = de dekking van dit organisme moet nog bepaald worden. De datasheet moet nog worden opgesteld. Houd aub er rekening mee dat dit een paar weken in beslag kan nemen.

Pre-exportcertificaten
De exporteur dient er rekening mee te houden dat sommige garanties moeten worden afgegeven door het EU-land van origine. Dit gebeurt met een pre-exportcertificaat.
Op dit certificaat verklaart het EU land van origine dat de planten, plantaardige producten of andere materialen die geteeld, geproduceerd, opgeslagen of verwerkt zijn, voldoen aan specifieke fytosanitaire voorschriften met betrekking tot één of meer van de volgende aspecten:

- de afwezigheid of aanwezigheid van bepaalde organismen;
- de oorsprong in of op een specifiek veld, productiefaciliteit, productieplaats of gebied;
- de status van een plaagorganisme in het veld, in de productiefaciliteit, op de productieplaats, in het gebied of het land van oorsprong;
- het resultaat van inspecties, het nemen van monsters van en het uitvoeren van tests.

Zie ook:
https://www.nvwa.nl/documenten/export/fytosanitair/voorschriften/toelichting-certificaten/instructie-waarmerken-fytosanitair-certificaat

Bron: Plant Quarantine Regulation no. 33245 van 6-mei-2026.

Algemene eisen

Certificaat vereist voor:
alle zaden.

Voor proefzendingen ('seed samples') geldt, naast de bijschrijvingen onder het kopje 'Eisen met bijschrijvingen', ook de volgende:
"This material meets the provisions of the Communiqué (No: 2014/59) *for the plants, plant products, other substances and harmful organisms during the entrance and / or movement in the country for scientific study, trial and breeding purposes".*
Uitgezonderd hiervan zijn: zaden voor demonstratiedoeleinden.

Invoerverbod:
In Annex-3 worden er geen invoerverboden voor zaaizaden genoemd. Zie ook opmerking hierna over producten met origine Israël.

Origine Israël
Volgens ontvangen informatie mag geen enkel product met origine Israël naar dit bestemmingsland worden geëxporteerd, vanwege politieke redenen. Verzending van Israëlische producten kan problemen opleveren.

Certificeringseisen

Begassing (G/SPS/N/TUR/164)
Vanaf 1 januari 2027
Voor zendingen die een begassing hebben ondergaan, zelfs wanneer deze behandeling niet wordt geist door Turkije geldt het volgende: de informatie met betrekking tot begassingsbehandeling moet volledig op het certificaat worden vermeld, en moeten de relevante begassingsdocumenten bij het fytosanitair certificaat worden toegevoegd.

Eisen zonder bijschrijvingen:
(Gebaseerd op Q-organismen genoemd in Annex-1 en/of Annex-2, en/of ontvangen NOI's.)
De afgifte van het fytosanitair certificaat dient de vrijheid van de nader te noemen ziekten en plagen te waarborgen. Waarmerken van het certificaat is slechts mogelijk indien aan de betekenis van de vermelde coderingen is voldaan.

Allium cepa, A. ascalonicum
Partij vrij van Xanthomonas euvesicatoria pv. allii (2; 4-NL vrij; 5; 6; 9)

Apium graveolens
Partij vrij van Candidatus Liberibacter solanacearum (98) *(Let op: ondanks dat dit organisme niet zaadoverdraagbaar, hebben we een aantal NOI's van TR ontvangen, daarom staat het hier genoemd. Als we NOI's blijven ontvangen, zullen we de code 98 moeten aanpassen.)*

Capsicum annuum, C. chinense, C. frutescens
Partij vrij van Xanthomonas vesicatoria (2; 4-NL vrij; 5; 6; 9)

Citrullus lanatus
Partij vrij van Acidovorax citrulli (2; 4-NL vrij; 5; 6; 9)

Cucumis melo
Partij vrij van Acidovorax citrulli (2; 4-NL vrij; 5; 6; 9)

Cucumis sativus
Partij vrij van Acidovorax citrulli (2; 4 NL-vrij; 5; 6; 9)

Cucurbita sp.

Partij vrij van Acidovorax citrulli (2; 4-NL vrij; 5; 6; 9)

Daucus carota
Partij vrij van Candidatus Liberibacter solanacearum (98) *(Let op: ondanks dat dit organisme niet zaadoverdraagbaar, hebben we een aantal NOI's van TR ontvangen, daarom staat het hier genoemd. Als we NOI's blijven ontvangen, zullen we de code 98 moeten aanpassen.)*

Fragaria sp.
Partij vrij van Raspberry ringspot virus (2; 4 NL-vrij; 5; 6; 9), Strawberry latent ringspot virus (98).

Glycine max
Partij vrij van Cadophora gregata (2; 4-NL vrij;5 ;6 ;9; 11; 13).

Medicago sativa
Partij vrij van Verticillium albo-atrum (2; 4-NL niet vrij; 5; 6; 9), Verticillium dahliae (98).

Phaseolus sp.
Partij vrij van Curtobacterium flaccumfaciens pv. flaccumfaciens (2; 4-NL vrij; 5; 9).

Phaseolus vulgaris
Partij vrij van tobacco streak virus (2; 4-NL niet vrij; 5; 6; 9).

Pisum sativum
Partij vrij van Pseudomonas syringae pv. pisi (2; 4 NL-niet vrij; 5; 6; 9).

Zea mays
Partij vrij van Stenocarpella macrospora (2; 4-NL vrij; 5; 6; 9; 13), Stenocarpella maydis (2; 4-NL vrij; 5 ;6 ;9; 13)

Eisen met bijschrijvingen:
(gebaseerd op Annex-4)
De bijschrijving moet bestaan uit: de verwijzing naar de Turkse wetgeving + het itemnummer en letter + de gekozen volledige bijschrijving (vermeld bij het gewas).

Algemeen (voor alle gewassen)
The consignment complies with the Plant Quarantine Regulation no. 33245, published on May 6, 2026*, Annex-4, item [nummer(s)+letter(s)].*

Bovendien, de volgende Bijschrijvingen voor:

Allium sp.
139. *Voor Ditylenchus dipsaci en Stromatinia cepivora:*
Alle origines
a) The seeds have been grown in a place of production free from Ditylenchus dipsaci (6) and Stromatinia cepivora (6), and this place of production has been registered and inspected by the National Plant Protection Organization of the country of origin.
EN
b) No symptoms of diseases arising from Ditylenchus dipsaci (6) and Stromatinia cepivora (6) at the place of production have been observed since the beginning of the last complete vegetation cycle.

Capsicum annuum

148. *Voor tomato mottle mosaic virus, tomato apical stunt viroid, pepper chat fruit viroid:*
Alle origines
a)The seeds originate in a country where the following organisms are not known to occur: tomato mottle mosaic virus (4-NL vrij), tomato apical stunt viroid (4-NL niet vrij), pepper chat fruit viroid (4-NL vrij).

OF

b)(i) The seeds originate in a place of production known to be free from tomato mottle mosaic virus (6), tomato apical stunt viroid (6), pepper chat fruit viroid (6).
EN
b)(ii) *(Productieplaats vermelden op fytosanitair certificaat.)*
EN
b)(iii) The seeds have been subjected to analysis using theReal Time Polymerase Chain Reaction (RT-qPCR) method and are free from tomato mottle mosaic virus (2), tomato apical stunt viroid (2), pepper chat fruit viroid (2).

150. *Voor tomato brown rugose fruit virus:*
Alle origines
Voor zaden geoogst voor 31 augustus 2023 (G/SPS/N/TUR/148, d.d. 28-08-2024):
The product is an officially approved variety as being resistant to tomato brown rugose fruit virus (11).

OF

The seeds were harvested before August 31st, 2023.
EN
Using the real time RT-PCR analysis method, the seeds were found to be free of tomato brown rugose fruit virus (2). (*Let op: in de verordening van Turkije staat het volgende: "De fytosanitaire regelgeving van het land van origine moet zijn bekend om aan deze eis te kunnen voldoen.". Het is voor de NVWA niet duidelijk wat er precies mee bedoeld wordt. Deze is daarom voor het waarmerken van het FC niet relevant.)*

Voor zaden geoogst vanaf 31 augustus 2023:
In geval van zaadpartij afkomstig uit meer dan 30 moederplanten:
a) The seeds are resistant to tomato brown rugose fruit virus (11).

OF

b) The seeds have been produced in a production area where it has been determined that tomato brown rugose fruit virus has not emerged as a result of official controls carried out at appropriate times to detect tomato brown rugose fruit virus on the mother plants from which they were obtained (6).
EN
b)(i) In the case of a seed lot obtained from more than 30 mother plants; the seed lot has been subjected to analysis using the Real Time Polymerase Chain Reaction (RT-qPCR) method before processing and found free from Tomato brown rugose fruit virus (2).
EN
c) Information ensuring the traceability of the production area of the mother plants is mentioned on this certificate. *(Let op: informatie over traceerbaarheid naar de productieplaats moet vermeld worden op het FC. Deze informatie kan ingevoerd worden in de productomschrijving of de 'distinguising marks'.)*

In geval van zaadpartij afkomstig uit 30 of minder moederplanten (zowel de planttoets als de zaadtoets zijn toegestaan):
a) The seeds are resistant to tomato brown rugose fruit virus (11).

OF

b) The seeds have been produced in a production area where it has been determined that tomato brown rugose fruit virus has not emerged as a result of official controls carried out at appropriate times to detect tomato brown rugose fruit virus on the mother plants from which they were obtained (6).
EN
b)(ii) In the case of a seed lot obtained from 30 or fewer mother plants; the seeds or mother plants have been subjected to analysis using the Real Time Polymerase Chain Reaction (RT-qPCR) method and found free from tomato brown rugose fruit virus (2; 9).
EN
c) Information ensuring the traceability of the production area of the mother plants is mentioned on this certificate. *(Let op: informatie over traceerbaarheid naar de productieplaats moet vermeld worden op het FC. Deze informatie kan ingevoerd worden in de productomschrijving of de 'distinguising marks'.)*

Cucurbita pepo
151. *Voor tomato leaf curl New Delhi virus:*
Alle origines
a) The seeds originate from countries where the presence of tomato leaf curl New Delhi virus is not known to occur (4-NL vrij).

OF

b)(i) In areas where the presence of tomato leaf curl New Delhi virus is known to occur; the seeds originate in a place of production known to be free from tomato leaf curl New Delhi virus (6).
EN
b)(ii) *(Productieplaats vermelden op fytosanitair certificaat.)*
EN
b)(iii) The seeds have been subjected to analysis using the Polymerase Chain Reaction (PCR) method by the exporting country for tomato leaf curl New Delhi virus and the product has been found free from the specified agent (2).
EN
c) No traces of the tomato leaf curl New Delhi virus vector Bemisia tabaci have been found in the place of production and it is free from the pest in official controls carried out in accordance with the relevant ISPM by the National Plant Protection Organization during the production season in the area where the plants are produced (IV).

OF

b)(i) In areas where the presence of Tomato leaf curl New Delhi virus is known to occur; the seeds originate in a place of production known to be free from tomato leaf curl New Delhi virus (6).
EN
b)(ii) *(Productieplaats vermelden op fytosanitair certificaat.)*
EN
b)(iii) The seeds have been subjected to analysis using the Polymerase Chain Reaction (PCR) method by the exporting country for tomato leaf curl New Delhi virus and the product has been found free from the specified agent (2).
EN

ç) The plants have been subjected to an appropriate treatment for the eradication of the tomato leaf curl New Delhi virus vector Bemisia tabaci at the place of production where the plants are produced (behandeling van de moederplanten).

Helianthus annuus
145. *Voor Plasmopara halstedii:*
Alle origines
a) The seeds originate from areas known to be free from Plasmopara halstedii (4-NL niet vrij; 5).

OF

b) Other than those obtained from varieties resistant to all races of Plasmopara halstedii, the seeds present in the production area have been subjected to an appropriate treatment against Plasmopara halstedii (13).

OF

c)(i) At least two inspections have been carried out in the seed production areas during the production season taking into account the progression of the disease (6).
EN
c)(ii) The number of plants with disease symptoms belonging to the Plasmopara halstedii (6) agent does not exceed 5% in these inspections, and plants showing symptoms are uprooted and destroyed immediately after inspection.
EN
c)(iii) No disease symptoms belonging to the Plasmopara halstedii (6) agent have been observed on any plant after the last inspection, and a representative sample from each lot has been analyzed and found free from Plasmopara halstedii.

Medicago sativa
153. *Voor Ditylenchus dipsaci:*
Alle origines
At the place of production, during the last vegetation period, no symptoms have been observed of Ditylenchus dipsaci (6).

EN

154. *Voor Clavibacter insidiosus:*
Voor zaden afkomstig uit landen waar Clavibacter insidiosus voorkomt:
a) The presence of Clavibacter insidiosus is not known at the place of production, including its immediate vicinity, for the last ten years and when the seed is harvested, the 4th full vegetation period from planting has not yet started and no more than one seed harvest has been taken from the crop in previous periods (6).

OF

b) The crop belongs to a variety recognized as highly resistant to Clavibacter insidiosus (11).

OF

c) No symptoms of Clavibacter insidiosus have been observed at the place of production or on any crop belonging to the Medicago sativa species in its vicinity during the last vegetation period or, where appropriate, during the last two vegetation periods, and the crop has been grown in a land where no plant belonging to the Medicago sativa species has been present during the last three years prior to sowing (6).

EN
ç) The rate of foreign matter within the Medicago sativa seed does not exceed 0.1% by weight.

Phaseolus sp.
156. *Voor Xanthomonas phaseoli pv. phaseoli:*
Alle origines
a) The seeds originate in areas known to be free from Xanthomonas axonopodis pv. phaseoli (4-NL niet vrij; 5).
OF
b) A quantity of sample representing each lot/consignment has been tested and found free from Xanthomonas phaseoli pv. phaseoli (2) as a result of the test. .

Solanum lycopersicum
146. *Voor Clavibacter michiganensis subsp. michiganensis, Xanthomonas euvesicatoria pv. euvesicatoria, Xanthomonas euvesicatoria pv. perforans, Xanthomonas hortorum pv. gardneri, Xanthomonas vesicatoria en potato spindle tuber viroid:*
Alle origines
a) The seeds have been obtained by means of an appropriate acid extraction method or by another method internationally approved as equivalent (13).

EN

b) The seeds originate from areas where the presence of Clavibacter michiganensis subsp. michiganensis (4-NL vrij; 5), Xanthomonas vesicatoria (4-NL vrij; 5), Xanthomonas euvesicatoria pv. euvesicatoria (4-NL vrij; 5), Xanthomonas euvesicatoria pv. perforans (4-NL vrij; 5), Xanthomonas hortorum pv. gardneri (4-NL vrij; 5) and Potato spindle tuber viroid (4-NL niet vrij; 5) is not known to occur.
OF
c) No disease symptoms caused by Clavibacter michiganensis subsp. michiganensis (6), Xanthomonas vesicatoria (6), Xanthomonas euvesicatoria pv. euvesicatoria (6), Xanthomonas euvesicatoria pv. perforans (6), Xanthomonas hortorum pv. gardneri (6) and Potato spindle tuber viroid (6) have been observed on the plants at the place of production during the last vegetation period.
OF
ç) The seeds have been subjected to an official test for Clavibacter michiganensis subsp. michiganensis (2), Xanthomonas vesicatoria (2), Xanthomonas euvesicatoria pv. euvesicatoria (2), Xanthomonas euvesicatoria pv. perforans (2), Xanthomonas hortorum pv. gardneri (2) and Potato spindle tuber viroid (2) and this test has been carried out on a sample large enough to represent the product using acceptable methods, and found free from these organisms according to this test.

147. *Voor tomato mottle mosaic virus, tomato apical stunt viroid, columnea latent viroid, tomato planta macho viroid, pepper chat fruit viroid, tomato chlorotic dwarf viroid:*
Alle origines
a) The seeds originate from a country where the presence of tomato mottle mosaic virus (4-NL vrij), columnea latent viroid (4-NL niet vrij), tomato apical stunt viroid (4-NL niet vrij), tomato chlorotic dwarf viroid (4-NL niet vrij), tomato planta macho viroid (4-NL vrij), pepper chat fruit viroid (4-NL vrij) is not known to occur.

OF

b)(i) The seeds originate in a place of production known to be free from tomato mottle mosaic virus (6), tomato apical stunt viroid (6), columnea latent viroid (6), pepper chat fruit viroid (6), tomato chlorotic dwarf viroid (6), from tomato planta macho viroid (6).
EN

b)(ii) *(Productieplaats vermelden op fytosanitair certificaat.)*
EN
b)(iii) The seeds have been analyzed by the exporting country using the Real Time RT-qPCR method and is free from tomato mottle mosaic virus (2), tomato apical stunt viroid (2), columnea latent viroid (2), pepper chat fruit viroid (2), tomato chlorotic dwarf viroid (2), tomato planta macho viroid (2).

150. *Voor tomato brown rugose fruit virus*:
Alle origines
Voor zaden geoogst voor 31 augustus 2023 (G/SPS/N/TUR/148, d.d. 28-08-2024):
The product is an officially approved variety as being resistant to tomato brown rugose fruit virus (11).

OF

The seeds were harvested before August 31st, 2023.
EN
Using the real time RT-PCR analysis method, the seeds were found to be free of tomato brown rugose fruit virus (2). (*Let op: in de verordening van Turkije staat het volgende: "De fytosanitaire regelgeving van het land van origine moet zijn bekend om aan deze eis te kunnen voldoen.". Het is voor de NVWA niet duidelijk wat er precies mee bedoeld wordt. Deze is daarom voor het waarmerken van het FC niet relevant.)*

Voor zaden geoogst vanaf 31 augustus 2023:
In geval van zaadpartij afkomstig uit meer dan 30 moederplanten:
a) The seeds are resistant to tomato brown rugose fruit virus (11).

OF

b) The seeds have been produced in a production area where it has been determined that tomato brown rugose fruit virus has not emerged as a result of official controls carried out at appropriate times to detect tomato brown rugose fruit virus on the mother plants from which they were obtained (6).
EN
b)(i) In the case of a seed lot obtained from more than 30 mother plants; the seed lot has been subjected to analysis using the Real Time Polymerase Chain Reaction (RT-qPCR) method before processing and found free from Tomato brown rugose fruit virus (2).
EN
c) Information ensuring the traceability of the production area of the mother plants is mentioned on this certificate. *(Let op: informatie over traceerbaarheid naar de productieplaats moet vermeld worden op het FC. Deze informatie kan ingevoerd worden in de productomschrijving of de 'distinguising marks'.)*

In geval van zaadpartij afkomstig uit 30 of minder moederplanten (zowel de planttoets als de zaadtoets zijn toegestaan):
a. The seeds are resistant to tomato brown rugose fruit virus.

OF

b) The seeds have been produced in a production area where it has been determined that tomato brown rugose fruit virus has not emerged as a result of official controls carried out at appropriate times to detect tomato brown rugose fruit virus on the mother plants from which they were obtained (6).
EN

b)(ii) In the case of a seed lot obtained from 30 or fewer mother plants; the seeds or mother plants have been subjected to analysis using the Real Time Polymerase Chain Reaction (RT-qPCR) method and found free from tomato brown rugose fruit virus (2; 9).
EN
c) Information ensuring the traceability of the production area of the mother plants is mentioned on this certificate. *(Let op: informatie over traceerbaarheid naar de productieplaats moet vermeld worden op het FC. Deze informatie kan ingevoerd worden in de productomschrijving of de 'distinguising marks'.)*

Solanum melongena
149. *Voor Tomato chlorotic dwarf viroid:*
a) The seeds originate from countries where the presence of tomato chlorotic dwarf viroid is not known to occur (4-NL niet vrij).

OF

b)(i) In areas where the presence of tomato chlorotic dwarf viroid is known to occur; the seeds originate from a place of production known to be free from tomato chlorotic dwarf viroid (6).
EN
b)(ii) *(Productieplaats vermelden op fytosanitair certificaat.)*
EN
b)(iii) The seeds have been subjected to analysis using the Real Time Polymerase Chain Reaction (RT-qPCR) method for tomato chlorotic dwarf viroid (2).

Triticum sp., Secale sp., Triticosecale sp.
157. *Voor Tilletia indica en Tilletia barclayana:*
Voor zaden afkomstig uit landen waar Tilletia indica en Tilletia barclayana voorkomen:
a) The seeds originate from areas where the presence of Tilletia indica (4-NL vrij; 5) and Tilletia barclayana (~) is not known to occur and the name of this area,
EN
b) No symptoms of Tilletia indica (2+6) and Tilletia barclayana (~) have been observed on the plants at the place of production during the last vegetation period; and representative grain samples have been taken both at harvest time and prior to dispatch, tested and found free from Tilletia indica (2+6) and Tilletia barclayana (~) in these tests.

Zea mays
144. *Voor Pantoea stewartii subsp. stewartii:*
Alle origines
a) The seeds originate in a country determined to be free from Pantoea stewartii subsp. stewartii (4-NL vrij) in accordance with the ISPM on phytosanitary measures.
OF
b) The seeds originate in an area determined to be free from Pantoea stewartii subsp. stewartii (5) by the National Plant Protection Organization in the country of origin in accordance with the ISPM on phytosanitary measures.
OF
c) The seeds have been subjected to an official test for Pantoea stewartii subsp. stewartii (2) and this test has been carried out on a representative sample to represent the product using acceptable methods, and found free from this organism according to this test.

Hoewel de NVWA dit document op zorgvuldige wijze en naar beste weten heeft samengesteld, kan niet worden ingestaan voor de juistheid en volledigheid van de

beschikbaar gestelde informatie. Aan de beschikbaar gestelde informatie kunnen geen rechten worden ontleend.
Een afdruk kan verouderd zijn. Een actuele versie is op de website van NVWA beschikbaar.